

Medical Policy: Phentolamine and Papaverine (Medicaid only)

POLICY NUMBER	LAST REVIEW	ORIGIN DATE
MG.MM.PH.364	January 17, 2024	October 25, 2022

Medical Guideline Disclaimer Property of EmblemHealth. All rights reserved.

The treating physician or primary care provider must submit to EmblemHealth, or ConnectiCare, as applicable (hereinafter jointly referred to as “EmblemHealth”), the clinical evidence that the member meets the criteria for the treatment or surgical procedure. Without this documentation and information, EmblemHealth will not be able to properly review the request preauthorization or post-payment review. The clinical review criteria expressed below reflects how EmblemHealth determines whether certain services or supplies are medically necessary. This clinical policy is not intended to pre-empt the judgment of the reviewing medical director or dictate to health care providers how to practice medicine. Health care providers are expected to exercise their medical judgment in rendering appropriate care. Health care providers are expected to exercise their medical judgment in rendering appropriate care.

EmblemHealth established the clinical review criteria based upon a review of currently available clinical information (including clinical outcome studies in the peer reviewed published medical literature, regulatory status of the technology, evidence-based guidelines of public health and health research agencies, evidence-based guidelines and positions of leading national health professional organizations, views of physicians practicing in relevant clinical areas, and other relevant factors). EmblemHealth expressly reserves the right to revise these conclusions as clinical information changes and welcomes further relevant information. Each benefit program defines which services are covered. The conclusion that a particular service or supply is medically necessary does not constitute a representation or warranty that this service or supply is covered and/or paid for by EmblemHealth, as some programs exclude coverage for services or supplies that EmblemHealth considers medically necessary.

If there is a discrepancy between this guideline and a member's benefits program, the benefits program will govern. Identification of selected brand names of devices, tests and procedures in a medical coverage policy is for reference only and is not an endorsement of any one device, test or procedure over another. In addition, coverage may be mandated by applicable legal requirements of a state, the Federal Government or the Centers for Medicare & Medicaid Services (CMS) for Medicare and Medicaid members. All coding and web site links are accurate at time of publication.

EmblemHealth may also use tools developed by third parties, such as the MCG™ Care Guidelines, to assist us in administering health benefits. The MCG™ Care Guidelines are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice. EmblemHealth Services Company, LLC, has adopted this policy in providing management, administrative and other services to EmblemHealth Plan, Inc., EmblemHealth Insurance Company, EmblemHealth Services Company, LLC, and Health Insurance Plan of Greater New York (HIP) related to health benefit plans offered by these entities. ConnectiCare, an EmblemHealth company, has also adopted this policy. All of the aforementioned entities are affiliated companies under common control of EmblemHealth Inc.

Definitions

Per the New York State Department of Health guidance, prescription drugs, including phentolamine and papaverine, are not covered by the Medicaid program when prescribed to treat sexual or erectile dysfunction. Such drugs are not covered unless prescribed to treat a condition other than sexual or erectile dysfunction for which the drug has been approved by the FDA.

Length of Authorization

1 month - If patient is on the sex offender list and the request is approved by the medical director, that approval must be limited to a maximum of 30 days’ supply. Renewal must be requested every 30 days with verification of Erectile Dysfunction Verification System (EDVS) status upon every request every 30 days

Guideline

1. Erectile Dysfunction

- A. Per the New York State Department of Health guidance, prescription drugs, including phentolamine and papaverine, are not covered by the Medicaid program when prescribed to treat sexual or erectile

dysfunction. Such drugs are not covered unless prescribed to treat a condition other than sexual or erectile dysfunction for which the drug has been approved by the FDA; **AND**

- B. Erectile Dysfunction Verification System (EDVS) status has been checked

Applicable Procedure Codes

Code	Description
J2440	Injection, papaverine, up to 60mg
J2760	Injection, phentolamine mesylate, up to 5mg

Applicable NDCs

Code	Description
72516-0024-10	Papaverine HCL 30mg/mL Solution
72516-0024-25	Papaverine HCL 30mg/mL Solution
72516-0024-01	Papaverine HCL 30mg/mL Solution
54288-0142-01	Papaverine HCL 30mg/mL Solution
54288-0142-10	Papaverine HCL 30mg/mL Solution
14789-0121-05	Papaverine HCL 30mg/mL Solution
14789-0121-07	Papaverine HCL 30mg/mL Solution
00517-4002-25	Papaverine HCL 30mg/mL Solution
00143-9564-01	Phentolamine mesylate 5mg Solution Reconstituted
00143-9564-10	Phentolamine mesylate 5mg Solution Reconstituted
68094-0101-10	Phentolamine mesylate 5mg Solution Reconstituted
51224-0012-10	Phentolamine mesylate 5mg Solution Reconstituted
51224-0012-20	Phentolamine mesylate 5mg Solution Reconstituted
68094-0101-20	Phentolamine mesylate 5mg Solution Reconstituted

ICD-10 Diagnoses

Code	Description
F52.21	Male erectile dysfunction, psychogenic impotence
N52.0	Vasculogenic erectile dysfunction
N52.01	Erectile Dysfunction due to arterial insufficiency
N52.02	Corpor-venous occlusive erectile dysfunction
N52.03	Combined arterial insufficiency and corpora-venous occlusive erectile dysfunction
N52.1	Erectile dysfunction due to diseases classified elsewhere
N52.2	Drug induced erectile dysfunction
N52.3	Post-procedural erectile dysfunction
N52.8	Other male erectile dysfunction
N52.9	Male erectile dysfunction, unspecified

Revision History

Company(ies)	DATE	REVISION
EmblemHealth & ConnectiCare	1/17/2024	Annual Review: no criteria changes
EmblemHealth & ConnectiCare	5/22/2023	Annual Review: no criteria changes
EmblemHealth & ConnectiCare	10/25/2022	New Policy

References

1. Papaverine [prescribing information]. Shirley, NY: American Regent, Inc; January 2009.
2. Papaverine [prescribing information]. Largo, FL: BPI Labs LLC; May 2021.
3. Phentolamine powder for solution [prescribing information]. Eatontown, NJ: West-Ward Pharmaceuticals; September 2015.
4. New York State Medicaid Update September 2021 Volume 37-Number 11. Available at: https://www.health.ny.gov/health_care/medicaid/program/update/2021/no11_2021-09.htm. Accessed on: October 25th 2022.