

Radiofrequency Ablation of Tumors

Last Review Date: May 12, 2023 Number: MG.MM.SU.52cC4

Medical Guideline Disclaimer

Property of EmblemHealth. All rights reserved. The treating physician or primary care provider must submit to EmblemHealth the clinical evidence that the patient meets the criteria for the treatment or surgical procedure. Without this documentation and information, EmblemHealth will not be able to properly review the request for prior authorization. The clinical review criteria expressed below reflects how EmblemHealth determines whether certain services or supplies are medically necessary. EmblemHealth established the clinical review criteria based upon a review of currently available clinical information (including clinical outcome studies in the peer reviewed published medical literature, regulatory status of the technology, evidence-based guidelines of public health and health research agencies, evidence-based guidelines and positions of leading national health professional organizations, views of physicians practicing in relevant clinical areas, and other relevant factors). Emblem Health expressly reserves the right to revise these conclusions as clinical information changes and welcomes further relevant information. Each benefit program defines which services are covered. The conclusion that a particular service or supply is medically necessary does not constitute a representation or warranty that this service or supply is covered and/or paid for by EmblemHealth, as some programs exclude coverage for services or supplies that EmblemHealth considers medically necessary. If there is a discrepancy between this guideline and a member's benefits program, the benefits program will govern. In addition, coverage may be mandated by applicable legal requirements of a state, the Federal Government or the Centers for Medicare & Medicaid Services (CMS) for Medicare and Medicaid members. All coding and web site links are accurate at time of publication. EmblemHealth Services Company LLC, ("EmblemHealth") has adopted the herein policy in providing management, administrative and other services to EmblemHealth Plan, Inc., EmblemHealth Insurance Company, EmblemHealth Services Company, LLC and Health Insurance Plan of Greater New York (HIP) related to health benefit plans offered by these entities. All of the aforementioned entities are affiliated companies under common control of EmblemHealth Inc.

Definition

Radiofrequency ablation is a technique of heating cells using a small needle electrode placed directly into a tumor. High frequency radio waves heat the tumor and cause local necrosis. The dead cells become scar tissue and eventually shrink.

Related Guidelines

Cryosurgical and Radiofrequency Ablation for Renal Tumors
Selective Internal Radiation Therapy
Stereotactic Radiosurgery and Proton Beam Therapy

Guideline

Members are eligible for RFA for the following indications:

- Bone pain secondary to cancer as an interventional or palliative pain management strategy
- Distant metastasic lesions of medullary thyroid carcinoma
- Gastro-intestinal stromal tumors with limited progression in a single metastatic site
- Non-small cell lung cancer (NSCLC) medically inoperable/member unable to tolerate surgery:
 - ✓ Treatment of stage 1A peripheral tumors (defined as ≤ 3 cm)
 - Symptomatic airway obstruction as a means to improve quality of life
- Osteoid osteoma as less invasive alternative to surgical resection
- Renal tumors small (≤ 4 cm in diameter) suspected to be malignant or with malignant potential
- Symptomatic soft tissue sarcoma disseminated metastases
- Liver tumors medically inoperable/member unable to tolerate surgery*
 - ✓ Primary malignancy hepatocellular carcinoma (HCC)
 - Metastatic; site of origin/type:
 - colorectal carcinoma

- neuroendocrine
- ocular melanoma
- ✓ Unresectable intra-hepatic cholangiocarcinoma

*Utilization: Radiofrequency ablation may be considered medically necessary when as a sole curative treatment for lesions ≤ 3 cm or as to prolong survival when combined with arterial therapy (e.g., chemoembolization, radioembolization with yttrium -90 microspheres) for lesions 3–5 cm.

Uterine sarcoma — resectable isolated metastases as alternative to surgical resection

Limitations/Exclusions

Ablation requests for indications other than those listed above are case-by-case reviewed upon receipt of clinical documentation substantiating medical necessity.

Radiofrequency ablation is not considered medically necessary for benign/malignant tumors per below, as there is insufficient evidence of therapeutic value (list not meant to be all-inclusive):

- Benign thyroid nodules
- Breast tumors
- Brunner's gland hyperplasia
- Chondroblastoma
- Gallbladder cancer
- Gastro-intestinal stromal tumors; multiple metastatic sites
- Hepatic metastases from non-colonic primary cancers or those > 5 cm
- Malignant bile duct obstruction
- Pancreatic cancer

Revision History

| May 10, 2019 | Added unresectable intra-hepatic cholangiocarcinoma to list of liver tumors |
|--------------|---|
| May 11, 2018 | Clarified (for gastro-intestinal stromal tumors) that RFA is appropriate for the treatment of progression in a single metastatic site, but not in multiple metastatic sites |
| May 12, 2017 | Removed palliative treatment of bone cancer pain from Limitations/Exclusions and added as covered indication |

Applicable Procedure Codes

| 20982 | Ablation therapy for reduction or eradication of 1 or more bone tumors (eg, metastasis) including adjacent soft tissue when involved by tumor extension, percutaneous, including imaging guidance when performed; radiofrequency |
|-------|--|
| 32998 | Ablation therapy for reduction or eradication of 1 or more pulmonary tumor(s) including pleura or chest wall when involved by tumor extension, percutaneous, including imaging guidance when performed, unilateral; radiofrequency |
| 47370 | Laparoscopy, surgical, ablation of one or more liver tumor(s); radiofrequency |
| 47380 | Ablation, open, of one or more liver tumor(s); radiofrequency |
| 47382 | Ablation, one or more liver tumor(s), percutaneous, radiofrequency |
| 50542 | Laparoscopy, surgical; ablation of renal mass lesion(s), including intraoperative ultrasound guidance and monitoring, when performed [when specified as radiofrequency ablation] |
| 50592 | Ablation, 1 or more renal tumor(s), percutaneous, unilateral, radiofrequency |
| 53852 | Transurethral destruction of prostate tissue; by radiofrequency thermotherapy |
| 53854 | Transurethral destruction of prostate tissue; by radiofrequency generated water vapor thermotherapy |
| 77013 | Computerized tomography guidance for; and monitoring of, parenchymal tissue ablation |
| 77022 | Magnetic resonance guidance for, and monitoring of, parenchymal tissue ablation |
| | |

| 76940 | Ultrasound guidance for, monitoring of tissue ablation |
|-------|--|
| | |

Applicable ICD-10 Codes

| C22.0 | Liver cell carcinoma |
|--------|--|
| C22.2 | Hepatoblastoma |
| C22.3 | Angiosarcoma of liver |
| C22.7 | Other specified carcinomas of liver |
| C22.8 | Malignant neoplasm of liver, primary, unspecified as to type |
| C22.9 | Malignant neoplasm of liver, not specified as primary or secondary |
| C33 | Malignant neoplasm of trachea |
| C34.00 | Malignant neoplasm of unspecified main bronchus |
| C34.01 | Malignant neoplasm of right main bronchus |
| C34.02 | Malignant neoplasm of left main bronchus |
| C34.10 | Malignant neoplasm of upper lobe, unspecified bronchus or lung |
| C34.11 | Malignant neoplasm of upper lobe, right bronchus or lung |
| C34.12 | Malignant neoplasm of upper lobe, left bronchus or lung |
| C34.2 | Malignant neoplasm of middle lobe, bronchus or lung |
| C34.30 | Malignant neoplasm of lower lobe, unspecified bronchus or lung |
| C34.31 | Malignant neoplasm of lower lobe, right bronchus or lung |
| C34.32 | Malignant neoplasm of lower lobe, left bronchus or lung |
| C34.80 | Malignant neoplasm of overlapping sites of unspecified bronchus and lung |
| C34.81 | Malignant neoplasm of overlapping sites of right bronchus and lung |
| C34.82 | Malignant neoplasm of overlapping sites of left bronchus and lung |
| C34.90 | Malignant neoplasm of unspecified part of unspecified bronchus or lung |
| C34.91 | Malignant neoplasm of unspecified part of right bronchus or lung |
| C34.92 | Malignant neoplasm of unspecified part of left bronchus or lung |
| C49.10 | Malignant neoplasm of connective and soft tissue of unspecified upper limb, including shoulder |
| C49.11 | Malignant neoplasm of connective and soft tissue of right upper limb, including shoulder |
| C49.12 | Malignant neoplasm of connective and soft tissue of left upper limb, including shoulder |
| C49.20 | Malignant neoplasm of connective and soft tissue of unspecified lower limb, including hip |
| C49.21 | Malignant neoplasm of connective and soft tissue of right lower limb, including hip |
| C49.22 | Malignant neoplasm of connective and soft tissue of left lower limb, including hip |
| C49.6 | Malignant neoplasm of connective and soft tissue of trunk, unspecified |
| C49.8 | Malignant neoplasm of overlapping sites of connective and soft tissue |
| C49.9 | Malignant neoplasm of connective and soft tissue, unspecified |
| C49.A0 | Gastrointestinal stromal tumor, unspecified site |
| C49.A1 | Gastrointestinal stromal tumor of esophagus |
| C49.A2 | Gastrointestinal stromal tumor of stomach |
| C49.A3 | Gastrointestinal stromal tumor of small intestine |
| C49.A4 | Gastrointestinal stromal tumor of large intestine |
| C49.A5 | Gastrointestinal stromal tumor of rectum |
| C49.A9 | Gastrointestinal stromal tumor of other sites |
| C64.1 | Malignant neoplasm of right kidney, except renal pelvis |
| C64.2 | Malignant neoplasm of left kidney, except renal pelvis |

| C64.9 | Malignant neoplasm of unspecified kidney, except renal pelvis |
|---------|---|
| C78.00 | Secondary malignant neoplasm of unspecified lung |
| C78.01 | Secondary malignant neoplasm of right lung |
| C78.02 | Secondary malignant neoplasm of left lung |
| C78.2 | Secondary malignant neoplasm of pleura |
| C78.5 | Secondary malignant neoplasm of large intestine and rectum |
| C78.7 | Secondary malignant neoplasm of liver and intrahepatic bile duct |
| C79.51 | Secondary malignant neoplasm of bone |
| C79.52 | Secondary malignant neoplasm of bone marrow |
| C79.89 | Secondary malignant neoplasm of other specified sites |
| C79.9 | Secondary malignant neoplasm of unspecified site |
| C7B.00 | Secondary carcinoid tumors, unspecified site |
| C7B.00 | Secondary carcinoid tumors, unspecified site |
| C7B.01 | Secondary carcinoid tumors of distant lymph nodes |
| C7B.02 | Secondary carcinoid tumors of liver |
| C7B.03 | Secondary carcinoid tumors of bone |
| C7B.04 | Secondary carcinoid tumors of peritoneum |
| C7B.09 | Secondary carcinoid tumors of other sites |
| C7B.1 | Secondary Merkel cell carcinoma |
| C7B.8 | Other secondary neuroendocrine tumors |
| D37.6 | Neoplasm of uncertain behavior of liver, gallbladder and bile ducts |
| D41.00 | Neoplasm of uncertain behavior of unspecified kidney |
| D41.01 | Neoplasm of uncertain behavior of right kidney |
| D41.02 | Neoplasm of uncertain behavior of left kidney |
| D48.1 | Neoplasm of uncertain behavior of connective and other soft tissue |
| D49.0 | Neoplasm of unspecified behavior of digestive system |
| D49.51 | Neoplasm of unspecified behavior of kidney |
| D49.511 | Neoplasm of unspecified behavior of right kidney |
| D49.512 | Neoplasm of unspecified behavior of left kidney |
| D49.519 | Neoplasm of unspecified behavior of unspecified kidney |
| D49.59 | Neoplasm of unspecified behavior of other genitourinary organ |
| G89.3 | Neoplasm related pain (acute) (chronic) |
| | |

References

American Association for the Study of Liver Diseases (AASLD) Website. AASLD Practice Guideline. Management of hepatocellular carcinoma: an update. 2018. https://www.aasld.org/practice-guidelines/management-hepatocellular-carcinoma. Accessed May 23, 2023.

American Association of Clinical Endocrinologists (AACE) Website. American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi and European Thyroid Association medical guidelines for clinical practice for the diagnosis and management of thyroid nodules. Vol 16 (Suppl 1) May/June 2010, updated 2016. https://pro.aace.com/disease-state-resources/thyroid/clinical-practice-guidelines/aaceaceame-medical-guidelines-clinical. Accessed May 23, 2023.

American College of Chest Physicians (ACCP). Executive Summary. Diagnosis and management of lung cancer, 3rd ed: American College of Chest Physicians evidence-based clinical practice guidelines. May 2013. https://journal.chestnet.org/article/S0012-3692(13)60290-1/fulltext. Accessed May 23, 2023.

American College of Gastroenterology (ACG) Website. ACG clinical guideline: diagnosis and management of focal liver lesions. September 2014. https://journals.lww.com/ajg/Fulltext/2014/09000/ACG_Clinical_Guideline_The_Diagnosis_and.7.aspx. Accessed May 23, 2023.

American College of Radiology (ACR) Website. ACR Appropriateness Criteria. Early stage non-small cell lung cancer. 2013. https://acsearch.acr.org/docs/3082798/Narrative/. Accessed May 23, 2023.

American College of Radiology (ACR) Website. ACR Appropriateness Criteria. Radiologic management of hepatic malignancy. 2015. Revised 2022. https://acsearch.acr.org/docs/69379/Narrative/. Accessed May 23, 2023.

American Society of Breast Surgeons (ASBS) Website. Consensus Guideline on the Use of Transcutaneous and Percutaneous Ablation for the Treatment of Benign and Malignant Tumors of the Breast. 2018.

https://www.breastsurgeons.org/docs/statements/Consensus-Guideline-on-the-Use-of-Transcutaneous-and-Percutaneous-Methods-for-the-Treatment-of-Benign-and-Malignant-Tumors-of-the-Breast.pdf. Accessed May 23, 2023.

American Thyroid Association (ATA) Website. American Thyroid Association guidelines for management of patients with anaplastic thyroid cancer. 2012. http://www.thyca.org/download/document/185/ATCGuidelines2012.pdf. Accessed May 23, 2023.

American Urological Association (AUA) Website. Renal Mass and Localized Renal Cancer. 2017. https://www.auanet.org/guidelines-and-quality/guidelines/oncology-guidelines. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): adult cancer pain. V1.2023. http://www.nccn.org/professionals/physician_gls/pdf/pain.pdf. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): colon cancer. V2.2023. http://www.nccn.org/professionals/physician_gls/pdf/colon.pdf. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): esophageal and esophagogastric junction cancers. V2.2023.

http://www.nccn.org/professionals/physician_gls/pdf/esophageal.pdf. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): Hepatocellular Carcinoma. V1.2023. https://www.nccn.org/professionals/physician_gls/pdf/hcc.pdf. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): Biliary Tract Cancers. V2.2023. https://www.nccn.org/professionals/physician_gls/pdf/btc.pdf. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): kidney cancer. V4. 2023. http://www.nccn.org/professionals/physician_gls/pdf/kidney.pdf. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): neuroendocrine and adrenal tumors. V2.2022. https://www.nccn.org/professionals/physician_gls/pdf/neuroendocrine.pdf. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): non-small cell lung cancer. V3.2023. https://www.nccn.org/professionals/physician_gls/pdf/nscl.pdf. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): occult primary. V3.2023. http://www.nccn.org/professionals/physician_gls/pdf/occult.pdf. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): soft tissue sarcoma. V2.2023. http://www.nccn.org/professionals/physician_gls/pdf/sarcoma.pdf. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): thyroid carcinoma. V2.2023. http://www.nccn.org/professionals/physician_gls/pdf/thyroid.pdf. Accessed May 23, 2023.

National Comprehensive Cancer Network (NCCN) Website. NCCN clinical practice guidelines in oncology (NCCN guidelines): uterine neoplasms. V2.2023. http://www.nccn.org/professionals/physician_gls/pdf/uterine.pdf. Accessed May 23, 2023.

Society of Interventional Radiology (SIR) Website. Standards of Practice. Research reporting standards for percutaneous thermal ablation of lung neoplasms. July 2009. http://www.jvir.org/article/S1051-0443%2809%2900018-9/pdf. Accessed May 23, 2023. Specialty matched clinical peer review.