



Total Ankle Replacement

Last Review Date: September 9, 2016

Number: MG.MM.SU.48C5

Medical Guideline Disclaimer

Property of EmblemHealth. All rights reserved. The treating physician or primary care provider must submit to EmblemHealth the clinical evidence that the patient meets the criteria for the treatment or surgical procedure. Without this documentation and information, EmblemHealth will not be able to properly review the request for prior authorization. The clinical review criteria expressed below reflects how EmblemHealth determines whether certain services or supplies are medically necessary. EmblemHealth established the clinical review criteria based upon a review of currently available clinical information (including clinical outcome studies in the peer-reviewed published medical literature, regulatory status of the technology, evidence-based guidelines of public health and health research agencies, evidence-based guidelines and positions of leading national health professional organizations, views of physicians practicing in relevant clinical areas, and other relevant factors). EmblemHealth expressly reserves the right to revise these conclusions as clinical information changes, and welcomes further relevant information. Each benefit program defines which services are covered. The conclusion that a particular service or supply is medically necessary does not constitute a representation or warranty that this service or supply is covered and/or paid for by EmblemHealth, as some programs exclude coverage for services or supplies that EmblemHealth considers medically necessary. If there is a discrepancy between this guideline and a member's benefits program, the benefits program will govern. In addition, coverage may be mandated by applicable legal requirements of a state, the Federal Government or the Centers for Medicare & Medicaid Services (CMS) for Medicare and Medicaid members. All coding and web site links are accurate at time of publication. EmblemHealth Services Company LLC, ("EmblemHealth") has adopted the herein policy in providing management, administrative and other services to HIP Health Plan of New York, HIP Insurance Company of New York, Group Health Incorporated and GHI HMO Select, related to health benefit plans offered by these entities. All of the aforementioned entities are affiliated companies under common control of EmblemHealth Inc.

Definition

Total ankle replacement (aka total ankle arthroplasty [TAA]) consists of replacing a diseased ankle joint with a prosthetic plastic and metal joint. The procedure has been proposed as an alternative to ankle arthrodesis (fusion) for conditions such as severe osteoarthritis (OA), post-traumatic arthritis and rheumatoid arthritis.

Guideline

Members with a severely degenerative ankle or severe inflammatory arthritis (e.g., OA, post-traumatic or rheumatoid), who are skeletally mature with sufficient bone stock, are eligible for TAA with an FDA-approved device when the following criteria are met:

- Loss of ankle mobility and function
- Moderate to severe pain unrelieved by ≥ 6 months of conservative therapy (e.g., anti-inflammatory medications, orthotics, activity modification, physical therapy)

AND ANY OF THE FOLLOWING

- Arthritis in adjacent joints of the involved extremity (i.e., subtalar, midfoot)
- Severe arthritis of the contralateral ankle
- Previous arthrodesis of the contralateral ankle

Limitations/Exclusions

TAA is not considered medically necessary when any of the following are applicable:

- Active infection in the joint or adjacent bones
- Insufficient bone stock/osteonecrosis
- Loss of musculature in the affected limb/insufficient ligament support that is not repairable
- Lower extremity vascular insufficiency
- Neurologic impairment affecting muscle function about the ankle/peripheral neuropathy
- Severe ankle deformity
- Malalignment/severe deformity of involved or adjacent anatomic structures (e.g. hindfoot, forefoot, knee)

Applicable Procedure Codes

27702	Arthroplasty, ankle; with implant (total ankle)
27703	Arthroplasty, ankle; revision, total ankle

Applicable ICD-10 Diagnosis Codes

M05.071	Felty's syndrome, right ankle and foot
M05.072	Felty's syndrome, left ankle and foot
M05.079	Felty's syndrome, unspecified ankle and foot
M05.271	Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot
M05.272	Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot
M05.279	Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot
M05.371	Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot
M05.372	Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot
M05.379	Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot
M05.471	Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot
M05.472	Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot
M05.479	Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot
M05.571	Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot
M05.572	Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot
M05.579	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot
M05.671	Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems
M05.672	Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems

M05.679	Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems
M05.771	Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement
M05.772	Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement
M05.779	Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems involvement
M05.871	Other rheumatoid arthritis with rheumatoid factor of right ankle and foot
M05.872	Other rheumatoid arthritis with rheumatoid factor of left ankle and foot
M05.879	Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot
M06.071	Rheumatoid arthritis without rheumatoid factor, right ankle and foot
M06.072	Rheumatoid arthritis without rheumatoid factor, left ankle and foot
M06.079	Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot
M06.1	Adult-onset Still's disease
M06.271	Rheumatoid bursitis, right ankle and foot
M06.272	Rheumatoid bursitis, left ankle and foot
M06.279	Rheumatoid bursitis, unspecified ankle and foot
M06.371	Rheumatoid nodule, right ankle and foot
M06.372	Rheumatoid nodule, left ankle and foot
M06.379	Rheumatoid nodule, unspecified ankle and foot
M06.871	Other specified rheumatoid arthritis, right ankle and foot
M06.872	Other specified rheumatoid arthritis, left ankle and foot
M06.879	Other specified rheumatoid arthritis, unspecified ankle and foot
M07.671	Enteropathic arthropathies, right ankle and foot
M07.672	Enteropathic arthropathies, left ankle and foot
M07.679	Enteropathic arthropathies, unspecified ankle and foot
M08.071	Unspecified juvenile rheumatoid arthritis, right ankle and foot
M08.072	Unspecified juvenile rheumatoid arthritis, left ankle and foot
M08.079	Unspecified juvenile rheumatoid arthritis, unspecified ankle and foot
M08.271	Juvenile rheumatoid arthritis with systemic onset, right ankle and foot
M08.272	Juvenile rheumatoid arthritis with systemic onset, left ankle and foot
M08.279	Juvenile rheumatoid arthritis with systemic onset, unspecified ankle and foot
M08.471	Pauciarticular juvenile rheumatoid arthritis, right ankle and foot

M08.472	Pauciarticular juvenile rheumatoid arthritis, left ankle and foot
M08.479	Pauciarticular juvenile rheumatoid arthritis, unspecified ankle and foot
M08.871	Other juvenile arthritis, right ankle and foot
M08.872	Other juvenile arthritis, left ankle and foot
M08.879	Other juvenile arthritis, unspecified ankle and foot
M08.971	Juvenile arthritis, unspecified, right ankle and foot
M08.972	Juvenile arthritis, unspecified, left ankle and foot
M08.979	Juvenile arthritis, unspecified, unspecified ankle and foot
M12.071	Chronic postrheumatic arthropathy [Jaccoud], right ankle and foot
M12.072	Chronic postrheumatic arthropathy [Jaccoud], left ankle and foot
M12.079	Chronic postrheumatic arthropathy [Jaccoud], unspecified ankle and foot
M12.571	Traumatic arthropathy, right ankle and foot
M12.572	Traumatic arthropathy, left ankle and foot
M12.579	Traumatic arthropathy, unspecified ankle and foot
M12.871	Other specific arthropathies, not elsewhere classified, right ankle and foot
M12.872	Other specific arthropathies, not elsewhere classified, left ankle and foot
M12.879	Other specific arthropathies, not elsewhere classified, unspecified ankle and foot
M13.171	Monoarthritis, not elsewhere classified, right ankle and foot
M13.172	Monoarthritis, not elsewhere classified, left ankle and foot
M13.179	Monoarthritis, not elsewhere classified, unspecified ankle and foot
M19.071	Primary osteoarthritis, right ankle and foot
M19.072	Primary osteoarthritis, left ankle and foot
M19.079	Primary osteoarthritis, unspecified ankle and foot
M19.171	Post-traumatic osteoarthritis, right ankle and foot
M19.172	Post-traumatic osteoarthritis, left ankle and foot
M19.179	Post-traumatic osteoarthritis, unspecified ankle and foot
M19.271	Secondary osteoarthritis, right ankle and foot
M19.272	Secondary osteoarthritis, left ankle and foot
M19.279	Secondary osteoarthritis, unspecified ankle and foot
M19.90	Unspecified osteoarthritis, unspecified site
M96.0	Pseudarthrosis after fusion or arthrodesis

Z96.661	Presence of right artificial ankle joint
Z96.662	Presence of left artificial ankle joint
Z96.669	Presence of unspecified artificial ankle joint

References

- American College of Foot and Ankle Surgeons. Position statement on total ankle replacement surgery. March 2010. <http://www.acfas.org/Physicians/Content.aspx?id=1933>. Accessed September 12, 2016
- American Orthopaedic Foot & Ankle Society. Position statement on Total Ankle Replacement Surgery. 2009. <http://www.aofas.org/medical-community/health-policy/Documents/Total-Ankle-Replacement-Position-Statement-3-2014-FINAL.pdf>. Accessed September 12, 2016
- Anderson T, Montgomery F, Carlsson A. Uncemented STAR total ankle prosthesis. Three to eight-year follow-up of fifty-one consecutive ankles. *J Bone Joint Surg Am.* 2003; 85-A(7):1321-1329.
- Bonnin M, Judet T, Colombier JA, et al. Midterm results of the Salto Total Ankle Prosthesis. *Clin Orthop Relat Res.* 2004; (424):6-18.
- Buechel FF Sr, Buechel FF Jr, Pappas MJ. Ten-year evaluation of cementless Buechel-Pappas meniscal bearing total ankle replacement. *Foot Ankle Int.* 2003; 24(6):462-472.
- Colman AB, Pomeroy GC. Transfibular ankle arthrodesis with rigid internal fixation: an assessment of outcome. *Foot Ankle Int.* 2007; 28(3):303-307.
- Conti SF, Wong YS. Complications of total ankle replacement. *Foot Ankle Clin.* 2002; 7(4):791-807.
- Doets H, Brand R, Nelissen R. Total ankle arthroplasty in inflammatory joint disease with use of two mobile-bearing designs. *J Bone Joint Surg Am.* 2006; 88(6):1272-1284.
- Dyrby C, Chou LB, Andriacchi TP, Mann RA. Functional evaluation of the Scandinavian total ankle replacement. *Foot ankle Int.* 2004; 25(6):377-381.
- Easley ME, Vertullo CJ, Urban WC, Nunley JA. Total ankle arthroplasty. *J Am Acad Orthop Surg.* 2002; 10(3):157-167.
- Gill LH. Challenges in total ankle arthroplasty. *Foot Ankle Int.* 2004; 25(4):195-207.
- Guyer AJ, Richardson G. Current concepts review: total ankle arthroplasty. *Foot Ankle Int.* 2008; 29(2):256-264.
- Haddad SL, Coetzee JC, Estok R, et al. Intermediate and long-term outcomes of total ankle arthroplasty and ankle arthrodesis. A systematic review of the literature. *J Bone Joint Surg Am.* 2007; 89(9):1899-1905.
- Hintermann B, Valderrabano V. Total ankle replacement. *Foot Ankle Clin* 2003; 8(2):375-405.
- Hopgood P, Kumar R, Wood PL. Ankle arthrodesis for failed total ankle replacement. 2006; 88(8):1032-1038.
- Huowitz EJ, Gould JS, Fleisig GS, Fowler R. Outcome analysis of agility total ankle replacement with prior adjunctive procedures: two to six year followup. *Foot Ankle Int.* 2007; 28(3):308-312.
- Knecht SI, Estin M, Callaghan JJ, et al. The Agility total ankle arthroplasty. Seven to sixteen-year follow-up. *J Bone Joint Surg Am.* 2004; 86-A(6):1161-1171.
- Kopp FJ, Patel MM, Deland JT, O'Malley MJ. Total ankle arthroplasty with the Agility prosthesis: clinical and radiographic evaluation. *Foot Ankle Int.* 2006; 27(2):97-103.
- Kotnis R, Pasapula C, Anwar F, et al. The management of failed ankle replacement. *J Bone Joint Surg Br.* 2006; 88(8):1039-1047.
- Morse KR, Flemister AS, Baumhauer JF, DiGiovanni BF. Distraction arthroplasty. *Foot Ankle Clin.* 2007; 12(1):29-39.
- Pyevich MT, Saltzman CL, Callaghan JJ, Alvine FG. Total ankle arthroplasty: a unique design. Two to twelve-year follow-up. *J Bone Joint Surg Am.* 1998; 80(10):1410-1420.
- Raikin SM, Myerson MS. Avoiding and managing complications of the Agility Total Ankle Replacement system. *Orthopedics.* 2006; 29(10):930-938.

Total Ankle Replacement

Last review: September 9, 2016

Page 6 of 6

Saltzman CL, Mann RA, Ahrens JE, et al. Prospective Controlled Trial of STAR Total Ankle Replacement Versus Ankle Fusion: Initial Results. *Foot Ankle Int.* 2009; 30(7):579-596.

San Giovanni TP, Keblish DJ, Thomas WH, Wilson MG. Eight-year results of a minimally constrained total ankle arthroplasty. *Foot Ankle Int.* 2006; 27(6):418-426.

Schuberth JM, Patel S, Zarutsky E. Perioperative complications of the Agility total ankle replacement in 50 initial, consecutive cases. *J Foot Ankle Surg.* 2006; 45(3):139-146.

Slobogean GP, Younger A, Apostle KL, et al. Preference-based quality of life of end-stage ankle arthritis treated with arthroplasty or arthrodesis. *Foot Ankle Int.* 2010; 31(7):563-566.

Smith R, Wood PL. Arthrodesis of the ankle in the presence of a large deformity in the coronal plane. *J Bone Joint Surg. Br.* 2007; 89(5):615-619.

SooHoo NF, Zingmond DS, Ko CY. Comparison of reoperation rates following ankle arthrodesis and total ankle arthroplasty. *J Bone Joint Surg Am.* 2007; 89(10):2143-2149.

Specialty-matched clinical peer review.

Spirit AA, Assal M, Hansen ST Jr. Complications and failure after total ankle arthroplasty. *J Bone Joint Surg Am.* 2004; 86-A(6):1172-1178.

Stamatis ED, Myerson MS. How to avoid specific complications of total ankle replacement. *Foot Ankle Clin.* 2002; 7(4):765-789.

Stengel D, Bauwens K, Ekkernkamp A, Cramer J. Efficacy to total ankle replacement with meniscal-bearing devices: a systemic review and meta-analysis. *Arch Orthop Trauma Surg.* 2005; 125(2):109-119

Vickerstaff JA, Miles AW, Cunningham JL. A brief history of total ankle replacement and a review of the current status. *Med Eng Phys.* 2007; 29(10):1056-1064.

U.S. Food and Drug Administration Premarket Approvals. Scandinavian Total Ankle Replacement System (STAR Ankle). P050050. Rockville, MD: FDA. May 29, 2009. Available at: <http://www.fda.gov/MedicalDevices/ProductsandMedicalProcedures/DeviceApprovalsandClearances/PMAApprovals/ucm166550.htm>. Accessed August 22, 2012.

Wood PL, Deakin S. Total ankle replacement. The results in 200 ankles. *J Bone Joint Surg Br.* 2003; 85(3):334-341.

Wood PL, Prem H, Sutton C. Total ankle replacement: medium-term results in 200 Scandinavian total ankle replacements. *J Bone Joint Surg Br.* 2008; 90(5):605-609.