

Outpatient Cardiac Rehabilitation

Last Review Date: May 13, 2022

Number: MG.MM.ME.26e

Medical Guideline Disclaimer

Property of EmblemHealth. All rights reserved. The treating physician or primary care provider must submit to EmblemHealth the clinical evidence that the patient meets the criteria for the treatment or surgical procedure. Without this documentation and information, EmblemHealth will not be able to properly review the request for prior authorization. The clinical review criteria expressed below reflects how EmblemHealth determines whether certain services or supplies are medically necessary. EmblemHealth established the clinical review criteria based upon a review of currently available clinical information (including clinical outcome studies in the peer reviewed published medical literature, regulatory status of the technology, evidence-based guidelines of public health and health research agencies, evidence-based guidelines and positions of leading national health professional organizations, views of physicians practicing in relevant clinical areas, and other relevant factors). EmblemHealth expressly reserves the right to revise these conclusions as clinical information changes and welcomes further relevant information. Each benefit program defines which services are covered. The conclusion that a particular service or supply is medically necessary does not constitute a representation or warranty that this service or supply is covered and/or paid for by EmblemHealth, as some programs exclude coverage for services or supplies that EmblemHealth considers medically necessary. If there is a discrepancy between this guideline and a member's benefits program, the benefits program will govern. In addition, coverage may be mandated by applicable legal requirements of a state, the Federal Government or the Centers for Medicare & Medicaid Services (CMS) for Medicare and Medicaid members. All coding and web site links are accurate at time of publication. EmblemHealth Services Company LLC, ("EmblemHealth") has adopted the herein policy in providing management, administrative and other services to EmblemHealth Plan, Inc., EmblemHealth Insurance Company, EmblemHealth Services Company, LLC and Health Insurance Plan of Greater New York (HIP) related to health benefit plans offered by these entities. All of the aforementioned entities are affiliated companies under common control of EmblemHealth Inc.

Definitions

Cardiac rehabilitation	<p>A comprehensive program of medical evaluation, prescribed exercise, cardiac risk factor modification, education and counseling designed to restore certain patients with coronary heart disease to active and productive lives.</p> <p>Cardiac rehabilitation, as described in the medical literature, is divided into 3 phases and consists of a series of supervised exercise sessions with continuous electrocardiograph monitoring.</p> <p>Clinically optimal results are obtained if these sessions are conducted 3-times per week over a 12-to-18-week period.</p>
Phase I	The immediate in-hospital post-cardiac event phase.
Phase II	The immediate post-hospitalization outpatient recuperation phase.
Phase III	The long-term maintenance phase.

Guideline

This guideline encompasses outpatient, post-hospital cardiac rehabilitation or Phase II. Members are eligible for coverage of outpatient cardiac rehabilitation when any of the following criteria are applicable:

- 1 Status post coronary artery bypass graft (CABG) surgery
- 2 Status post heart or heart-lung transplant
- 3 Status post heart valve repair or replacement
- 4 Status post percutaneous transluminal angioplasty (PTA) or stent placement
- 5 Members begin the program within 12 months of an acute myocardial infarction (MI)
- 6 Members have stable angina
- 7 Members have stable, chronic heart failure (defined as left ventricular ejection fraction [LVEF] of $\leq 35\%$ and New York Heart Association [NYHA] class II to IV symptoms despite being on optimal heart failure therapy for at least six weeks. Stable is defined as not having undergone recent [≤ 6 weeks] or planned [≤ 6 months] major cardiovascular hospitalizations or procedures)
- 8 Members with compensated newly diagnosed heart failure from a non-ischemic etiology (i.e., newly diagnosed dilated cardiomyopathy due to acute myocarditis)

Limitations

1 Facilities

Cardiac rehabilitation programs may be provided either by the outpatient department of a hospital or a physician-directed clinic.¹ Coverage for either program is subject to the following conditions:

- a. The facility meets the definition of a hospital outpatient department or a physician-directed clinic (e.g., a physician is on the premises and available to perform medical duties at all times the facility is open, and each patient is under the care of a hospital or clinic physician)
- b. The facility has available for immediate use all the necessary cardiopulmonary emergency diagnostic and therapeutic life-saving equipment accepted by the medical community as medically necessary (e.g., oxygen, cardiopulmonary resuscitation equipment or defibrillator)
- c. The program is conducted in an area set aside for the exclusive use of the program while it is in session
- d. The program is staffed by personnel necessary to conduct the program safely and effectively who are trained in both basic and advanced life-support techniques and exercise therapy for coronary disease. Services of nonphysician personnel must be furnished under the direct supervision of a physician. Direct supervision means that a physician must be in the exercise program area and immediately available and accessible for all emergencies. It does not require that a physician be physically present in the exercise room itself
- e. The nonphysician personnel are employees of the physician, hospital or clinic conducting the program and their services are "incident to" a physician's professional services

2 Diagnoses

- a. For MI, the program entry date must be within 12 months of the infarction date
- b. For CABG, program initiation should be early enough to have a restorative effect on the recuperative process; therefore, the entry date should be within 6 months of the CABG procedure
- c. For angina, all patients must have a pre-entry stress test that is positive for exercise-induced ischemia within 6 months of starting cardiac rehabilitation
- d. A positive stress test in this context implies a junctional depression of 2 mm or more with associated slowly rising ST segment, or 1 mm horizontal or downsloping ST segment depressions
- e. Over the years, nuclear perfusion studies have supplanted standard electrocardiogram (ECG or EKG) treadmill tests as a means of evaluating ischemic heart disease, especially for patients who have abnormal rest ECGs; therefore, the "positive" stress test also includes perfusion studies that demonstrate ischemia. A stress ECG, however, is regarded as a comparable test to nuclear perfusion studies for ischemia evaluation. Patients with an abnormal stress ECG demonstrating ischemia may also be included in this group
- f. For post-heart valve repair or replacement patients, the program should be early enough to provide restorative benefit; therefore, the date of entry must be within 6 months of surgery
- g. For post-PTA or stent replacement patients, the program should be early enough to provide a restorative benefit; therefore, the date of entry must be within 6 months of surgery
- h. For post-heart or heart-lung transplant patients, as special and complex posttransplant management problems may occur, program entry is extended to within 1 year

¹ Link to CMS-approved Intensive Cardiac Rehabilitation Programs: <http://www.cms.gov/Medicare/Medicare-General-Information/MedicareApprovedFacilitie/ICR.html>.

3 Frequency and Duration

- a. Services provided in connection with a cardiac rehabilitation exercise program may be considered reasonable and necessary for up to 36 sessions. Patients generally receive 2 to 3 sessions per week for 12 to 18 weeks
- b. Services at a frequency of less than 2 to 3 sessions per week will be considered not medically necessary
- c. For the purposes of this guideline, Phase II is divided into Phase IIA and Phase IIB. Phase IIA is the initial outpatient cardiac rehabilitation, not to exceed 3 sessions per week for 12 to 18 weeks
- d. Phase IIB consists of an additional series of 36 sessions in 12 to 18 weeks and will only be allowed if determined to be medically necessary. The total number of allowable sessions is 72. Phase IIB benefits must meet additional medical necessity criteria; specifically, there must be clear demonstration that the patient is benefiting from cardiac rehabilitation and that the exit criterion has not been met

4 Exit criterion

- a. This guideline establishes an exit criterion to be met when the patient has achieved a stable exercise tolerance level of 7 metabolic equivalents (METs). In the American Heart Association's functional classification, Class I, or normal function status, begins at 7 METs; therefore, completion of 6 minutes of exercise during a treadmill or stress imaging test (utilizing the Bruce protocol without significant ischemia or dysrhythmia) is a reasonable exit criterion
- b. For patients post valvuloplasty or valve replacement, coverage will be provided for Phase IIA only, as there is no data demonstrating that extension beyond 36 sessions is reasonable and necessary
- c. The posttransplant patient poses a special challenge for the cardiac rehabilitation team. Issues such as deconditioning and cachectic deterioration may complicate the definition of a reasonable exit criterion; therefore, the Plan will use a peak oxygen consumption (VO₂) of greater than 90% of the predicted as the exit criterion for phase IIA. Patients whose VO₂ is less than 90% of the predicted may qualify for the additional phase IIB benefits

5 Other services

- a. Evaluation and management services, ECGs and other diagnostic services may be covered on the day of cardiac rehabilitation if these services are separate and distinct from the cardiac rehabilitation program and are medically necessary
- b. Forms of counseling (i.e., dietary counseling and stress management) are not separately reimbursed

Exclusions

Outpatient cardiac rehabilitation is not considered medically necessary when any of the following are applicable:

- 1 Presence of unstable angina
- 2 Continuation of > 72 sessions for > 36 weeks
- 3 Presence of cardiac conditions not amenable to exercise (list not all-inclusive; e.g., untreated exertionally related arrhythmias [Long QT, CPVT], untreated severe obstructive cardiomyopathies [hypertrophic cardiomyopathy], certain congenital heart conditions [arrhythmogenic right ventricular dysplasia, severe or symptomatic aortic stenosis, uncontrolled inflammatory or infectious pathologies such as myocarditis])

Revision History

May 13, 2022	Added indication for members with compensated newly diagnosed heart failure from a non-ischemic etiology
May 7, 2021	Removed "Lack of continuous ECG monitoring" from list communicating when outpatient cardiac rehabilitation is not considered medically necessary
May 8, 2020	Added non-all-inclusive list of cardiac conditions not amenable to exercise to Limitations/Exclusions.

Applicable Procedure Codes

93798	Physician services for outpatient cardiac rehabilitation; with continuous ECG monitoring (per session)
G0422	Intensive cardiac rehabilitation; with or without continuous ECG monitoring with exercise, per session
G0423	Intensive cardiac rehabilitation; with or without continuous ECG monitoring; without exercise, per session
S9472	Cardiac rehabilitation program, non-physician provider, per diem

Applicable Diagnosis Codes

I20.8	Other forms of angina pectoris
I20.9	Angina pectoris, unspecified
I21.01	ST elevation (STEMI) myocardial infarction involving left main coronary artery
I21.02	ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery
I21.09	ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall
I21.11	ST elevation (STEMI) myocardial infarction involving right coronary artery
I21.19	ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall
I21.21	ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery
I21.29	ST elevation (STEMI) myocardial infarction involving other sites
I21.3	ST elevation (STEMI) myocardial infarction of unspecified site
I21.4	Non-ST elevation (NSTEMI) myocardial infarction
I21.A1	Myocardial infarction type 2
I21.A9	Other myocardial infarction type
I22.0	Subsequent ST elevation (STEMI) myocardial infarction of anterior wall
I22.1	Subsequent ST elevation (STEMI) myocardial infarction of inferior wall
I22.2	Subsequent non-ST elevation (NSTEMI) myocardial infarction
I22.8	Subsequent ST elevation (STEMI) myocardial infarction of other sites
I22.9	Subsequent ST elevation (STEMI) myocardial infarction of unspecified site
I24.8	Other forms of acute ischemic heart disease
I24.9	Acute ischemic heart disease, unspecified
I25.10	Atherosclerotic heart disease of native coronary artery without angina pectoris
I25.111	Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm
I25.118	Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris
I25.119	Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris
I25.2	Old myocardial infarction

I25.5	Ischemic cardiomyopathy
I25.6	Silent myocardial ischemia
I25.701	Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm
I25.708	Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris
I25.709	Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris
I25.711	Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm
I25.718	Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris
I25.719	Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris
I25.721	Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm
I25.728	Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris
I25.729	Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris
I25.731	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm
I25.738	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris
I25.739	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris
I25.751	Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm
I25.758	Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris
I25.759	Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris
I25.761	Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm
I25.768	Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris
I25.769	Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris
I25.791	Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm
I25.798	Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris
I25.799	Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris
I25.89	Other forms of chronic ischemic heart disease
I25.9	Chronic ischemic heart disease, unspecified
Z94.1	Heart transplant status
Z94.2	Lung transplant status
Z94.3	Heart and lungs transplant status
Z95.1	Presence of aortocoronary bypass graft
Z95.2	Presence of prosthetic heart valve
Z95.3	Presence of xenogenic heart valve
Z95.4	Presence of other heart-valve replacement
Z95.5	Presence of coronary angioplasty implant and graft
Z95.811	Presence of heart assist device
Z95.812	Presence of fully implantable artificial heart
Z98.61	Coronary angioplasty status
Z98.890	Other specified postprocedural states

References

Centers for Medicare & Medicaid Services. National Coverage Determination (NCD) for Cardiac Rehabilitation Programs (20.10). 2006. <http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=36&ncdver=3&bc=AgAAgAAAAAAAAA%3d%3d&>. Accessed May 25, 2022.

Centers for Medicare & Medicaid Services. Decision Memo for Cardiac Rehabilitation (CR) Programs - Chronic Heart Failure (CAG-00437N). 2014. <http://www.cms.gov/medicare-coverage-database/details/nca-decision-memo.aspx?NCAId=270>. Accessed May 25, 2022.

Decision Memo for Intensive Cardiac Rehabilitation (ICR) Program - Benson-Henry Institute Cardiac Wellness Program (CAG-00434N). 2014. <http://www.cms.gov/medicare-coverage-database/details/nca-decision-memo.aspx?NCAId=271>. Accessed May 25, 2022.

Specialty-matched clinical peer review.