

Gene Expression Profiling and Biomarker Testing for Breast Cancer

Last Review Date: February 9, 2024 Number: MG.MM.LA.39h

Medical Guideline Disclaimer

Property of EmblemHealth. All rights reserved. The treating physician or primary care provider must submit to EmblemHealth the clinical evidence that the patient meets the criteria for the treatment or surgical procedure. Without this documentation and information, EmblemHealth will not be able to properly review the request for prior authorization. The clinical review criteria expressed below reflects how EmblemHealth determines whether certain services or supplies are medically necessary. EmblemHealth established the clinical review criteria based upon a review of currently available clinical information (including clinical outcome studies in the peer reviewed published medical literature, regulatory status of the technology, evidence-based guidelines of public health and health research agencies, evidence-based guidelines and positions of leading national health professional organizations, views of physicians practicing in relevant clinical areas, and other relevant factors). EmblemHealth expressly reserves the right to revise these conclusions as clinical information changes and welcomes further relevant information. Each benefit program defines which services are covered. The conclusion that a particular service or supply is medically necessary does not constitute a representation or warranty that this service or supply is covered and/or paid for by EmblemHealth, as some programs exclude coverage for services or supplies that EmblemHealth considers medically necessary. If there is a discrepancy between this guideline and a member's benefits program, the benefits program will govern. In addition, coverage may be mandated by applicable legal requirements of a state, the Federal Government or the Centers for Medicare & Medicaid Services (CMS) for Medicare and Medicaid members. All coding and web site links are accurate at time of publication. EmblemHealth Services Company LLC, ("EmblemHealth") has adopted the herein policy in providing management, administrative and other services to EmblemHealth Plan, Inc., EmblemHealth Insurance Company, EmblemHealth Services Company, LLC and Health Insurance Plan of Greater New York (HIP) related to health benefit plans offered by these entities. All of the aforementioned entities are affiliated companies under common control of EmblemHealth Inc.

Related Medical Guideline

Gene Expression Profiling

Definitions

Lab test	Description	
Breast Cancer Index (BCI)	Uses polymerase chain reaction (PCR) to interrogate selected proliferation-related and endocrine signaling-related genes and may identify a subset of postmenopausal women who are at increased risk of late relapses for ER+ breast cancer and who may derive a greater benefit from extended hormone therapy.	
EndoPredict®	Gene expression profile of a patient's tumor combined with clinical status of tumor in context with other patient data. The test is used to provide decision-guidance regarding the medical necessity of chemotherapy.	
MammaPrint® 70- gene Breast Cancer Recurrence Assay	Qualitative in vitro diagnostic test service using the gene expression profile of fresh breast cancer tissue samples to assess a patients' risk for distant metastasis (up to 10 years for patients less than 61 years old, up to 5 years for patients ≥ 61 years).	
Oncotype DX®	Multiparameter gene expression assay that predicts the likelihood of breast cancer recurrence in members with newly diagnosed early stage invasive breast cancer. The test is used to guide use of adjuvant tamoxifen and adjuvant chemotherapy.	
Prosigna® Cancer Prognostic Gene Signature Assay	Gene expression profile of a patient's tumor is compared with each of the 4 PAM50 prototypical molecular profiles to determine the degree of similarity. The results, in combination with a proliferation score and tumor size, produce an individualized Risk of Recurrence (ROC) Score.	

Key

ER	PG R	HER2	pN

Guideline

Gene expression profiling is considered medically necessary for adjuvant chemotherapy treatment decisions in males or females with recently diagnosed early stage breast cancer.

A pre-test discussion between the provider and member regarding potential results, and agreement that results will be used to guide therapy, must be documented as having been completed.

- **A.** Preferred tests Oncotype DX, EndoPredict* or Prosigna are considered medically necessary when all of the following are applicable:
 - 1. Estrogen receptor (ER) or progesterone receptor (PG R) positive
 - 2. Human epidermal growth factor receptor 2 (HER2) negative
 - Node-negative pN0 or pN0(i+) (micrometastases < 0.2 mm in regional lymph nodes) (or 1–3 positive nodes for Oncotype [i.e., member may be node-negative or node-positive when Oncotype is used])

*Note: EndoPredict is covered for all lines of business. For Medicare members, EndoPredict is covered for the management of post-menopausal women diagnosed with early-stage (TNM stage T1-3, N0-1) estrogen-receptor (ER) positive, Her2-negative breast cancer, who are either lymph node-negative or who have 1–3 positive nodes, and for whom treatment with adjuvant endocrine therapy (e.g., tamoxifen or aromatase inhibitors) is being considered.

- **B.** MammaPrint is considered medically necessary when all the following are applicable:
 - ER or PG R positive
 - 2. HER2-negative
 - 3. Node negative or 1–3 local lymph nodes
 - 4. At high clinical risk (per MINDACT trial categorization, as determined by using a modified version of Adjuvant! Online*)
- C. HerMark® and Oncotype DX® DCIS are only covered for Medicare members (See Limitations/Exclusions)
- **D.** Breast Cancer Index® (BCI) is considered medically necessary for predictive testing for extended endocrine therapy when all the following are applicable:
 - 1. Unilateral tumor
 - 2. Tumor size >0.5cm (5mm) in greatest dimension (T1b-T3)
 - 3. ER or PG R positive
 - 4. HER2-negative
 - 5. Node-negative or micro-metastatic node-positive with 1–3 positive nodes
 - 6. Clinical treatment score post-5 years

Limitations/Exclusions

- **A.** Only one test is covered. Additional testing may be considered medically necessary for members with histologically distinct tumors when the medical necessity criteria for the test to be utilized is met.
- **B.** Testing for indications other than those listed above (e.g., colon cancer) is not considered medically necessary.

- C. Gene expression profiling using tests other than those listed above are not considered medically necessary due to insufficient evidence of therapeutic value (e.g., BluePrint™, H:I ratio, Rotterdam/Veridex 76-gene prognostic signature, HOX13:IL17BR [two-gene signature], Mammostrat, TargetPrint)
- **D.** HerMark is a covered for Medicare members only; see <u>Local Coverage Article: MolDX: HERmark®</u> Assay by Monogram Update.
- E. Oncotype DX DCIS is covered for Medicare members only; see <u>Local Coverage Determination</u>:

 MoIDX: ONCOTYPE DX® Breast Cancer for DCIS (Genomic Health™)

Revision History

emoved the Urokinase-type plasminogen activator test as a preferred test Ided predictive testing language to Breast Cancer Index section Ided positive-node coverage to Breast Cancer Index test Ided coverage for Breast Cancer Index test Ipanded Oncotype indications to include 1–3 positive nodes for Commercial and Medicaid embers (previously Medicare only) Emoved micrometastases prerequisite language for MammaPrint
dded positive-node coverage to Breast Cancer Index test dded coverage for Breast Cancer Index test panded Oncotype indications to include 1–3 positive nodes for Commercial and Medicaid embers (previously Medicare only) emoved micrometastases prerequisite language for MammaPrint
dded coverage for Breast Cancer Index test panded Oncotype indications to include 1–3 positive nodes for Commercial and Medicaid embers (previously Medicare only) emoved micrometastases prerequisite language for MammaPrint
panded Oncotype indications to include 1–3 positive nodes for Commercial and Medicaid embers (previously Medicare only) emoved micrometastases prerequisite language for MammaPrint
embers (previously Medicare only) emoved micrometastases prerequisite language for MammaPrint
eated preferred test section to denote ASCO endorsements
emoved MammaPrint from preferred section to communicate ASCO's position of utility for high nical risk
emoved BCI test from preferred section to denote change of ASCO endorsement to not commended
dded Oncotype DX® DCIS for Medicare members
ded coverage note for EndoPredict specific to Medicare members
dded coverage for EndoPredict
dded coverage note for Oncotype specific to Medicare members
ded coverage for Prosigna and urokinase plasminogen activator protein inhibitor testing
ene Expression Profiling for Breast Cancer is a new guideline consolidated from the separate BCI, ammaPrint and Oncotype guidelines
en co do do

Applicable Procedure Codes

81479	Unlisted molecular pathology procedure
81518	Oncology (breast), mRNA, gene expression profiling by real-time RT-PCR of 11 genes (7 content and 4 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithms reported as percentage risk for metastatic recurrence and likelihood of benefit from extended endocrine therapy (Eff. 01/01/2019)
81519	Oncology (breast), mRNA, gene expression profiling by real-time RT-PCR of 21 genes, utilizing formalin-fixed paraffin embedded tissue, algorithm reported as recurrence score
81599	Unlisted multianalyte assay with algorithmic analysis [for EndoPredict]
85415	Fibrinolytic factors and inhibitors; plasminogen activator
S3854	Gene expression profiling panel for use in the management of breast cancer treatment

Applicable ICD-10 Diagnosis Codes

C50.011	Malignant neoplasm of nipple and areola, right female breast
C50.012	Malignant neoplasm of nipple and areola, left female breast
C50.019	Malignant neoplasm of nipple and areola, unspecified female breast
C50.021	Malignant neoplasm of nipple and areola, right male breast
C50.022	Malignant neoplasm of nipple and areola, left male breast
C50.029	Malignant neoplasm of nipple and areola, unspecified male breast
C50.111	Malignant neoplasm of central portion of right female breast
C50.112	Malignant neoplasm of central portion of left female breast
C50.119	Malignant neoplasm of central portion of unspecified female breast
C50.121	Malignant neoplasm of central portion of right male breast
C50.122	Malignant neoplasm of central portion of left male breast
C50.129	Malignant neoplasm of central portion of unspecified male breast
C50.211	Malignant neoplasm of upper-inner quadrant of right female breast
C50.212	Malignant neoplasm of upper-inner quadrant of left female breast
C50.219	Malignant neoplasm of upper-inner quadrant of unspecified female breast
C50.221	Malignant neoplasm of upper-inner quadrant of right male breast
C50.222	Malignant neoplasm of upper-inner quadrant of left male breast
C50.229	Malignant neoplasm of upper-inner quadrant of unspecified male breast
C50.311	Malignant neoplasm of lower-inner quadrant of right female breast
C50.312	Malignant neoplasm of lower-inner quadrant of left female breast
C50.319	Malignant neoplasm of lower-inner quadrant of unspecified female breast
C50.321	Malignant neoplasm of lower-inner quadrant of right male breast
C50.322	Malignant neoplasm of lower-inner quadrant of left male breast
C50.329	Malignant neoplasm of lower-inner quadrant of unspecified male breast
C50.411	Malignant neoplasm of upper-outer quadrant of right female breast
C50.412	Malignant neoplasm of upper-outer quadrant of left female breast
C50.419	Malignant neoplasm of upper-outer quadrant of unspecified female breast
C50.421	Malignant neoplasm of upper-outer quadrant of right male breast
C50.422	Malignant neoplasm of upper-outer quadrant of left male breast
C50.429	Malignant neoplasm of upper-outer quadrant of unspecified male breast
C50.511	Malignant neoplasm of lower-outer quadrant of right female breast
C50.512	Malignant neoplasm of lower-outer quadrant of left female breast
C50.519	Malignant neoplasm of lower-outer quadrant of unspecified female breast
C50.521	Malignant neoplasm of lower-outer quadrant of right male breast
C50.522	Malignant neoplasm of lower-outer quadrant of left male breast
C50.529	Malignant neoplasm of lower-outer quadrant of unspecified male breast
C50.611	Malignant neoplasm of axillary tail of right female breast
C50.612	Malignant neoplasm of axillary tail of left female breast
C50.619	Malignant neoplasm of axillary tail of unspecified female breast
C50.621	Malignant neoplasm of axillary tail of right male breast
C50.622	Malignant neoplasm of axillary tail of left male breast
C50.629	Malignant neoplasm of axillary tail of unspecified male breast
C50.811	Malignant neoplasm of overlapping sites of right female breast
C50.812	Malignant neoplasm of overlapping sites of left female breast

C50.819	Malignant neoplasm of overlapping sites of unspecified female breast
C50.821	· · · · · · · · · · · · · · · · · · ·
	Malignant neoplasm of overlapping sites of right male breast
C50.822	Malignant neoplasm of overlapping sites of left male breast
C50.829	Malignant neoplasm of overlapping sites of unspecified male breast
C50.911	Malignant neoplasm of unspecified site of right female breast
C50.912	Malignant neoplasm of unspecified site of left female breast
C50.919	Malignant neoplasm of unspecified site of unspecified female breast
C50.921	Malignant neoplasm of unspecified site of right male breast
C50.922	Malignant neoplasm of unspecified site of left male breast
C50.929	Malignant neoplasm of unspecified site of unspecified male breast
D05.10	Intraductal carcinoma in situ of unspecified breast
D05.11	Intraductal carcinoma in situ of right breast
D05.12	Intraductal carcinoma in situ of left breast
D05.80	Other specified type of carcinoma in situ of unspecified breast
D05.81	Other specified type of carcinoma in situ of right breast
D05.82	Other specified type of carcinoma in situ of left breast
D05.90	Unspecified type of carcinoma in situ of unspecified breast
D05.91	Unspecified type of carcinoma in situ of right breast
D05.92	Unspecified type of carcinoma in situ of left breast
Z17.0	Estrogen receptor positive status [ER+]
Z17.1	Estrogen receptor negative status [ER-]
Z85.3	Personal history of malignant neoplasm of breast

References

Biomarkers for Adjuvant Endocrine and Chemotherapy in Early-Stage Breast Cancer: ASCO Guideline Update.

Fabrice Andre, Nofisat Ismaila, Kimberly H. Allison, William E. Barlow, Deborah E. Collyar, Senthil Damodaran, N. Lynn Henry, Komal Jhaveri, Kevin Kalinsky, Nicole M. Kuderer, Anya Litvak, Erica L. Mayer, Lajos Pusztai, Rachel Raab, Antonio C. Wolff, and Vered Stearns. Journal of Clinical Oncology 2022 40:16, 1816-1837.

Noridian Healthcare Solutions. Local Coverage Determination (LCD): MoIDX: EndoPredict® Breast Cancer Gene Expression Test (L37295). November 2021. <a href="https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=36941&ver=21&SearchType=Advanced&CoverageSelection=Local&ArticleType=SAD%7cEd&PolicyType=Both&s=All&KeyWord=oncotype&KeyWordLookUp=Title&KeyWordSearchType=Exact&kq=true&bc=IAAAACAAgAAA&=. Accessed February 21, 2023.

Noridian Healthcare Solutions. Local Coverage Determination (LCD): MoIDX: Oncotype DX® Breast Cancer for DCIS (Genomic Health™). November 2021. <a href="https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=36941&ver=21&SearchType=Advanced&CoverageSelection=Local&ArticleType=SAD%7cEd&PolicyType=Both&s=All&KeyWord=oncotype&KeyWordLookUp=Title&KeyWordSearchType=Exact&kq=true&bc=IAAA ACAAgAAA&=. Accessed February 21, 2023.

Cardoso F, van't Veer LJ, Bogaerts J, Slaets L, Viale G, Delaloge S, Pierga JY, Brain E, Causeret S, DeLorenzi M, Glas AM, Golfinopoulos V, Goulioti T, Knox S, Matos E, Meulemans B, Neijenhuis PA, Nitz U, Passalacqua R, Ravdin P, Rubio IT, Saghatchian M, Smilde TJ, Sotiriou C, Stork L, Straehle C, Thomas G, Thompson AM, van der Hoeven JM, Vuylsteke P, Bernards R, Tryfonidis K, Rutgers E, Piccart M; MINDACT Investigators. 70-Gene Signature as an Aid to Treatment Decisions in Early-Stage Breast Cancer. N Engl J Med. 2016 Aug 25;375(8):717-29).

NCCN Guideline® Breast Cancer. V2.2023. https://www.nccn.org/professionals/physician_gls/pdf/breast.pdf. Accessed February 21, 2023.

Albain KS, Barlow WE, Shak S, Hortobagyi GN, Livingston RB, Yeh IT, Ravdin P, Bugarini R, Baehner FL, Davidson NE, Sledge GW, Winer EP, Hudis C, Ingle JN, Perez EA, Pritchard KI, Shepherd L, Gralow JR, Yoshizawa C, Allred DC, Osborne CK, Hayes DF; Breast Cancer Intergroup of North America. Prognostic and predictive value of the 21-gene recurrence

score assay in postmenopausal women with node-positive, oestrogen-receptor-positive breast cancer on chemotherapy: a retrospective analysis of a randomised trial. Lancet Oncol. 2010 Jan;11(1):55-65.

Sparano JA, Gray RJ, Makower DF, Pritchard KI, Albain KS, Hayes DF, Geyer CE Jr, Dees EC, Goetz MP, Olson JA Jr, Lively T, Badve SS, Saphner TJ, Wagner LI, Whelan TJ, Ellis MJ, Paik S, Wood WC, Ravdin PM, Keane MM, Gomez Moreno HL, Reddy PS, Goggins TF, Mayer IA, Brufsky AM, Toppmeyer DL, Kaklamani VG, Berenberg JL, Abrams J, Sledge GW Jr. Adjuvant Chemotherapy Guided by a 21-Gene Expression Assay in Breast Cancer. N Engl J Med. 2018 Jul 12;379(2):111-121).

Specialty-matched clinical peer review.