

## Infliximab Injectable (Avsola, Inflectra®, Remicade®, Renflexis™)

Last Review Date: August 14, 2020

Number: MG.MM.PH.04

### Medical Guideline Disclaimer

Property of EmblemHealth. All rights reserved. The treating physician or primary care provider must submit to EmblemHealth the clinical evidence that the patient meets the criteria for the treatment or surgical procedure. Without this documentation and information, EmblemHealth will not be able to properly review the request for prior authorization. The clinical review criteria expressed below reflects how EmblemHealth determines whether certain services or supplies are medically necessary. EmblemHealth established the clinical review criteria based upon a review of currently available clinical information (including clinical outcome studies in the peer-reviewed published medical literature, regulatory status of the technology, evidence-based guidelines of public health and health research agencies, evidence-based guidelines and positions of leading national health professional organizations, views of physicians practicing in relevant clinical areas, and other relevant factors). EmblemHealth expressly reserves the right to revise these conclusions as clinical information changes, and welcomes further relevant information. Each benefit program defines which services are covered. The conclusion that a particular service or supply is medically necessary does not constitute a representation or warranty that this service or supply is covered and/or paid for by EmblemHealth, as some programs exclude coverage for services or supplies that EmblemHealth considers medically necessary. If there is a discrepancy between this guideline and a member's benefits program, the benefits program will govern. In addition, coverage may be mandated by applicable legal requirements of a state, the Federal Government or the Centers for Medicare & Medicaid Services (CMS) for Medicare and Medicaid members. All coding and web site links are accurate at time of publication. EmblemHealth Services Company LLC, ("EmblemHealth") has adopted the herein policy in providing management, administrative and other services to HIP Health Plan of New York, HIP Insurance Company of New York, Group Health Incorporated, GHI HMO Select, ConnectiCare, Inc., ConnectiCare Insurance Company, Inc. ConnectiCare Benefits, Inc., and ConnectiCare of Massachusetts, Inc. related to health benefit plans offered by these entities. All of the aforementioned entities are affiliated companies under common control of EmblemHealth Inc.

### Definition

Infliximab is an injectable, intravenously infused, chimeric monoclonal antibody that binds to tumor necrosis factor alpha (TNF- $\alpha$ ). It is believed to be critical to the human body's reaction to inflammation. TNF- $\alpha$  is a cytokine that is a key biologic response mediator found to be increased in chronic and inflammatory disorders such as Crohn's disease, rheumatoid arthritis (RA), and other autoimmune diseases.

### Guideline

Members  $\geq$  6 years of age (unless otherwise indicated) are eligible for infliximab coverage if the below conditions are met **AND** use is consistent per the indications depicted in the table below (or when the criteria are met for the approval of off-label use of FDA-approved drugs).

1. Failed trial of Remicade prior to using Avsola, Inflectra or Renflexis.

### Site of Care Criteria

Home (Place of Service 12), an ambulatory infusion suite (AIS, Place of Service 12), or a doctor's office (in a non-hospital setting, Place of Service 11) are the preferred sites of care for Remicade and its biosimilars.

- The first dose may be given at the facility of choice by the physician; all subsequent doses will be given by home infusion (Place of Service 12), an Ambulatory Infusion Suite (AIS, Place of Service 12), or a prescriber's office (in a non-hospital setting, Place of Service 11) coordinated by EmblemHealth's preferred vendors.
- Reinitiating drug after at least a six-month gap in therapy, the first dose may be given at the facility of choice by the physician.
- Clinical rationale and documentation must be provided for review for exceptions. For administration in a Doctor's Office-Off Campus (Place of Service 19) or an On-Campus Outpatient Hospital (Place of Service 22) **ONE** of the following criteria must be met:
  - Pediatric patients (under 21 years of age)

- o Documented history of a severe reaction, which is defined as anaphylactic reaction, to this medication or any constituent of it
- o Known cardiac condition (e.g. symptomatic cardiac arrhythmia) or pulmonary condition (e.g. significant respiratory disease, serious obstructive airway disease, %FVC ≤ 40%) that may increase the risk of an adverse reaction
- o Documented intolerance to this medication requiring constant telemetry monitoring of vitals
- o Unstable renal function which decreases the ability to respond to fluids
- o Difficult or unstable vascular access
- o Unsafe home environment
- o Acute mental status changes or cognitive conditions that impact the safety of infusion therapy
- o No access to emergency services

† FDA Approved Indication(s)

†† Only Commercial and Healthcare Exchange members are subject to this step therapy

## Indications

Indication	Usage guidance
Ankylosing spondylitis, psoriatic arthritis and other Spondyloarthropathies	<p><b>Both:</b></p> <ol style="list-style-type: none"> <li>1. Evidence of inflammatory disease with an inadequate response contraindication, or intolerance to, ≥ 2 nonsteroidal anti-inflammatory drugs (NSAIDs), e.g. ibuprofen, naproxen, indomethacin, diclofenac, sulindac, etc.</li> <li>2. ≥ 1 disease modifying antirheumatic drugs (DMARDs), separately or in combination, for 3 months (with a minimum of 2 months at a standard dose), e.g. sulfasalazine, methotrexate, azathioprine, cyclosporine, etc.*</li> </ol> <p>* Not required if axial skeletal involvement is present; applies only to peripheral arthritis caused by psoriatic arthritis and other spondyloarthropathies.</p>
Autoimmune uveitis	<p><b>Both:</b></p> <ol style="list-style-type: none"> <li>1. Disease (with or without systemic condition) resulting in glaucoma, synechiae and/or diminished visual acuity</li> <li>2. Inadequate response, contraindication or intolerance to ≥ 1 other modality (e.g., corticosteroid eye drops, periocular or systemic corticosteroids, immunosuppressive agents, etc.)</li> </ol>
Behcet's disease	Severe, refractory organ-threatening disease manifestations

Indication	Usage guidance
Crohn's disease	<p><b>Both:</b></p> <ol style="list-style-type: none"> <li>1. Diagnosis of moderate to severe active Crohn's disease with manifestation of <math>\geq 1</math> of the following signs or symptoms:               <ol style="list-style-type: none"> <li>a. Abdominal pain</li> <li>b. Bleeding</li> <li>c. Diarrhea</li> <li>d. Extraintestinal manifestations (arthritis or spondylitis)</li> <li>e. Internal fistulae</li> <li>f. Intestinal obstruction caused by active disease and not fixed fibrotic structure.</li> <li>g. Megacolon (in conjunction with other standard treatment for this condition—hospitalization, bowel decompression, IV fluids, etc.)</li> <li>h. Perianal disease</li> <li>i. Weight loss</li> </ol> </li> <li>2. Moderate to severe Crohn's disease has remained active despite treatment with one of the following:               <ol style="list-style-type: none"> <li>a. Corticosteroids</li> <li>b. 6-mercaptopurine/azathioprine</li> <li>c. 5 aminosalicylates if colonic disease or ileocolonic disease</li> </ol> </li> </ol>
Crohn's disease — fistulizing	Presence of fistulizing Crohn's disease for at least 3 months and no absolute contraindication therapy with infliximab.
Hidradenitis suppurativa	Moderate to severe disease after failure of oral antibiotics and intralesional steroid injections
Juvenile idiopathic arthritis	Severe, refractory and has failed to adequately respond to etanercept (Enbrel) and adalimumab (Humira), unless contraindicated.
Psoriasis	<p><math>\geq 18</math> years of age (or clinical diagnosis of moderate to severe chronic plaque psoriasis) and <b>all:</b></p> <ol style="list-style-type: none"> <li>1. Presence of plaque psoriasis <math>&gt; 1</math> year</li> <li>2. <math>\geq 10\%</math> of body surface area affected</li> <li>3. Inadequate response or intolerance to 3–4-month trial of 1 of the following phototherapies (unless contraindicated):               <ol style="list-style-type: none"> <li>a. Psoralens (methoxsalen, trioxsalen) with UVA light (PUVA)</li> <li>b. UVB</li> <li>c. 3–4 month adjacent trial of an oral/systemic medication for psoriasis, including but not limited to Methotrexate, Acitretin, Cyclosporine, Azathioprine and other medications</li> </ol> </li> </ol>
Rheumatoid arthritis	<ol style="list-style-type: none"> <li>1. Inadequate response or intolerance to methotrexate monotherapy</li> <li>2. Recommend to be given in combination with MTX</li> </ol>
Sarcoid	Refractory to treatment with steroids and other standard drug regimens
Severe immune-related colitis (Medicare only; eff. 11/1/2017)	Does not respond promptly (within 1 week) to therapy with high dose steroids. A single dose of infliximab is sufficient to resolve immune-related colitis in most patients
Still's disease (adult onset)	Severe, refractory disease that has failed corticosteroid treatment
Takayasu's arteritis	No response to the standard therapies
Ulcerative colitis	<p>Diagnosis of moderate to severe refractory to <math>\geq 1</math> of the following:</p> <ol style="list-style-type: none"> <li>1. Corticosteroids (e.g., prednisone)</li> <li>2. 5-aminosalicylic acid agents (e.g., sulfasalazine, mesalamine, balsalazide)</li> <li>3. Immunosuppressants (e.g., azathioprine, 6-mercaptopurine)</li> </ol>
Wegener's granulomatosis	<ol style="list-style-type: none"> <li>1. Refractory to conventional treatments</li> <li>2. In combination with corticosteroids</li> </ol>

### Dosage/Administration

- Once a dose and frequency are approved, increasing the dose or shortening the frequency will require reapproval.

### RENEWAL CRITERIA

Coverage can be renewed in up to 1-year intervals based upon the following criteria:

- Clinical response or remission of disease is maintained with continued use; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicities include: infections, malignancies, Hepatitis B virus reactivation, hepatotoxicity, heart failure, cardiovascular and cerebrovascular reactions (i.e. cerebrovascular accidents, myocardial infarctions, arrhythmias), hypersensitivity reactions, etc.

### Revision History

12/30/2020	<ul style="list-style-type: none"> <li>Renewal criteria added</li> </ul>
06/17/2020	<ul style="list-style-type: none"> <li>Added Avsola (Injection, infliximab-axxq, biosimilar)</li> </ul>
02/06/2020	<ul style="list-style-type: none"> <li>Added under Dosage/Administration - Once a dose and frequency are approved, increasing the dose or shortening the frequency will require reapproval.</li> </ul>
01/24/2020	<ul style="list-style-type: none"> <li>Added criteria for Dosage/Administration</li> </ul>
09/11/2019	<ul style="list-style-type: none"> <li>Added Mandatory Site of Service, effective on 04/01/2020, (Effected lines of business: Commercial and Healthcare Exchange).</li> </ul>
11/01/2017	<ul style="list-style-type: none"> <li>Added Renflexis coverage with prerequisite of failed trial of Remicade prior to using Renflexis (Commercial and Healthcare Exchange members only)</li> <li>Added Severe immune-related colitis (Medicare only)</li> </ul>
4/1/2017	<ul style="list-style-type: none"> <li>Added Inflectra coverage with prerequisite of failed trial of Remicade prior to using Inflectra (Commercial and Healthcare Exchange members only)</li> </ul>
10/14/2016	<ul style="list-style-type: none"> <li>Fistulizing Crohn’s disease — added prerequisite that the disease must be present for at least 3 months</li> <li>Severe Juvenile arthritis — added prerequisite of failure to adequately respond to etanercept (Enbrel) and adalimumab (Humira) unless contraindicated</li> </ul>

### Applicable Procedure Codes

<b>J1745</b>	Injection, infliximab, 10 mg
<b>J3590</b>	Unclassified biologics
<del><b>Q5102</b></del>	<del>Injection, infliximab, biosimilar, 10 mg (Deleted 04/01/2018)</del>
<b>Q5103</b>	Injection, infliximab-dyyb, biosimilar, (Inflectra), 10 mg (Eff. 04/01/2018)
<b>Q5104</b>	Injection, infliximab-abda, biosimilar, (Renflexis), 10 mg (Eff. 04/01/2018)
<b>Q5121</b>	Injection, infliximab-axxq, biosimilar (Avsola), 10 mg (Eff. 07/01/2020)

**S9359** Home infusion therapy, antitumor necrosis factor intravenous therapy; (e.g., Infliximab); administrative services, professional pharmacy services, care coordination, and all necessary supplies and equipment (drugs and nursing visits coded separately), per diem

### Applicable ICD-10 Codes

<b>D86.0</b>	Sarcoidosis of lung
<b>D86.1</b>	Sarcoidosis of lymph nodes
<b>D86.2</b>	Sarcoidosis of lung with sarcoidosis of lymph nodes
<b>D86.3</b>	Sarcoidosis of skin
<b>D86.81</b>	Sarcoid meningitis
<b>D86.82</b>	Multiple cranial nerve palsies in sarcoidosis
<b>D86.83</b>	Sarcoid iridocyclitis
<b>D86.84</b>	Sarcoid pyelonephritis
<b>D86.85</b>	Sarcoid myocarditis
<b>D86.86</b>	Sarcoid arthropathy
<b>D86.87</b>	Sarcoid myositis
<b>D86.89</b>	Sarcoidosis of other sites
<b>D86.9</b>	Sarcoidosis, unspecified
<b>H20.041</b>	Secondary noninfectious iridocyclitis, right eye
<b>H20.042</b>	Secondary noninfectious iridocyclitis, left eye
<b>H20.043</b>	Secondary noninfectious iridocyclitis, bilateral
<b>H20.049</b>	Secondary noninfectious iridocyclitis, unspecified eye
<b>H20.10</b>	Chronic iridocyclitis, unspecified eye
<b>H20.11</b>	Chronic iridocyclitis, right eye
<b>H20.12</b>	Chronic iridocyclitis, left eye
<b>H20.13</b>	Chronic iridocyclitis, bilateral
<b>H30.891</b>	Other chorioretinal inflammations, right eye
<b>H30.892</b>	Other chorioretinal inflammations, left eye
<b>H30.893</b>	Other chorioretinal inflammations, bilateral
<b>H30.899</b>	Other chorioretinal inflammations, unspecified eye
<b>H30.90</b>	Unspecified chorioretinal inflammation, unspecified eye
<b>H30.91</b>	Unspecified chorioretinal inflammation, right eye
<b>H30.92</b>	Unspecified chorioretinal inflammation, left eye
<b>H30.93</b>	Unspecified chorioretinal inflammation, bilateral
<b>K50.00</b>	Crohn's disease of small intestine without complications
<b>K50.011</b>	Crohn's disease of small intestine with rectal bleeding
<b>K50.012</b>	Crohn's disease of small intestine with intestinal obstruction

<b>K50.013</b>	Crohn's disease of small intestine with fistula
<b>K50.014</b>	Crohn's disease of small intestine with abscess
<b>K50.018</b>	Crohn's disease of small intestine with other complication
<b>K50.019</b>	Crohn's disease of small intestine with unspecified complications
<b>K50.10</b>	Crohn's disease of large intestine without complications
<b>K50.111</b>	Crohn's disease of large intestine with rectal bleeding
<b>K50.112</b>	Crohn's disease of large intestine with intestinal obstruction
<b>K50.113</b>	Crohn's disease of large intestine with fistula
<b>K50.114</b>	Crohn's disease of large intestine with abscess
<b>K50.118</b>	Crohn's disease of large intestine with other complication
<b>K50.119</b>	Crohn's disease of large intestine with unspecified complications
<b>K50.80</b>	Crohn's disease of both small and large intestine without complications
<b>K50.811</b>	Crohn's disease of both small and large intestine with rectal bleeding
<b>K50.812</b>	Crohn's disease of both small and large intestine with intestinal obstruction
<b>K50.813</b>	Crohn's disease of both small and large intestine with fistula
<b>K50.814</b>	Crohn's disease of both small and large intestine with abscess
<b>K50.818</b>	Crohn's disease of both small and large intestine with other complication
<b>K50.819</b>	Crohn's disease of both small and large intestine with unspecified complications
<b>K50.90</b>	Crohn's disease, unspecified, without complications
<b>K50.911</b>	Crohn's disease, unspecified, with rectal bleeding
<b>K50.912</b>	Crohn's disease, unspecified, with intestinal obstruction
<b>K50.913</b>	Crohn's disease, unspecified, with fistula
<b>K50.914</b>	Crohn's disease, unspecified, with abscess
<b>K50.918</b>	Crohn's disease, unspecified, with other complication
<b>K50.919</b>	Crohn's disease, unspecified, with unspecified complications
<b>K51.00</b>	Ulcerative (chronic) pancolitis without complications
<b>K51.011</b>	Ulcerative (chronic) pancolitis with rectal bleeding
<b>K51.012</b>	Ulcerative (chronic) pancolitis with intestinal obstruction
<b>K51.013</b>	Ulcerative (chronic) pancolitis with fistula
<b>K51.014</b>	Ulcerative (chronic) pancolitis with abscess
<b>K51.018</b>	Ulcerative (chronic) pancolitis with other complication
<b>K51.019</b>	Ulcerative (chronic) pancolitis with unspecified complications
<b>K51.20</b>	Ulcerative (chronic) proctitis without complications
<b>K51.211</b>	Ulcerative (chronic) proctitis with rectal bleeding
<b>K51.212</b>	Ulcerative (chronic) proctitis with intestinal obstruction
<b>K51.213</b>	Ulcerative (chronic) proctitis with fistula
<b>K51.214</b>	Ulcerative (chronic) proctitis with abscess

<b>K51.218</b>	Ulcerative (chronic) proctitis with other complication
<b>K51.219</b>	Ulcerative (chronic) proctitis with unspecified complications
<b>K51.30</b>	Ulcerative (chronic) rectosigmoiditis without complications
<b>K51.311</b>	Ulcerative (chronic) rectosigmoiditis with rectal bleeding
<b>K51.312</b>	Ulcerative (chronic) rectosigmoiditis with intestinal obstruction
<b>K51.313</b>	Ulcerative (chronic) rectosigmoiditis with fistula
<b>K51.314</b>	Ulcerative (chronic) rectosigmoiditis with abscess
<b>K51.318</b>	Ulcerative (chronic) rectosigmoiditis with other complication
<b>K51.319</b>	Ulcerative (chronic) rectosigmoiditis with unspecified complications
<b>K51.50</b>	Left sided colitis without complications
<b>K51.511</b>	Left sided colitis with rectal bleeding
<b>K51.512</b>	Left sided colitis with intestinal obstruction
<b>K51.513</b>	Left sided colitis with fistula
<b>K51.514</b>	Left sided colitis with abscess
<b>K51.518</b>	Left sided colitis with other complication
<b>K51.519</b>	Left sided colitis with unspecified complications
<b>K51.80</b>	Other ulcerative colitis without complications
<b>K51.811</b>	Other ulcerative colitis with rectal bleeding
<b>K51.812</b>	Other ulcerative colitis with intestinal obstruction
<b>K51.813</b>	Other ulcerative colitis with fistula
<b>K51.814</b>	Other ulcerative colitis with abscess
<b>K51.818</b>	Other ulcerative colitis with other complication
<b>K51.819</b>	Other ulcerative colitis with unspecified complications
<b>K51.90</b>	Ulcerative colitis, unspecified, without complications
<b>K51.911</b>	Ulcerative colitis, unspecified with rectal bleeding
<b>K51.912</b>	Ulcerative colitis, unspecified with intestinal obstruction
<b>K51.913</b>	Ulcerative colitis, unspecified with fistula
<b>K51.914</b>	Ulcerative colitis, unspecified with abscess
<b>K51.918</b>	Ulcerative colitis, unspecified with other complication
<b>K51.919</b>	Ulcerative colitis, unspecified with unspecified complications
<b>K52.1</b>	Toxic gastroenteritis and colitis (Effective 11/01/2017)
<b>L40.0</b>	Psoriasis vulgaris
<b>L40.50</b>	Arthropathic psoriasis, unspecified
<b>L40.51</b>	Distal interphalangeal psoriatic arthropathy
<b>L40.52</b>	Psoriatic arthritis mutilans
<b>L40.53</b>	Psoriatic spondylitis
<b>L40.59</b>	Other psoriatic arthropathy

<b>M05.10</b>	Rheumatoid lung disease with rheumatoid arthritis of unspecified site
<b>M05.111</b>	Rheumatoid lung disease with rheumatoid arthritis of right shoulder
<b>M05.112</b>	Rheumatoid lung disease with rheumatoid arthritis of left shoulder
<b>M05.119</b>	Rheumatoid lung disease with rheumatoid arthritis of unspecified shoulder
<b>M05.121</b>	Rheumatoid lung disease with rheumatoid arthritis of right elbow
<b>M05.122</b>	Rheumatoid lung disease with rheumatoid arthritis of left elbow
<b>M05.129</b>	Rheumatoid lung disease with rheumatoid arthritis of unspecified elbow
<b>M05.131</b>	Rheumatoid lung disease with rheumatoid arthritis of right wrist
<b>M05.132</b>	Rheumatoid lung disease with rheumatoid arthritis of left wrist
<b>M05.139</b>	Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist
<b>M05.141</b>	Rheumatoid lung disease with rheumatoid arthritis of right hand
<b>M05.142</b>	Rheumatoid lung disease with rheumatoid arthritis of left hand
<b>M05.149</b>	Rheumatoid lung disease with rheumatoid arthritis of unspecified hand
<b>M05.151</b>	Rheumatoid lung disease with rheumatoid arthritis of right hip
<b>M05.152</b>	Rheumatoid lung disease with rheumatoid arthritis of left hip
<b>M05.159</b>	Rheumatoid lung disease with rheumatoid arthritis of unspecified hip
<b>M05.161</b>	Rheumatoid lung disease with rheumatoid arthritis of right knee
<b>M05.162</b>	Rheumatoid lung disease with rheumatoid arthritis of left knee
<b>M05.169</b>	Rheumatoid lung disease with rheumatoid arthritis of unspecified knee
<b>M05.171</b>	Rheumatoid lung disease with rheumatoid arthritis of right ankle and foot
<b>M05.172</b>	Rheumatoid lung disease with rheumatoid arthritis of left ankle and foot
<b>M05.179</b>	Rheumatoid lung disease with rheumatoid arthritis of unspecified ankle and foot
<b>M05.19</b>	Rheumatoid lung disease with rheumatoid arthritis of multiple sites
<b>M05.20</b>	Rheumatoid vasculitis with rheumatoid arthritis of unspecified site
<b>M05.211</b>	Rheumatoid vasculitis with rheumatoid arthritis of right shoulder
<b>M05.212</b>	Rheumatoid vasculitis with rheumatoid arthritis of left shoulder
<b>M05.219</b>	Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder
<b>M05.221</b>	Rheumatoid vasculitis with rheumatoid arthritis of right elbow
<b>M05.222</b>	Rheumatoid vasculitis with rheumatoid arthritis of left elbow
<b>M05.229</b>	Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow
<b>M05.231</b>	Rheumatoid vasculitis with rheumatoid arthritis of right wrist
<b>M05.232</b>	Rheumatoid vasculitis with rheumatoid arthritis of left wrist
<b>M05.239</b>	Rheumatoid vasculitis with rheumatoid arthritis of unspecified wrist
<b>M05.241</b>	Rheumatoid vasculitis with rheumatoid arthritis of right hand
<b>M05.242</b>	Rheumatoid vasculitis with rheumatoid arthritis of left hand
<b>M05.249</b>	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand
<b>M05.251</b>	Rheumatoid vasculitis with rheumatoid arthritis of right hip

<b>M05.252</b>	Rheumatoid vasculitis with rheumatoid arthritis of left hip
<b>M05.259</b>	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip
<b>M05.261</b>	Rheumatoid vasculitis with rheumatoid arthritis of right knee
<b>M05.262</b>	Rheumatoid vasculitis with rheumatoid arthritis of left knee
<b>M05.269</b>	Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee
<b>M05.271</b>	Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot
<b>M05.272</b>	Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot
<b>M05.279</b>	Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot
<b>M05.29</b>	Rheumatoid vasculitis with rheumatoid arthritis of multiple sites
<b>M05.30</b>	Rheumatoid heart disease with rheumatoid arthritis of unspecified site
<b>M05.311</b>	Rheumatoid heart disease with rheumatoid arthritis of right shoulder
<b>M05.312</b>	Rheumatoid heart disease with rheumatoid arthritis of left shoulder
<b>M05.319</b>	Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder
<b>M05.321</b>	Rheumatoid heart disease with rheumatoid arthritis of right elbow
<b>M05.322</b>	Rheumatoid heart disease with rheumatoid arthritis of left elbow
<b>M05.329</b>	Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow
<b>M05.331</b>	Rheumatoid heart disease with rheumatoid arthritis of right wrist
<b>M05.332</b>	Rheumatoid heart disease with rheumatoid arthritis of left wrist
<b>M05.339</b>	Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist
<b>M05.341</b>	Rheumatoid heart disease with rheumatoid arthritis of right hand
<b>M05.342</b>	Rheumatoid heart disease with rheumatoid arthritis of left hand
<b>M05.349</b>	Rheumatoid heart disease with rheumatoid arthritis of unspecified hand
<b>M05.351</b>	Rheumatoid heart disease with rheumatoid arthritis of right hip
<b>M05.352</b>	Rheumatoid heart disease with rheumatoid arthritis of left hip
<b>M05.359</b>	Rheumatoid heart disease with rheumatoid arthritis of unspecified hip
<b>M05.361</b>	Rheumatoid heart disease with rheumatoid arthritis of right knee
<b>M05.362</b>	Rheumatoid heart disease with rheumatoid arthritis of left knee
<b>M05.369</b>	Rheumatoid heart disease with rheumatoid arthritis of unspecified knee
<b>M05.371</b>	Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot
<b>M05.372</b>	Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot
<b>M05.379</b>	Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot
<b>M05.39</b>	Rheumatoid heart disease with rheumatoid arthritis of multiple sites
<b>M05.40</b>	Rheumatoid myopathy with rheumatoid arthritis of unspecified site
<b>M05.411</b>	Rheumatoid myopathy with rheumatoid arthritis of right shoulder
<b>M05.412</b>	Rheumatoid myopathy with rheumatoid arthritis of left shoulder
<b>M05.419</b>	Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder
<b>M05.421</b>	Rheumatoid myopathy with rheumatoid arthritis of right elbow

<b>M05.422</b>	Rheumatoid myopathy with rheumatoid arthritis of left elbow
<b>M05.429</b>	Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow
<b>M05.431</b>	Rheumatoid myopathy with rheumatoid arthritis of right wrist
<b>M05.432</b>	Rheumatoid myopathy with rheumatoid arthritis of left wrist
<b>M05.439</b>	Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist
<b>M05.441</b>	Rheumatoid myopathy with rheumatoid arthritis of right hand
<b>M05.442</b>	Rheumatoid myopathy with rheumatoid arthritis of left hand
<b>M05.449</b>	Rheumatoid myopathy with rheumatoid arthritis of unspecified hand
<b>M05.451</b>	Rheumatoid myopathy with rheumatoid arthritis of right hip
<b>M05.452</b>	Rheumatoid myopathy with rheumatoid arthritis of left hip
<b>M05.459</b>	Rheumatoid myopathy with rheumatoid arthritis of unspecified hip
<b>M05.461</b>	Rheumatoid myopathy with rheumatoid arthritis of right knee
<b>M05.462</b>	Rheumatoid myopathy with rheumatoid arthritis of left knee
<b>M05.469</b>	Rheumatoid myopathy with rheumatoid arthritis of unspecified knee
<b>M05.471</b>	Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot
<b>M05.472</b>	Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot
<b>M05.479</b>	Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot
<b>M05.49</b>	Rheumatoid myopathy with rheumatoid arthritis of multiple sites
<b>M05.50</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site
<b>M05.511</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder
<b>M05.512</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder
<b>M05.519</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder
<b>M05.521</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow
<b>M05.522</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow
<b>M05.529</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow
<b>M05.531</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist
<b>M05.532</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist
<b>M05.539</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist
<b>M05.541</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of right hand
<b>M05.542</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of left hand
<b>M05.549</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand
<b>M05.551</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of right hip
<b>M05.552</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of left hip
<b>M05.559</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip
<b>M05.561</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of right knee
<b>M05.562</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of left knee
<b>M05.569</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee

<b>M05.571</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot
<b>M05.572</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot
<b>M05.579</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot
<b>M05.59</b>	Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites
<b>M05.60</b>	Rheumatoid arthritis of unspecified site with involvement of other organs and systems
<b>M05.611</b>	Rheumatoid arthritis of right shoulder with involvement of other organs and systems
<b>M05.612</b>	Rheumatoid arthritis of left shoulder with involvement of other organs and systems
<b>M05.619</b>	Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems
<b>M05.621</b>	Rheumatoid arthritis of right elbow with involvement of other organs and systems
<b>M05.622</b>	Rheumatoid arthritis of left elbow with involvement of other organs and systems
<b>M05.629</b>	Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems
<b>M05.631</b>	Rheumatoid arthritis of right wrist with involvement of other organs and systems
<b>M05.632</b>	Rheumatoid arthritis of left wrist with involvement of other organs and systems
<b>M05.639</b>	Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems
<b>M05.641</b>	Rheumatoid arthritis of right hand with involvement of other organs and systems
<b>M05.642</b>	Rheumatoid arthritis of left hand with involvement of other organs and systems
<b>M05.649</b>	Rheumatoid arthritis of unspecified hand with involvement of other organs and systems
<b>M05.651</b>	Rheumatoid arthritis of right hip with involvement of other organs and systems
<b>M05.652</b>	Rheumatoid arthritis of left hip with involvement of other organs and systems
<b>M05.659</b>	Rheumatoid arthritis of unspecified hip with involvement of other organs and systems
<b>M05.661</b>	Rheumatoid arthritis of right knee with involvement of other organs and systems
<b>M05.662</b>	Rheumatoid arthritis of left knee with involvement of other organs and systems
<b>M05.669</b>	Rheumatoid arthritis of unspecified knee with involvement of other organs and systems
<b>M05.671</b>	Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems
<b>M05.672</b>	Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems
<b>M05.679</b>	Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems
<b>M05.69</b>	Rheumatoid arthritis of multiple sites with involvement of other organs and systems
<b>M05.70</b>	Rheumatoid arthritis with rheumatoid factor of unspecified site without organ or systems involvement
<b>M05.711</b>	Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement
<b>M05.712</b>	Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement
<b>M05.719</b>	Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or systems involvement
<b>M05.721</b>	Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement
<b>M05.722</b>	Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement
<b>M05.729</b>	Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or systems involvement
<b>M05.731</b>	Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement
<b>M05.732</b>	Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement
<b>M05.739</b>	Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or systems involvement

<b>M05.741</b>	Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement
<b>M05.742</b>	Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement
<b>M05.749</b>	Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or systems involvement
<b>M05.751</b>	Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement
<b>M05.752</b>	Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement
<b>M05.759</b>	Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement
<b>M05.761</b>	Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement
<b>M05.762</b>	Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement
<b>M05.769</b>	Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement
<b>M05.771</b>	Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement
<b>M05.772</b>	Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement
<b>M05.779</b>	Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems involvement
<b>M05.79</b>	Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement
<b>M05.80</b>	Other rheumatoid arthritis with rheumatoid factor of unspecified site
<b>M05.811</b>	Other rheumatoid arthritis with rheumatoid factor of right shoulder
<b>M05.812</b>	Other rheumatoid arthritis with rheumatoid factor of left shoulder
<b>M05.819</b>	Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder
<b>M05.821</b>	Other rheumatoid arthritis with rheumatoid factor of right elbow
<b>M05.822</b>	Other rheumatoid arthritis with rheumatoid factor of left elbow
<b>M05.829</b>	Other rheumatoid arthritis with rheumatoid factor of unspecified elbow
<b>M05.831</b>	Other rheumatoid arthritis with rheumatoid factor of right wrist
<b>M05.832</b>	Other rheumatoid arthritis with rheumatoid factor of left wrist
<b>M05.839</b>	Other rheumatoid arthritis with rheumatoid factor of unspecified wrist
<b>M05.841</b>	Other rheumatoid arthritis with rheumatoid factor of right hand
<b>M05.842</b>	Other rheumatoid arthritis with rheumatoid factor of left hand
<b>M05.849</b>	Other rheumatoid arthritis with rheumatoid factor of unspecified hand
<b>M05.851</b>	Other rheumatoid arthritis with rheumatoid factor of right hip
<b>M05.852</b>	Other rheumatoid arthritis with rheumatoid factor of left hip
<b>M05.859</b>	Other rheumatoid arthritis with rheumatoid factor of unspecified hip
<b>M05.861</b>	Other rheumatoid arthritis with rheumatoid factor of right knee
<b>M05.862</b>	Other rheumatoid arthritis with rheumatoid factor of left knee
<b>M05.869</b>	Other rheumatoid arthritis with rheumatoid factor of unspecified knee
<b>M05.871</b>	Other rheumatoid arthritis with rheumatoid factor of right ankle and foot
<b>M05.872</b>	Other rheumatoid arthritis with rheumatoid factor of left ankle and foot
<b>M05.879</b>	Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot
<b>M05.89</b>	Other rheumatoid arthritis with rheumatoid factor of multiple sites
<b>M05.9</b>	Rheumatoid arthritis with rheumatoid factor, unspecified

<b>M06.00</b>	Rheumatoid arthritis without rheumatoid factor, unspecified site
<b>M06.011</b>	Rheumatoid arthritis without rheumatoid factor, right shoulder
<b>M06.012</b>	Rheumatoid arthritis without rheumatoid factor, left shoulder
<b>M06.019</b>	Rheumatoid arthritis without rheumatoid factor, unspecified shoulder
<b>M06.021</b>	Rheumatoid arthritis without rheumatoid factor, right elbow
<b>M06.022</b>	Rheumatoid arthritis without rheumatoid factor, left elbow
<b>M06.029</b>	Rheumatoid arthritis without rheumatoid factor, unspecified elbow
<b>M06.031</b>	Rheumatoid arthritis without rheumatoid factor, right wrist
<b>M06.032</b>	Rheumatoid arthritis without rheumatoid factor, left wrist
<b>M06.039</b>	Rheumatoid arthritis without rheumatoid factor, unspecified wrist
<b>M06.041</b>	Rheumatoid arthritis without rheumatoid factor, right hand
<b>M06.042</b>	Rheumatoid arthritis without rheumatoid factor, left hand
<b>M06.049</b>	Rheumatoid arthritis without rheumatoid factor, unspecified hand
<b>M06.051</b>	Rheumatoid arthritis without rheumatoid factor, right hip
<b>M06.052</b>	Rheumatoid arthritis without rheumatoid factor, left hip
<b>M06.059</b>	Rheumatoid arthritis without rheumatoid factor, unspecified hip
<b>M06.061</b>	Rheumatoid arthritis without rheumatoid factor, right knee
<b>M06.062</b>	Rheumatoid arthritis without rheumatoid factor, left knee
<b>M06.069</b>	Rheumatoid arthritis without rheumatoid factor, unspecified knee
<b>M06.071</b>	Rheumatoid arthritis without rheumatoid factor, right ankle and foot
<b>M06.072</b>	Rheumatoid arthritis without rheumatoid factor, left ankle and foot
<b>M06.079</b>	Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot
<b>M06.08</b>	Rheumatoid arthritis without rheumatoid factor, vertebrae
<b>M06.09</b>	Rheumatoid arthritis without rheumatoid factor, multiple sites
<b>M06.80</b>	Other specified rheumatoid arthritis, unspecified site
<b>M06.811</b>	Other specified rheumatoid arthritis, right shoulder
<b>M06.812</b>	Other specified rheumatoid arthritis, left shoulder
<b>M06.819</b>	Other specified rheumatoid arthritis, unspecified shoulder
<b>M06.821</b>	Other specified rheumatoid arthritis, right elbow
<b>M06.822</b>	Other specified rheumatoid arthritis, left elbow
<b>M06.829</b>	Other specified rheumatoid arthritis, unspecified elbow
<b>M06.831</b>	Other specified rheumatoid arthritis, right wrist
<b>M06.832</b>	Other specified rheumatoid arthritis, left wrist
<b>M06.839</b>	Other specified rheumatoid arthritis, unspecified wrist
<b>M06.841</b>	Other specified rheumatoid arthritis, right hand
<b>M06.842</b>	Other specified rheumatoid arthritis, left hand
<b>M06.849</b>	Other specified rheumatoid arthritis, unspecified hand

<b>M06.851</b>	Other specified rheumatoid arthritis, right hip
<b>M06.852</b>	Other specified rheumatoid arthritis, left hip
<b>M06.859</b>	Other specified rheumatoid arthritis, unspecified hip
<b>M06.861</b>	Other specified rheumatoid arthritis, right knee
<b>M06.862</b>	Other specified rheumatoid arthritis, left knee
<b>M06.869</b>	Other specified rheumatoid arthritis, unspecified knee
<b>M06.871</b>	Other specified rheumatoid arthritis, right ankle and foot
<b>M06.872</b>	Other specified rheumatoid arthritis, left ankle and foot
<b>M06.879</b>	Other specified rheumatoid arthritis, unspecified ankle and foot
<b>M06.88</b>	Other specified rheumatoid arthritis, vertebrae
<b>M06.89</b>	Other specified rheumatoid arthritis, multiple sites
<b>M06.9</b>	Rheumatoid arthritis, unspecified
<b>M08.00</b>	Unspecified juvenile rheumatoid arthritis of unspecified site
<b>M08.011</b>	Unspecified juvenile rheumatoid arthritis, right shoulder
<b>M08.012</b>	Unspecified juvenile rheumatoid arthritis, left shoulder
<b>M08.019</b>	Unspecified juvenile rheumatoid arthritis, unspecified shoulder
<b>M08.021</b>	Unspecified juvenile rheumatoid arthritis, right elbow
<b>M08.022</b>	Unspecified juvenile rheumatoid arthritis, left elbow
<b>M08.029</b>	Unspecified juvenile rheumatoid arthritis, unspecified elbow
<b>M08.031</b>	Unspecified juvenile rheumatoid arthritis, right wrist
<b>M08.032</b>	Unspecified juvenile rheumatoid arthritis, left wrist
<b>M08.039</b>	Unspecified juvenile rheumatoid arthritis, unspecified wrist
<b>M08.041</b>	Unspecified juvenile rheumatoid arthritis, right hand
<b>M08.042</b>	Unspecified juvenile rheumatoid arthritis, left hand
<b>M08.049</b>	Unspecified juvenile rheumatoid arthritis, unspecified hand
<b>M08.051</b>	Unspecified juvenile rheumatoid arthritis, right hip
<b>M08.052</b>	Unspecified juvenile rheumatoid arthritis, left hip
<b>M08.059</b>	Unspecified juvenile rheumatoid arthritis, unspecified hip
<b>M08.061</b>	Unspecified juvenile rheumatoid arthritis, right knee
<b>M08.062</b>	Unspecified juvenile rheumatoid arthritis, left knee
<b>M08.069</b>	Unspecified juvenile rheumatoid arthritis, unspecified knee
<b>M08.071</b>	Unspecified juvenile rheumatoid arthritis, right ankle and foot
<b>M08.072</b>	Unspecified juvenile rheumatoid arthritis, left ankle and foot
<b>M08.079</b>	Unspecified juvenile rheumatoid arthritis, unspecified ankle and foot
<b>M08.08</b>	Unspecified juvenile rheumatoid arthritis, vertebrae
<b>M08.09</b>	Unspecified juvenile rheumatoid arthritis, multiple sites
<b>M08.1</b>	Juvenile ankylosing spondylitis

<b>M08.20</b>	Juvenile rheumatoid arthritis with systemic onset, unspecified site
<b>M08.211</b>	Juvenile rheumatoid arthritis with systemic onset, right shoulder
<b>M08.212</b>	Juvenile rheumatoid arthritis with systemic onset, left shoulder
<b>M08.219</b>	Juvenile rheumatoid arthritis with systemic onset, unspecified shoulder
<b>M08.221</b>	Juvenile rheumatoid arthritis with systemic onset, right elbow
<b>M08.222</b>	Juvenile rheumatoid arthritis with systemic onset, left elbow
<b>M08.229</b>	Juvenile rheumatoid arthritis with systemic onset, unspecified elbow
<b>M08.231</b>	Juvenile rheumatoid arthritis with systemic onset, right wrist
<b>M08.232</b>	Juvenile rheumatoid arthritis with systemic onset, left wrist
<b>M08.239</b>	Juvenile rheumatoid arthritis with systemic onset, unspecified wrist
<b>M08.241</b>	Juvenile rheumatoid arthritis with systemic onset, right hand
<b>M08.242</b>	Juvenile rheumatoid arthritis with systemic onset, left hand
<b>M08.249</b>	Juvenile rheumatoid arthritis with systemic onset, unspecified hand
<b>M08.251</b>	Juvenile rheumatoid arthritis with systemic onset, right hip
<b>M08.252</b>	Juvenile rheumatoid arthritis with systemic onset, left hip
<b>M08.259</b>	Juvenile rheumatoid arthritis with systemic onset, unspecified hip
<b>M08.261</b>	Juvenile rheumatoid arthritis with systemic onset, right knee
<b>M08.262</b>	Juvenile rheumatoid arthritis with systemic onset, left knee
<b>M08.269</b>	Juvenile rheumatoid arthritis with systemic onset, unspecified knee
<b>M08.271</b>	Juvenile rheumatoid arthritis with systemic onset, right ankle and foot
<b>M08.272</b>	Juvenile rheumatoid arthritis with systemic onset, left ankle and foot
<b>M08.279</b>	Juvenile rheumatoid arthritis with systemic onset, unspecified ankle and foot
<b>M08.28</b>	Juvenile rheumatoid arthritis with systemic onset, vertebrae
<b>M08.29</b>	Juvenile rheumatoid arthritis with systemic onset, multiple sites
<b>M08.3</b>	Juvenile rheumatoid polyarthritis (seronegative)
<b>M08.40</b>	Pauciarticular juvenile rheumatoid arthritis, unspecified site
<b>M08.411</b>	Pauciarticular juvenile rheumatoid arthritis, right shoulder
<b>M08.412</b>	Pauciarticular juvenile rheumatoid arthritis, left shoulder
<b>M08.419</b>	Pauciarticular juvenile rheumatoid arthritis, unspecified shoulder
<b>M08.421</b>	Pauciarticular juvenile rheumatoid arthritis, right elbow
<b>M08.422</b>	Pauciarticular juvenile rheumatoid arthritis, left elbow
<b>M08.429</b>	Pauciarticular juvenile rheumatoid arthritis, unspecified elbow
<b>M08.431</b>	Pauciarticular juvenile rheumatoid arthritis, right wrist
<b>M08.432</b>	Pauciarticular juvenile rheumatoid arthritis, left wrist
<b>M08.439</b>	Pauciarticular juvenile rheumatoid arthritis, unspecified wrist
<b>M08.441</b>	Pauciarticular juvenile rheumatoid arthritis, right hand
<b>M08.442</b>	Pauciarticular juvenile rheumatoid arthritis, left hand

<b>M08.449</b>	Pauciarticular juvenile rheumatoid arthritis, unspecified hand
<b>M08.451</b>	Pauciarticular juvenile rheumatoid arthritis, right hip
<b>M08.452</b>	Pauciarticular juvenile rheumatoid arthritis, left hip
<b>M08.459</b>	Pauciarticular juvenile rheumatoid arthritis, unspecified hip
<b>M08.461</b>	Pauciarticular juvenile rheumatoid arthritis, right knee
<b>M08.462</b>	Pauciarticular juvenile rheumatoid arthritis, left knee
<b>M08.469</b>	Pauciarticular juvenile rheumatoid arthritis, unspecified knee
<b>M08.471</b>	Pauciarticular juvenile rheumatoid arthritis, right ankle and foot
<b>M08.472</b>	Pauciarticular juvenile rheumatoid arthritis, left ankle and foot
<b>M08.479</b>	Pauciarticular juvenile rheumatoid arthritis, unspecified ankle and foot
<b>M08.48</b>	Pauciarticular juvenile rheumatoid arthritis, vertebrae
<b>M08.80</b>	Other juvenile arthritis, unspecified site
<b>M08.811</b>	Other juvenile arthritis, right shoulder
<b>M08.812</b>	Other juvenile arthritis, left shoulder
<b>M08.819</b>	Other juvenile arthritis, unspecified shoulder
<b>M08.821</b>	Other juvenile arthritis, right elbow
<b>M08.822</b>	Other juvenile arthritis, left elbow
<b>M08.829</b>	Other juvenile arthritis, unspecified elbow
<b>M08.831</b>	Other juvenile arthritis, right wrist
<b>M08.832</b>	Other juvenile arthritis, left wrist
<b>M08.839</b>	Other juvenile arthritis, unspecified wrist
<b>M08.841</b>	Other juvenile arthritis, right hand
<b>M08.842</b>	Other juvenile arthritis, left hand
<b>M08.849</b>	Other juvenile arthritis, unspecified hand
<b>M08.851</b>	Other juvenile arthritis, right hip
<b>M08.852</b>	Other juvenile arthritis, left hip
<b>M08.859</b>	Other juvenile arthritis, unspecified hip
<b>M08.861</b>	Other juvenile arthritis, right knee
<b>M08.862</b>	Other juvenile arthritis, left knee
<b>M08.869</b>	Other juvenile arthritis, unspecified knee
<b>M08.871</b>	Other juvenile arthritis, right ankle and foot
<b>M08.872</b>	Other juvenile arthritis, left ankle and foot
<b>M08.879</b>	Other juvenile arthritis, unspecified ankle and foot
<b>M08.88</b>	Other juvenile arthritis, other specified site
<b>M08.89</b>	Other juvenile arthritis, multiple sites
<b>M08.90</b>	Juvenile arthritis, unspecified, unspecified site
<b>M08.911</b>	Juvenile arthritis, unspecified, right shoulder

<b>M08.912</b>	Juvenile arthritis, unspecified, left shoulder
<b>M08.919</b>	Juvenile arthritis, unspecified, unspecified shoulder
<b>M08.921</b>	Juvenile arthritis, unspecified, right elbow
<b>M08.922</b>	Juvenile arthritis, unspecified, left elbow
<b>M08.929</b>	Juvenile arthritis, unspecified, unspecified elbow
<b>M08.931</b>	Juvenile arthritis, unspecified, right wrist
<b>M08.932</b>	Juvenile arthritis, unspecified, left wrist
<b>M08.939</b>	Juvenile arthritis, unspecified, unspecified wrist
<b>M08.941</b>	Juvenile arthritis, unspecified, right hand
<b>M08.942</b>	Juvenile arthritis, unspecified, left hand
<b>M08.949</b>	Juvenile arthritis, unspecified, unspecified hand
<b>M08.951</b>	Juvenile arthritis, unspecified, right hip
<b>M08.952</b>	Juvenile arthritis, unspecified, left hip
<b>M08.959</b>	Juvenile arthritis, unspecified, unspecified hip
<b>M08.961</b>	Juvenile arthritis, unspecified, right knee
<b>M08.962</b>	Juvenile arthritis, unspecified, left knee
<b>M08.969</b>	Juvenile arthritis, unspecified, unspecified knee
<b>M08.971</b>	Juvenile arthritis, unspecified, right ankle and foot
<b>M08.972</b>	Juvenile arthritis, unspecified, left ankle and foot
<b>M08.979</b>	Juvenile arthritis, unspecified, unspecified ankle and foot
<b>M08.98</b>	Juvenile arthritis, unspecified, vertebrae
<b>M08.99</b>	Juvenile arthritis, unspecified, multiple sites
<b>M35.2</b>	Behcet's disease
<b>M45.0</b>	Ankylosing spondylitis of multiple sites in spine
<b>M45.1</b>	Ankylosing spondylitis of occipito-atlanto-axial region
<b>M45.2</b>	Ankylosing spondylitis of cervical region
<b>M45.3</b>	Ankylosing spondylitis of cervicothoracic region
<b>M45.4</b>	Ankylosing spondylitis of thoracic region
<b>M45.5</b>	Ankylosing spondylitis of thoracolumbar region
<b>M45.6</b>	Ankylosing spondylitis lumbar region
<b>M45.7</b>	Ankylosing spondylitis of lumbosacral region
<b>M45.8</b>	Ankylosing spondylitis sacral and sacrococcygeal region
<b>M45.9</b>	Ankylosing spondylitis of unspecified sites in spine
<b>M46.90</b>	Unspecified inflammatory spondylopathy, site unspecified
<b>M46.91</b>	Unspecified inflammatory spondylopathy, occipito-atlanto-axial region
<b>M46.92</b>	Unspecified inflammatory spondylopathy, cervical region
<b>M46.93</b>	Unspecified inflammatory spondylopathy, cervicothoracic region

<b>M46.94</b>	Unspecified inflammatory spondylopathy, thoracic region
<b>M46.95</b>	Unspecified inflammatory spondylopathy, thoracolumbar region
<b>M46.96</b>	Unspecified inflammatory spondylopathy, lumbar region
<b>M46.97</b>	Unspecified inflammatory spondylopathy, lumbosacral region
<b>M46.98</b>	Unspecified inflammatory spondylopathy, sacral and sacrococcygeal region
<b>M46.99</b>	Unspecified inflammatory spondylopathy, multiple sites in spine
<b>M48.8X1</b>	Other specified spondylopathies, occipito-atlanto-axial region
<b>M48.8X2</b>	Other specified spondylopathies, cervical region
<b>M48.8X3</b>	Other specified spondylopathies, cervicothoracic region
<b>M48.8X4</b>	Other specified spondylopathies, thoracic region
<b>M48.8X5</b>	Other specified spondylopathies, thoracolumbar region
<b>M48.8X6</b>	Other specified spondylopathies, lumbar region
<b>M48.8X7</b>	Other specified spondylopathies, lumbosacral region
<b>M48.8X8</b>	Other specified spondylopathies, sacral and sacrococcygeal region
<b>M48.8X9</b>	Other specified spondylopathies, site unspecified

## References

- Antoni C, Dechant C, Hanns-Martin Lorenz PD, et al. Open-label study of infliximab treatment for psoriatic arthritis: clinical and magnetic resonance imaging measurements of reduction of inflammation. *Arthritis Rheum.* 2002;47:506-512.
- Antoni C, Kalden JR. Combination therapy of the chimeric monoclonal anti-tumor necrosis factor alpha antibody (infliximab) with methotrexate in patients with rheumatoid arthritis. *Clin Exp Rheumatol.* 1999;17(6 Suppl 18):S73-S77.
- Baeten D, Kruithof E, Van den Bosch F, et al. Immunomodulatory effects of anti-tumor necrosis factor alpha therapy on synovium in spondyloarthropathy: histologic findings in eight patients from an open-label pilot study. *Arthritis Rheum.* 2001; 44:186-195.
- Blam ME, Stein RB, Lichtenstein GR. Integrating anti-tumor necrosis factor therapy in inflammatory bowel disease: current and future perspectives. *Am J Gastroenterol.* 2001;96:1977-1997.
- Brandt J, Haibel H, Reddig J, et al. Successful short-term treatment of severe undifferentiated spondyloarthropathy with the anti-tumor necrosis factor-alpha monoclonal antibody infliximab. *J Rheumatol.* 2002;29:118-122.
- Brandt J, Haibel H, Sieper J, et al. Infliximab treatment of severe ankylosing spondylitis: one-year follow-up. *Arthritis Rheum.* 2001;44:2936-2937.
- Braun J, Brandt J, Listing J, et al. Treatment of active ankylosing spondylitis with infliximab: a randomized controlled multicentre trial. *Lancet.* 2002;359:1187-1193.
- Cauza E, Spak M, Cauza K, et al. Treatment of psoriatic arthritis and psoriasis vulgaris with the tumor necrosis factor inhibitor infliximab. *Rheumatol Int.* 2002;22:227-232.
- Chaudhari U, Romano P, Mulcahy LD, et al. Efficacy and safety of infliximab monotherapy for plaque-type psoriasis: a randomized trial. *Lancet.* 2001; 357:1842-1847.
- Chey WY. Infliximab for patients with refractory ulcerative colitis. *Inflamm Bowel Dis.* 2001;7(Suppl 1):S30-S33.
- Chey WY, Hussain A, Ryan C, et al. Infliximab for refractory ulcerative colitis. *Am J Gastroenterol.* 2001;96:2373-2381.
- D'haens G, Van Deventer S, Van Hogezaand R, et al. Endoscopic and histological healing with infliximab anti-tumor necrosis factor antibodies in Crohn's disease: a European multicenter trial. *Gastroenterology.* 1999;116:1029-1034.
- Emery P. Infliximab: a new treatment for rheumatoid arthritis. *Hosp Med.* 2001;62(3):150-152.

Infliximab Injectable (Avsola, Inflectra®, Remicade®, Renflexis™)

Last review: August 14, 2020

19 of 20

Furst DE, Keystone E, Maini RN, Smolen JS. Recapitulation of the round-table discussion – assessing the role of anti-tumor necrosis factor therapy in the treatment of rheumatoid arthritis. *Rheumatology (Oxford)*. 1999;38(Suppl 2):50-53.

Garnett WR, Yunker N. Treatment of Crohn's disease with infliximab. *Am J Health Syst Pharm*. 2001;58:307-316.

Gottlieb AB, Chaudhari U, Mulcahy LD, et al. Infliximab monotherapy provides rapid and sustained benefit for plaque-type psoriasis. *J Am Acad Dermatol*. 2003;48:829-835.

Gottlieb AB, Masud S, Ramamurthi R, et al. Pharmacodynamic and pharmacokinetic response to anti-tumor necrosis factor-alpha monoclonal antibody (infliximab) treatment of moderate to severe psoriasis vulgaris. *J Am Acad Dermatol*. 2003;48:68-75.

Hanauer SB. Review article: safety of infliximab in clinical trials. *Aliment Pharmacol Ther*. 1999;13(Suppl 4):16-22, 38.

Harriman G, Harper LK, Schaible LF. Summary of clinical trials in rheumatoid arthritis using infliximab, an anti-TNF alpha treatment. *Ann Rheum Dis*. 1999;58(Suppl 1):I61-I64.

Heller T, James SP, Drachenberg C, Hernandez C, Darwin PE. Treatment of severe esophageal Crohn's disease with infliximab. *Inflamm Bowel Dis*. 1999;5:279-282.

Infliximab (Remicade) for Crohn's disease. *Med Lett Drugs Ther*. 1999;41(1047):19-20.

Jones RE, Moreland LW. Tumor necrosis factor inhibitors for rheumatoid arthritis. *Bull Rheum Dis*. 1999;48(3):1-4.

Kaiser MJ, Sany J. Efficacy of infliximab (Remicade) in the treatment of spondyloarthropathies. Two case reports. *Joint Bone Spine*. 2001;68:525-527.

Kremer JM. Rational use of new and existing disease-modifying agents in rheumatoid arthritis. *Ann Intern Med*. 2001;134:695-706.

Kruithof E, Van den Bosch F, Baeten D, et al. Repeated infusions of infliximab, a chimeric anti-TNF alpha monoclonal antibody, in patients with active spondyloarthropathy: one year follow up. *Ann Rheum Dis*. 2002; 61:207-212.

Lebwohl M. Psoriasis. *Lancet*. 2003;361:1197-1204.

Lofberg R. Treatment of fistulas in Crohn's disease with infliximab. *Gut*. 1999;45:642-643.

Maini RN, St Clair EW, Breedveld F, et al. For the ATTRACT Study Group. Infliximab (chimeric anti-tumor necrosis factor alpha monoclonal antibody) versus placebo in rheumatoid arthritis patients receiving concomitant methotrexate: a randomized Phase III trial. *Lancet*. 1999;354:1932-1939.

Maini RN, Taylor PC, Paleolog E. Anti-tumor necrosis factor specific antibody (infliximab) treatment provides insights into the pathophysiology of rheumatoid arthritis. *Ann Rheum Dis*. 1999;58(Suppl 1):I56-I60.

Maksymowych WP, Jhangri GS, Lambert RG, et al. Infliximab in ankylosing spondylitis: a prospective observational inception cohort analysis of efficacy and safety. *J Rheumatol*. 2002;29:959-965.

Marteau P. Inflammatory bowel disease. *Endoscopy*. 2000;32:131-137.

Mease PJ. Cytokine blockers in psoriatic arthritis. *Ann Rheum Dis*. 2001;60(Suppl 3):iii37-40.

Mouser JF, Hyams JS. Infliximab: a novel chimeric monoclonal antibody for the treatment of Crohn's disease. *Clin Ther*. 1999;21:932-942.

National Government Services. Local Coverage Article: Infliximab, Infliximab-dyyb (e.g., Remicade™, Inflectra™) – Related to LCD L25820 (A46764). January 2017. [https://www.cms.gov/medicare-coverage-database/details/article-details.aspx?articleId=52423&ver=31&ContrId=300&ContrVer=1&CntrctrSelected=300\\*1&Cntrctr=300&name=National+Government+Services%2c+Inc.+\(National+Government+Services%2c+Inc.+\(13202%2c+A+and+B+and+HHH+MAC%2c+J+-+K\)\)&Lcntrctr=300\\*1&bc=AgABAAEAEAAAAA%3d%3d&](https://www.cms.gov/medicare-coverage-database/details/article-details.aspx?articleId=52423&ver=31&ContrId=300&ContrVer=1&CntrctrSelected=300*1&Cntrctr=300&name=National+Government+Services%2c+Inc.+(National+Government+Services%2c+Inc.+(13202%2c+A+and+B+and+HHH+MAC%2c+J+-+K))&Lcntrctr=300*1&bc=AgABAAEAEAAAAA%3d%3d&) Accessed March 24, 2017.

Ogilvie AL, Antoni C, Dechant C, et al. Treatment of psoriatic arthritis with antitumor necrosis factor-alpha antibody clears skin lesions of psoriasis resistant to treatment with methotrexate. *Br J Dermatol*. 2001;144:587-589.

Pincus T, O'Dell JR, Kremer JM. Combination therapy with multiple disease-modifying antirheumatic drugs in rheumatoid arthritis: a preventive strategy. *Ann Intern Med*. 1999;131:768-774.

Present DH. Infliximab therapy for ulcerative colitis: many unanswered questions. *Am J Gastroenterol*. 2001;96:2294-2296.

Present DH. Review article: the efficacy of infliximab in Crohn's disease – healing of fistulae. *Aliment Pharmacol Ther*. 1999;13(Suppl 4):23-28, 38.

Infliximab Injectable (Avsola, Inflectra®, Remicade®, Renflexis™)

Last review: August 14, 2020

20 of 20

Present DH, Rutgeerts P, Targan S, et al. Infliximab for the treatment of fistulas in patients with Crohn's disease. *N Engl J Med*. 1999;340:1398-1405.

Remicade [package insert]. Janssen Biotech, Inc., Horsham, PA; 2013. [http://www.remicade.com/hcp/remicade/assets/hcp\\_ppi.pdf](http://www.remicade.com/hcp/remicade/assets/hcp_ppi.pdf). Accessed October 18, 2016.

Renflexis [package insert]. Merck, Whitehouse Station, NJ. [https://www.merck.com/product/usa/pi\\_circulars/r/renflexis/renflexis\\_pi.pdf](https://www.merck.com/product/usa/pi_circulars/r/renflexis/renflexis_pi.pdf). Accessed November 28, 2017.

Ricart E, Panaccione R, Loftus EV, Tremaine WJ, Sanborn WJ. Successful management of Crohn's disease of the ileoanal pouch with infliximab. *Gastroenterology*. 1999;117:429-432.

Ricart E, Sanborn WJ. Infliximab for the treatment of fistulas in patients with Crohn's disease. *Gastroenterology*. 1999;117:1247-1248.

Rutgeerts PJ. Review article: efficacy of infliximab in Crohn's disease – induction and maintenance of remission. *Aliment Pharmacol Ther*. 1999;13(Suppl 4):9-15, 38.

Rutgeerts P, Baert F. New strategies in the management of inflammatory bowel disease. *Acta Clin Belg*. 1999;54:274-280.

Rutgeerts P, D'haens G, Targan S, et al. Efficacy and safety of retreatment with anti-tumor necrosis factor antibody (infliximab) to maintain remission in Crohn's disease. *Gastroenterology*. 1999;117:761-769.

Rutgeerts PJ, Targan SR. Introduction: anti-TNF strategies in the treatment of Crohn's disease. *Aliment Pharmacol Ther*. 1999;13(Suppl 4):1.

Sandborn WJ, Hanauer SB. Antitumor necrosis factor therapy for inflammatory bowel disease: a review of agents, pharmacology, clinical results, and safety. *Inflamm Bowel Dis*. 1999;5:119-133.

Schopf RE, Aust H, Knop J. Treatment of psoriasis with the chimeric monoclonal antibody against tumor necrosis factor alpha, infliximab. *J Am Acad Dermatol*. 2002;46:886-891.

Specialty-matched clinical peer review.

Stein RB, Hanauer SB. Medical therapy for inflammatory bowel disease. *Gastroenterol Clin North Am*. 1999;28:297-321.

Stone M, Salonen D, Lax M, et al. Clinical and imaging correlates of response to treatment with infliximab in patients with ankylosing spondylitis. *J Rheumatol*. 2001;28:1605-1614.

Van Assche G, Rutgeerts P. Anti-TNF agents in Crohn's disease. *Expert Opin Investig Drugs*. 2000;9:103-111.

Van den Bosch F, Kruithof E, Baeten D, et al. Effects of a loading dose regimen of three infusions of chimeric monoclonal antibody to tumor necrosis factor alpha (infliximab) in spondyloarthritis: an open pilot study. *Ann Rheum Dis*. 2000;59:428-433.

Van den Bosch F, Kruithof E, Baeten D, et al. Randomized double-blind comparison of chimeric monoclonal antibody to tumor necrosis factor alpha (infliximab) versus placebo in active spondyloarthritis. *Arthritis Rheum*. 2002;46:755-765.

Van den Bosch F, Kruithof E, De Vos M, et al. Crohn's disease associated with spondyloarthritis: effect of TNF-alpha blockade with infliximab on articular symptoms. *Lancet*. 2000;356:1821-1822.

Van Deventer SJ. Review article: targeting TNF alpha as a key cytokine in the inflammatory processes of Crohn's disease – the mechanisms of action of infliximab. *Aliment Pharmacol Ther*. 1999;13(Suppl 4):3-8, 38.