

Site of Service Utilization

Effective Date: August 1, 2025 Number: MG.MM.AD.19aC2v3

Medical Guideline Disclaimer

Property of EmblemHealth. All rights reserved. The treating physician or primary care provider must submit to EmblemHealth the clinical evidence that the patient meets the criteria for the treatment or surgical procedure. Without this documentation and information, EmblemHealth will not be able to properly review the request for prior authorization. The clinical review criteria expressed below reflects how EmblemHealth determines whether certain services or supplies are medically necessary. EmblemHealth established the clinical review criteria based upon a review of currently available clinical information (including clinical outcome studies in the peer reviewed published medical literature, regulatory status of the technology, evidence-based guidelines of public health and health research agencies, evidence-based guidelines and positions of leading national health professional organizations, views of physicians practicing in relevant clinical areas, and other relevant factors). EmblemHealth expressly reserves the right to revise these conclusions as clinical information changes and welcomes further relevant information. Each benefit program defines which services are covered. The conclusion that a particular service or supply is medically necessary does not constitute a representation or warranty that this service or supply is covered and/or paid for by EmblemHealth, as some programs exclude coverage for services or supplies that EmblemHealth considers medically necessary. If there is a discrepancy between this guideline and a member's benefits program, the benefits program will govern. In addition, coverage may be mandated by applicable legal requirements of a state, the Federal Government or the Centers for Medicare & Medicaid Services (CMS) for Medicare and Medicaid members. All coding and web site links are accurate at time of publication. EmblemHealth Services Company LLC, ("EmblemHealth") has adopted the herein policy in providing management, administrative and other services to EmblemHealth Plan, Inc., EmblemHealth Insurance Company, EmblemHealth Services Company, LLC and Health Insurance Plan of Greater New York (HIP) related to health benefit plans offered by these entities. All of the aforementioned entities are affiliated companies under common control of EmblemHealth Inc.

Note: The Site of Service Utilization policy is applied <u>only</u> to members under 75 years of age. There is no impact to members 75 years of age and over.

Background

This Utilization Review Guideline provides assistance in interpreting EmblemHealth benefit plans. When deciding coverage, the member specific benefit plan document must be referenced. The terms of the member specific benefit plan document [e.g., Certificate of Coverage (COC), Schedule of Benefits (SOB), and/or Summary Plan Description (SPD)] may differ greatly from the standard benefit plan upon which this Utilization Review Guideline is based. In the event of a conflict, the member specific benefit plan document supersedes this Utilization Review Guideline. All reviewers must first identify member eligibility, any federal or state regulatory requirements, and the member specific benefit plan coverage prior to use of this Utilization Review Guideline. Other Policies and Guidelines may apply. ConnectiCare may also use tools developed by third parties, such as the MCG™ Care Guidelines, to assist us in administering health benefits. The MCG™ Care Guidelines are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice. EmblemHealth reserves the right, in its sole discretion, to modify its Policies and Guidelines as necessary. This Utilization Review Guideline is provided for informational purposes. It does not constitute medical advice.

Benefit Considerations

Before using this guideline, please check the member specific benefit plan document and any federal or state mandates, if applicable.

Preauthorization requirements apply to EmblemHealth plans that require services to be medically necessary and conducted in an optimal clinical setting. The medical necessity of the procedure may be separately reviewed against the appropriate criteria. Refer to the member specific benefit plan document to determine if medical necessity applies.

Coverage Rationale

Surgery may safely be performed in various settings. Some of the common settings used are an inpatient hospital or medical center, an off-campus outpatient hospital or medical center, an on-campus outpatient hospital or medical center, an ambulatory surgical center, or a doctor's office. Costs for surgical procedures may vary among these different settings. To encourage the use of the most safe and appropriate, sites of service for certain medically necessary outpatient surgical procedures, prior authorization is required for the site of service for the surgical procedures listed below.

We will review the site of service for medical necessity for certain elective surgical procedures. Site of service is defined as the location where the surgical procedure is performed, such as an off campus-outpatient hospital or medical center, an ambulatory surgical center, or an inpatient hospital or medical center or providers office. When there is more than one option for the site of surgery, and in the absence of any clinical contra-indication, the lowest level of site will be approved (i.e., physician office first, then ASC, then hospital outpatient, and last, hospital inpatient).

The following will be considered to determine whether the elective procedure is being performed in an optimal clinical setting:

- Member's specific benefit plan
- Geographic availability of an in-network provider
- Ambulatory surgical care (ASC) capability
- Physician privileging
- Significant member comorbidities (see list of examples of Qualifying Conditions below)
- American Society of Anesthesiologist (ASA) physical status (PS), classification system

Potential Documentation Requirements

- Physician office notes
- Physician privileging
- ASA score

Office Based Procedures

Except for the following qualifying conditions, most elective procedures should be performed in an Office setting (not an all-inclusive list):

- Patient is unable to cooperate with procedure due to mental status, severe anxiety, or extreme pain sensitivity
- Failed office-based procedure attempt due to body habitus, abnormal anatomy, or technical difficulties
- Bleeding disorder that would cause a significant risk of morbidity
- Allergy to local anesthetic
- The following will be considered to determine whether the elective procedure is being performed in an optimal clinical setting:
- The individual has clinical conditions which may compromise the safety of an office-based procedure, including but not limited to:
 - Medical conditions which require enhanced monitoring, medications or prolonged recovery period; or
 - Increased risk for complications due to severe comorbidity, such as that evidenced by an American Society or Anesthesiologist's (ASA) class III or higher physical status.

ASC and Outpatient Surgical Procedures

Except for the qualifying conditions below, many elective procedures should be performed in an Ambulatory Surgical Center (ASC). Some patients may require more complex care due to factors such as age or medical conditions. Also, some ASCs may have specific guidelines that prohibit members who are above a certain weight or have certain health conditions from receiving care in those facilities.

Patients with severe systemic disease and some functional limitation (ASA PS classification III or higher) may be appropriate to have the procedure in an outpatient hospital setting (not an all – inclusive list):

- Morbid obesity (>BMI.40)
- Diabetes (brittle diabetes)
- Resistant hypertension (poorly controlled)
- Chronic obstructive pulmonary disease (COPD) (FEV1 <50%)
- Advance liver disease (MELD Score >8)
- Alcohol dependence (at risk for withdrawal syndrome)
- End stage renal disease (hyperkalemia (above reference range peritoneal or hemodialysis)
- Uncompensated chronic heart failure (CHF) (NYHA class III or IV)
- History of myocardial infarction (MI) (recent event (<3 mo.))
- History of cerebrovascular accident (CVA) or transient ischemic attack (TIA)
- (recent event (<3 mo.))
- Coronary artery disease (CAD/peripheral vascular disease (PVD) (ongoing cardiac ischemia requiring medical management recently placed drug eluting stent (within 1 year))
- Sleep apnea (mode rate to severe obstructive sleep apnea (OSA)
- Implanted pacemaker
- Personal history or family history of complication of anesthesia such as malignant hyperthermia
- Pregnancy
- Bleeding disorder requiring replacement factor or blood products or special infusion
- products to correct a coagulation defect (DDAVP is not blood product and is OK)
- Prolonged surgery (>3 hrs.)
- Anticipated need for transfusion
- Recent history of drug abuse (especially cocaine)
- Patients with drug eluting stents (DES) placed within one year or bare metal stents (BMS) or
 plain angioplasty within 90 days unless acetylsalicylic acid (ASA) and antiplatelet drugs will be
 continued by agreement of surgeon, cardiologist and anesthesia
- Ongoing evidence of myocardial ischemia
- Poorly controlled asthma (FEV1 <80% despite medical management)
- Significant valvular heart disease
- Cardiac arrhythmia (symptomatic arrhythmia despite medication)
- Potentially difficult airway
- Uncontrolled seizure disorder

Inpatient Surgical Procedures

Certain specific complex surgeries can only be performed in an inpatient setting due to the needed level of involvement of specialized staff and technical equipment necessary to safely perform the procedure. Examples include organ transplants, most oncology procedures and many cardiac procedures.

Coding

| CPT Codes | Description |
|-----------|--|
| 10120 | Incision and removal of foreign body, subcutaneous tissues; simple |
| 10140 | Incision and drainage of hematoma, seroma or fluid collection |
| 11400 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 0.5 cm or less |
| 11401 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 0.6 to 1.0 cm |
| 11402 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 1.1 to 2.0 cm |
| 11403 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 2.1 to 3.0 cm |
| 11404 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 3.1 to 4.0 cm |
| 11406 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter over 4.0 cm |
| 11420 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 0.5 cm or less |
| 11421 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 0.6 to 1.0 cm |
| 11422 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 1.1 to 2.0 cm |
| 11423 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 2.1 to 3.0 cm |
| 11424 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 3.1 to 4.0 cm |
| 11426 | Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter over 4.0 cm |
| 11441 | Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 0.6 to 1.0 cm |
| 11442 | Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 1.1 to 2.0 cm |
| 11443 | Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 2.1 to 3.0 cm |
| 11602 | Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 1.1 to 2.0 cm |
| 11604 | Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 3.1 to 4.0 cm |
| 11622 | Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised diameter 1.1 to 2.0 cm |
| 11750 | Excision of nail and nail matrix, partial or complete (eg, ingrown or deformed nail), for permanent removal; |
| 11772 | Excision of pilonidal cyst or sinus; complicated |

| CPT Codes | Description |
|-----------|---|
| 12031 | Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 2.5 cm or less |
| 12032 | Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 2.6 cm to 7.5 cm |
| 13101 | Repair, complex, trunk; 2.6 cm to 7.5 cm |
| 13131 | Repair, complex, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; 1.1 cm to 2.5 cm |
| 13132 | Repair, complex, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; 2.6 cm to 7.5 cm |
| 13152 | Repair, complex, eyelids, nose, ears and/or lips; 2.6 cm to 7.5 cm |
| 14040 | Adjacent tissue transfer or rearrangement, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; defect 10 sq cm or less |
| 14060 | Adjacent tissue transfer or rearrangement, eyelids, nose, ears and/or lips; defect 10 sq cm or less |
| 14301 | Adjacent tissue transfer or rearrangement, any area; defect 30.1 sq cm to 60.0 sq cm |
| 15733 | Muscle, myocutaneous, or fasciocutaneous flap; head and neck with named vascular pedicle (ie, buccinators, genioglossus, temporalis, masseter, sternocleidomastoid, levator scapulae) |
| 15740 | Flap; island pedicle requiring identification and dissection of an anatomically named axial vessel |
| 19000 | Puncture aspiration of cyst of breast; |
| 19120 | Excision of cyst, fibroadenoma, or other benign or malignant tumor, aberrant breast tissue, duct lesion, nipple or areolar lesion (except 19300), open, male or female, 1 or more lesions |
| 19125 | Excision of breast lesion identified by preoperative placement of radiological marker, open; single lesion |
| 19307 | Mastectomy, modified radical, including axillary lymph nodes, with or without pectoralis minor muscle, but excluding pectoralis major muscle |
| 20680 | Removal of implant; deep (eg, buried wire, pin, screw, metal band, nail, rod or plate) |
| 20694 | Removal, under anesthesia, of external fixation system |
| 21012 | Excision, tumor, soft tissue of face or scalp, subcutaneous; 2 cm or greater |
| 21013 | Excision, tumor, soft tissue of face and scalp, subfascial (eg, subgaleal, intramuscular); less than 2 cm |
| 21014 | Excision, tumor, soft tissue of face and scalp, subfascial (eg, subgaleal, intramuscular); 2 cm or greater |
| 21315 | Closed treatment of nasal bone fracture with manipulation; without stabilization |
| 21320 | Closed treatment of nasal bone fracture; with stabilization |
| 21552 | Excision, tumor, soft tissue of neck or anterior thorax, subcutaneous; 3 cm or greater |
| 21555 | Excision, tumor, soft tissue of neck or anterior thorax, subcutaneous; less than 3 cm |
| 21556 | Excision, tumor, soft tissue of neck or anterior thorax, subfascial (eg, intramuscular); less than 5 cm |
| 21931 | Excision, tumor, soft tissue of back or flank, subcutaneous; 3 cm or greater |
| 23071 | Excision, tumor, soft tissue of shoulder area, subcutaneous; 3 cm or greater |
| 23472 | Arthroplasty, glenohumeral joint; total shoulder (glenoid and proximal humeral replacement (eg, total shoulder)) |
| 24071 | Excision, tumor, soft tissue of upper arm or elbow area, subcutaneous; 3 cm or greater |
| 24105 | Excision, olecranon bursa |
| 25000 | Incision, extensor tendon sheath, wrist (eg, deQuervains disease) |
| 25073 | Excision, tumor, soft tissue of forearm and/or wrist area, subfascial (eg, intramuscular); 3 cm or greater |
| 25075 | Excision, tumor, soft tissue of forearm and/or wrist area, subcutaneous; less than 3 cm |
| 25076 | Excision, tumor, soft tissue of forearm and/or wrist area, subfascial (eg, intramuscular); less than 3 cm |

| CPT Codes | Description |
|-----------|---|
| 25607 | Open treatment of distal radial extra-articular fracture or epiphyseal separation, with internal fixation |
| 25608 | Open treatment of distal radial intra-articular fracture or epiphyseal separation; with internal fixation of 2 fragments |
| 26055 | Tendon sheath incision (eg, for trigger finger) |
| 26116 | Excision, tumor, soft tissue, or vascular malformation, of hand or finger, subfascial (eg, intramuscular); less than 1.5 cm |
| 26160 | Excision of lesion of tendon sheath or joint capsule (eg, cyst, mucous cyst, or ganglion), hand or finger |
| 26540 | Repair of collateral ligament, metacarpophalangeal or interphalangeal joint |
| 26615 | Open treatment of metacarpal fracture, single, includes internal fixation, when performed, each bone |
| 26650 | Percutaneous skeletal fixation of carpometacarpal fracture dislocation, thumb (Bennett fracture), with manipulation |
| 26727 | Percutaneous skeletal fixation of unstable phalangeal shaft fracture, proximal or middle phalanx, finger or thumb, with manipulation, each |
| 26951 | Amputation, finger or thumb, primary or secondary, any joint or phalanx, single, including neurectomies; with direct closure |
| 27096 | Injection procedure for sacroiliac joint, anesthetic/steroid, with image guidance (fluoroscopy or CT) including arthrography when performed |
| 27337 | Excision, tumor, soft tissue of thigh or knee area, subcutaneous; 3 cm or greater |
| 27339 | Excision, tumor, soft tissue of thigh or knee area, subfascial (eg, intramuscular); 5 cm or greater |
| 27446 | Arthroplasty, knee, condyle and plateau; medial OR lateral compartment |
| 27447 | Arthroplasty, knee, condyle and plateau; medial AND lateral compartments with or without patella resurfacing (total knee arthroplasty) |
| 28005 | Incision, bone cortex (eg, osteomyelitis or bone abscess), foot |
| 28010 | Tenotomy, percutaneous, toe; single tendon |
| 28041 | Excision, tumor, soft tissue of foot or toe, subfascial (eg, intramuscular); 1.5 cm or greater |
| 28090 | Excision of lesion, tendon, tendon sheath, or capsule (including synovectomy) (eg, cyst or ganglion); foot |
| 28110 | Ostectomy, partial excision, fifth metatarsal head (bunionette) (separate procedure) |
| 28120 | Partial excision (craterization, saucerization, sequestrectomy, or diaphysectomy) bone (eg, osteomyelitis or bossing); talus or calcaneus |
| 28124 | Partial excision (craterization, saucerization, sequestrectomy, or diaphysectomy) bone (eg, osteomyelitis or bossing); phalanx of toe |
| 28285 | Correction, hammertoe (eg, interphalangeal fusion, partial or total phalangectomy) |
| 28289 | Hallux rigidus correction with cheilectomy, debridement and capsular release of the first metatarsophalangeal joint; without implant |
| 28295 | Correction, hallux valgus with bunionectomy, with sesamoidectomy when performed; with proximal metatarsal osteotomy, any method |
| 28296 | Correction, hallux valgus with bunionectomy, with sesamoidectomy when performed; with distal metatarsal osteotomy, any method |
| 28299 | Correction, hallux valgus with bunionectomy, with sesamoidectomy when performed; with double osteotomy, any method |
| 29806 | Arthroscopy, shoulder, surgical; capsulorrhaphy |
| 29823 | Arthroscopy, shoulder, surgical; debridement, extensive, 3 or more discrete structures (eg, humeral bone, humeral articular cartilage, glenoid bone, glenoid articular cartilage, biceps tendon, biceps anchor complex, labrum, articular capsule, articular side of the rotator cuff, bursal side of the rotator cuff, subacromial bursa, foreign body[ies]) |

| CPT Codes | Description |
|-----------|--|
| 29824 | Arthroscopy, shoulder, surgical; distal claviculectomy including distal articular surface (Mumford procedure) |
| 29825 | Arthroscopy, shoulder, surgical; with lysis and resection of adhesions, with or without manipulation |
| 29827 | Arthroscopy, shoulder, surgical; with rotator cuff repair |
| 29876 | Arthroscopy, knee, surgical; synovectomy, major, 2 or more compartments (eg, medial or lateral) |
| 29879 | Arthroscopy, knee, surgical; abrasion arthroplasty (includes chondroplasty where necessary) or multiple drilling or microfracture |
| 29882 | Arthroscopy, knee, surgical; with meniscus repair (medial OR lateral) |
| 29883 | Arthroscopy, knee, surgical; with meniscus repair (medial AND lateral) |
| 29888 | Arthroscopically aided anterior cruciate ligament repair/augmentation or reconstruction |
| 30130 | Excision inferior turbinate, partial or complete, any method |
| 30140 | Submucous resection inferior turbinate, partial or complete, any method |
| 30520 | Septoplasty or submucous resection, with or without cartilage scoring, contouring or replacement with graft |
| 31253 | Nasal/sinus endoscopy, surgical with ethmoidectomy; total (anterior and posterior), including frontal sinus exploration, with removal of tissue from frontal sinus, when performed |
| 31257 | Nasal/sinus endoscopy, surgical with ethmoidectomy; total (anterior and posterior), including sphenoidotomy |
| 31276 | Nasal/sinus endoscopy, surgical, with frontal sinus exploration, including removal of tissue from frontal sinus, when performed |
| 31541 | Laryngoscopy, direct, operative, with excision of tumor and/or stripping of vocal cords or epiglottis; with operating microscope or telescope |
| 31571 | Laryngoscopy, direct, with injection into vocal cord(s), therapeutic; with operating microscope or telescope |
| 31579 | Laryngoscopy, flexible or rigid telescopic, with stroboscopy |
| 31622 | Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; diagnostic, with cell washing, when performed (separate procedure) |
| 36561 | Insertion of tunneled centrally inserted central venous access device, with subcutaneous port; age 5 years or older |
| 36589 | Removal of tunneled central venous catheter, without subcutaneous port or pump |
| 38525 | Biopsy or excision of lymph node(s); open, deep axillary node(s) |
| 41520 | Frenoplasty (surgical revision of frenum, eg, with Z-plasty) |
| 42820 | Tonsillectomy and adenoidectomy; younger than age 12 |
| 42825 | Tonsillectomy, primary or secondary; younger than age 12 |
| 42826 | Tonsillectomy, primary or secondary; age 12 or over |
| 43235 | Esophagogastroduodenoscopy, flexible, transoral; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure) |
| 43239 | Esophagogastroduodenoscopy, flexible, transoral; with biopsy, single or multiple |
| 43248 | Esophagogastroduodenoscopy, flexible, transoral; with insertion of guide wire followed by passage of dilator(s) through esophagus over guide wire |
| 43249 | Esophagogastroduodenoscopy, flexible, transoral; with transendoscopic balloon dilation of esophagus (less than 30 mm diameter) |
| 43251 | Esophagogastroduodenoscopy, flexible, transoral; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique |

| CPT Codes | Description |
|------------------|--|
| 43270 | Esophagogastroduodenoscopy, flexible, transoral; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed) |
| 43450 | Dilation of esophagus, by unguided sound or bougie, single or multiple passes |
| 43770 | Laparoscopy, surgical, gastric restrictive procedure; placement of adjustable gastric restrictive device (eg, gastric band and subcutaneous port components) |
| 43773 | Laparoscopy, surgical, gastric restrictive procedure; removal and replacement of adjustable gastric restrictive device component only |
| 43774 | Laparoscopy, surgical, gastric restrictive procedure; removal of adjustable gastric restrictive device and subcutaneous port components |
| 44180 | Laparoscopy, surgical, enterolysis (freeing of intestinal adhesion) (separate procedure) |
| 44361 | Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with biopsy, single or multiple |
| 44386 | Endoscopic evaluation of small intestinal pouch (eg, Kock pouch, ileal reservoir [S or J]); with biopsy, single or multiple |
| 44970 | Appendectomy; for ruptured appendix with abscess or generalized peritonitis |
| 45300 | Proctosigmoidoscopy, rigid; diagnostic, with or without collection of specimen(s) by brushing or washing (separate procedure) |
| 45330 | Sigmoidoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure) |
| 45378 | Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure) |
| 45380 | Colonoscopy, flexible; with biopsy, single or multiple |
| 45381 | Colonoscopy, flexible; with directed submucosal injection(s), any substance |
| 45384 | Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps |
| 45385 | Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique |
| 45390 | Colonoscopy, flexible; with endoscopic mucosal resection |
| 46040 | Incision and drainage of ischiorectal and/or perirectal abscess (separate procedure) |
| 46221 | Hemorrhoidectomy, internal, by rubber band ligation(s) |
| 46255 | Hemorrhoidectomy, internal and external, single column/group; |
| 46607 | Anoscopy; with high-resolution magnification (HRA) (eg, colposcope, operating microscope) and chemical agent enhancement, with biopsy, single or multiple |
| 46922 | Destruction of lesion(s), anus (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; surgical excision |
| 47000 | Biopsy of liver, needle; percutaneous |
| 47562 | Laparoscopy, surgical; cholecystectomy |
| 47563 | Laparoscopy, surgical; cholecystectomy with cholangiography |
| 49322 | Laparoscopy, surgical; with aspiration of cavity or cyst (eg, ovarian cyst) (single or multiple) |
| 49505 | Repair initial inguinal hernia, age 5 years or older; reducible |
| 49591 | Repair of anterior abdominal hernia(s) (ie, epigastric, incisional, ventral, umbilical, spigelian), any approach (ie, open, laparoscopic, robotic), initial, including implantation of mesh or other prosthesis when performed, total length of defect(s); less than 3 cm, reducible |
| 49650 | Laparoscopy, surgical; repair initial inguinal hernia |
| 49651 | Laparoscopy, surgical; repair recurrent inguinal hernia |
| 49652 | Laparoscopy, surgical, repair, ventral, umbilical, spigelian or epigastric hernia (includes mesh insertion, when performed); reducible |

| CPT Codes | Description |
|-----------|---|
| 49653 | Laparoscopy, surgical, repair, ventral, umbilical, spigelian or epigastric hernia (includes mesh insertion, when performed); incarcerated or strangulated |
| 49654 | Laparoscopy, surgical, repair, incisional hernia (includes mesh insertion, when performed); reducible |
| 49655 | Laparoscopy, surgical, repair, incisional hernia (includes mesh insertion, when performed); incarcerated or strangulated |
| 50590 | Lithotripsy, extracorporeal shock wave |
| 52000 | Cystourethroscopy (separate procedure) |
| 52005 | Cystourethroscopy, with ureteral catheterization, with or without irrigation, instillation, or ureteropyelography, exclusive of radiologic service; |
| 52204 | Cystourethroscopy, with biopsy(s) |
| 52224 | Cystourethroscopy, with fulguration (including cryosurgery or laser surgery) or treatment of MINOR (less than 0.5 cm) lesion(s) with or without biopsy |
| 52234 | Cystourethroscopy, with fulguration (including cryosurgery or laser surgery) and/or resection of; SMALL bladder tumor(s) (0.5 up to 2.0 cm) |
| 52235 | Cystourethroscopy, with fulguration (including cryosurgery or laser surgery) and/or resection of; MEDIUM bladder tumor(s) (2.0 to 5.0 cm) |
| 52260 | Cystourethroscopy, with dilation of bladder for interstitial cystitis; general or conduction (spinal) anesthesia |
| 52281 | Cystourethroscopy, with calibration and/or dilation of urethral stricture or stenosis, with or without meatotomy, with or without injection procedure for cystography, male or female |
| 52287 | Cystourethroscopy, with injection(s) for chemodenervation of the bladder |
| 52310 | Cystourethroscopy, with removal of foreign body, calculus, or ureteral stent from urethra or bladder (separate procedure); simple |
| 52332 | Cystourethroscopy, with insertion of indwelling ureteral stent (eg, Gibbons or double-J type) |
| 52351 | Cystourethroscopy, with ureteroscopy and/or pyeloscopy; diagnostic |
| 52352 | Cystourethroscopy, with ureteroscopy and/or pyeloscopy; with removal or manipulation of calculus (ureteral catheterization is included) |
| 52353 | Cystourethroscopy, with ureteroscopy and/or pyeloscopy; with lithotripsy (ureteral catheterization is included) |
| 52354 | Cystourethroscopy, with ureteroscopy and/or pyeloscopy; with biopsy and/or fulguration of ureteral or renal pelvic lesion |
| 52356 | Cystourethroscopy, with ureteroscopy and/or pyeloscopy; with lithotripsy including insertion of indwelling ureteral stent (eg, Gibbons or double-J type) |
| 54150 | Circumcision, using clamp or other device with regional dorsal penile or ring block |
| 55040 | Vasotomy, cannulization with or without incision of vas, unilateral or bilateral (separate procedure) |
| 55250 | Vasectomy, unilateral or bilateral (separate procedure), including postoperative semen examination(s) |
| 55700 | Biopsy, prostate; needle or punch, single or multiple, any approach |
| 56405 | Incision and drainage of vulva or perineal abscess |
| 56501 | Destruction of lesion(s), vulva; simple (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery) |
| 56605 | Biopsy of vulva or perineum (separate procedure); 1 lesion |
| 57288 | Sling operation for stress incontinence (eg, fascia or synthetic) |
| 57452 | Colposcopy of the cervix including upper/adjacent vagina; |
| 57454 | Colposcopy of the cervix including upper/adjacent vagina; with biopsy(s) of the cervix and endocervical curettage |
| 57460 | Colposcopy of the cervix including upper/adjacent vagina; with loop electrode biopsy(s) of the cervix |

| CPT Codes | Description |
|-----------|--|
| 57500 | Biopsy of cervix, single or multiple, or local excision of lesion, with or without fulguration (separate procedure) |
| 57520 | Conization of cervix, with or without fulguration, with or without dilation and curettage, with or without repair; cold knife or laser |
| 57522 | Conization of cervix, with or without fulguration, with or without dilation and curettage, with or without repair; loop electrode excision |
| 58353 | Endometrial ablation, thermal, without hysteroscopic guidance |
| 58558 | Hysteroscopy, surgical; with sampling (biopsy) of endometrium and/or polypectomy, with or without D & C |
| 58563 | Hysteroscopy, surgical; with endometrial ablation (eg, endometrial resection, electrosurgical ablation, thermoablation) |
| 58565 | Hysteroscopy, surgical; with bilateral fallopian tube cannulation to induce occlusion by placement of permanent implants |
| 64520 | Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic) |
| 64633 | Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or CT); cervical or thoracic, single facet joint |
| 64635 | Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or CT); lumbar or sacral, single facet joint |
| 64718 | Neuroplasty and/or transposition; ulnar nerve at elbow |
| 64721 | Neuroplasty and/or transposition; median nerve at carpal tunnel |
| 65426 | Excision or transposition of pterygium; with graft |
| 65730 | Keratoplasty (corneal transplant); penetrating (except in aphakia or pseudophakia) Revised |
| 65756 | Keratoplasty (corneal transplant); endothelial |
| 65855 | Trabeculoplasty by laser surgery |
| 66170 | Severing adhesions of anterior segment of eye, incisional technique (with or without injection of air or liquid) (separate procedure); anterior synechiae, except goniosynechiae |
| 66761 | Iridotomy/iridectomy by laser surgery (eg, for glaucoma) (per session) |
| 66821 | Discission of secondary membranous cataract (opacified posterior lens capsule and/or anterior hyaloid); laser surgery (eg, YAG laser) (1 or more stages) |
| 66982 | Extracapsular cataract removal with insertion of intraocular lens prosthesis (1-stage procedure), manual or mechanical technique (eg, irrigation and aspiration or phacoemulsification), complex, requiring devices or techniques not generally used in routine cataract surgery (eg, iris expansion device, suture support for intraocular lens, or primary posterior capsulorrhexis) or performed on patients in the amblyogenic developmental stage |
| 66984 | Extracapsular cataract removal with insertion of intraocular lens prosthesis (1 stage procedure), manual or mechanical technique (eg, irrigation and aspiration or phacoemulsification) |
| 66985 | Insertion of intraocular lens prosthesis (secondary implant), not associated with concurrent cataract removal |
| 67028 | Intravitreal injection of a pharmacologic agent (separate procedure) |
| 67036 | Vitrectomy, mechanical, pars plana approach; |
| 67039 | Vitrectomy, mechanical, pars plana approach; with focal endolaser photocoagulation |
| 67040 | Vitrectomy, mechanical, pars plana approach; with endolaser panretinal photocoagulation |
| 67042 | Vitrectomy, mechanical, pars plana approach; with removal of internal limiting membrane of retina (eg, for repair of macular hole, diabetic macular edema), includes, if performed, intraocular tamponade (ie, air, gas or silicone oil) |

| CPT Codes | Description |
|-----------|--|
| 67107 | Repair of retinal detachment; scleral buckling (such as lamellar scleral dissection, imbrication or encircling procedure), including, when performed, implant, cryotherapy, photocoagulation, and drainage of subretinal fluid |
| 67108 | Repair of retinal detachment; with vitrectomy, any method, including, when performed, air or gas tamponade, focal endolaser photocoagulation, cryotherapy, drainage of subretinal fluid, scleral buckling, and/or removal of lens by same technique |
| 67113 | Repair of complex retinal detachment (eg, proliferative vitreoretinopathy, stage C-1 or greater, diabetic traction retinal detachment, retinopathy of prematurity, retinal tear of greater than 90 degrees), with vitrectomy and membrane peeling, including, when performed, air, gas, or silicone oil tamponade, cryotherapy, endolaser photocoagulation, drainage of subretinal fluid, scleral buckling, and/or removal of lens |
| 67145 | Prophylaxis of retinal detachment (eg, retinal break, lattice degeneration) without drainage; photocoagulation |
| 67210 | Destruction of localized lesion of retina (eg, macular edema, tumors), 1 or more sessions; photocoagulation |
| 67228 | Treatment of extensive or progressive retinopathy (eg, diabetic retinopathy), photocoagulation |
| 67311 | Strabismus surgery, recession or resection procedure; 1 horizontal muscle |
| 67312 | Strabismus surgery, recession or resection procedure; 2 horizontal muscles |
| 67400 | Orbitotomy without bone flap (frontal or transconjunctival approach); for exploration, with or without biopsy |
| 68811 | Probing of nasolacrimal duct, with or without irrigation; requiring general anesthesia |
| 68815 | Probing of nasolacrimal duct, with or without irrigation; with insertion of tube or stent |
| 69436 | Tympanostomy (requiring insertion of ventilating tube), general anesthesia |
| 69610 | Tympanic membrane repair, with or without site preparation of perforation for closure, with or without patch |
| 69631 | Tympanoplasty without mastoidectomy (including canalplasty, atticotomy and/or middle ear surgery), initial or revision; without ossicular chain reconstruction |
| 69645 | Tympanoplasty with mastoidectomy (including canalplasty, middle ear surgery, tympanic membrane repair); radical or complete, without ossicular chain reconstruction |

References

American Heart Association. Classes of Heart Failure. Available at: http://www.heart.org/en/health-topics/heart-failure. Accessed April 18, 2025.

ASA Physical Status Classification System. Epstein LJ, Kristo D, Strollo PJ Jr, et al. Clinical guideline for the evaluation, management and long - term care of obstructive sleep apnea in adults. JClin Sleep Med. 2009 Jun 15; 5(3):263-76. Available at: http://www.aasmnet.org/. Accessed April 18, 2025.

Friedman L S. Surgery in the Patient with Liver Disease. Trans Am Clin Climatol Assoc. 2010; 121: 192–205. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2917124/. Accessed April 18, 2025.

American College of Surgeons. Patient safety principles for office-based surgery. September 1, 2019. https://www.facs.org/about-acs/statements/patient-safety-principles-for-office-based-surgery-utilizing-moderate-sedation-analgesia/. Accessed April 18, 2025.

American Society of American Society of Anesthesiologists. Guidelines for office-based anesthesia. Statement on Office-Based Anesthesia. Original Approval: October 13, 1999. Last amended October 23, 2024. https://www.asahq.org/standards-and-practice-parameters/statement-on-office-based-anesthesia. Accessed April 18, 2025.

Federation of State Medical Boards of the United States, Inc. Report of the Special Committee on outpatient (office-based) surgery. 2002. http://www.fsmb.org/siteassets/advocacy/policies/outpatient-office-based-surgery.pdf. Accessed April 18, 2025.

Revision History

| Aug 1, 2025 | Policy reinstated with: - Clarification to member age applicability - Updated coding and Place of Service column-removal from Coding Table |
|---------------|--|
| Apr 14, 2023 | Policy retired |
| May 27, 2022 | Added note communicating that the policy is applied only to members between 18–74 years of age |
| Jan. 10, 2020 | Expanded from Commercial and Medicaid only to include Medicare applicability eff. Feb 1, 2020 |