

New York City Department of Health and Mental Hygiene- Citywide Immunization Registry

Note: Code Status column: ACTIVE¹= Currently available in the United States. INACTIVE= No longer used in United States. Inactive codes may be used to report historical vaccinations of known formulation, otherwise, use NOS for unknown formulation (see footnote 2). This list may not include all brand names available and does not imply endorsement of any products.

| VACCINE GROUPS | NAME | PRODUCT NAMES | Manufacturer Code | CODE STATUS: ACTIVE ¹ / INACTIVE or UNSPECIFIED ² | CIR CODE | CPT CODE | DESCRIPTION | NYC-VFC |
|-----------------|------------------------------------|-------------------------------|-------------------|---|----------|----------------|--|---------|
| DTaP/DT/Td/Tdap | DTaP | Infanrix® Tripedia® | SKB PMC | ACTIVE | 20 | 90700 | diphtheria, tetanus toxoids and acellular pertussis vaccine (DTaP), for use in individuals < 7 years, for intramuscular use | Y |
| | DTaP, 5 pertussis antigens | DAPTACEL® | PMC | ACTIVE | 106 | 90700 | diphtheria, tetanus toxoids and acellular pertussis vaccine (DTaP), 5 pertussis antigens | Y |
| | Tdap | ADACEL™ Boostrix™ | PMC SKB | ACTIVE | 115 | 90715 | tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), for use in individuals 7 years or older, for intramuscular use | Y |
| | Td | DECAVAC®/TENIVAC® generic | PMC MBL | ACTIVE | 113 | 90714 | tetanus, diphtheria, adsorbed, preservative-free, (Td; ≥7yrs) | Y |
| | Td | generic | MBL | ACTIVE | 09 | 90718 | tetanus and diphtheria toxoids (Td) adsorbed for use in individuals ≥ 7 yrs, for intramuscular use | Y |
| | DT | generic | PMC | ACTIVE | 28 | 90702 | diphtheria and tetanus toxoids, adsorbed for pediatric use, < 7 yrs. | N |
| | DTaP, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 107 | | diphtheria, tetanus toxoids and acellular pertussis vaccine, formulation not known | N |
| | DTP | Tri-Immunol® | | INACTIVE | 01 | 90701 | diphtheria, tetanus toxoids and pertussis vaccine | N |
| DTaP-HepB-IPV | DTaP-HepB-IPV | Pediarix® | SKB | ACTIVE | 110 | 90723 | DTaP-hepatitis B and poliovirus vaccine | Y |
| DTaP-IPV/Hib | DTaP-IPV/Hib | Pentacel® | PMC | ACTIVE | 120 | 90698 | DTaP-IPV and <i>Haemophilus influenzae</i> type b conjugate vaccine | Y |
| DTaP-IPV | DTaP-IPV | Kinrix™ | SKB | ACTIVE | 130 | 90696 | DTaP-IPV, 4 to 6 yrs. | Y |
| DTaP-Hib | DTaP-Hib | TriHIBit® | PMC | INACTIVE | 50 | 90721 | DTaP- <i>Haemophilus influenzae</i> type b conjugate vaccine | N |
| | DTP-Hib | Tetramune®; ACTHib/DTP® | | INACTIVE | 22 | 90720 | DTP- <i>Haemophilus influenzae</i> type b conjugate vaccine | N |
| Hep A | Hep A, ped/adol | Havrix® VAQTA® | SKB MSD | ACTIVE | 83 | 90633 | hepatitis A vaccine, pediatric/adolescent dosage | Y |
| | Hep A, adult | Havrix® VAQTA® | SKB MSD | ACTIVE | 52 | 90632 | hepatitis A vaccine, adult dosage ≥ 18 years, 2-dose series | N |
| | Hep A, pediatric, NOS ² | | | Do not use this code, use code 85 | 31 | | hepatitis A vaccine, pediatric dosage, formulation not known | N |
| | Hep A, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 85 | | hepatitis A vaccine, formulation not known | N |
| | Hep A, ped/adol, 3 dose | Havrix®; VAQTA® | | INACTIVE | 84 | 90634 | hepatitis A vaccine, pediatric/adolescent dosage, 3-dose schedule | N |
| HepA HepB | Hep A Hep B | Twinrix® | SKB | ACTIVE | 104 | 90636 | hepatitis A and hepatitis B (Hep A-HepB), adult dosage ≥ 18 years, intramuscular use | Y |
| Hep B | Hep B Peds <20 yrs | ENGERIX-B®; RECOMBIVAX HB® | SKB MSD | ACTIVE | 08 | 90744 | hepatitis B vaccine, pediatric/adolescent dosage | Y |
| | Hep B- adult | ENGERIX-B®; RECOMBIVAX HB® | SKB MSD | ACTIVE | 43 | 90743 90746 | hepatitis B vaccine, 11-15 years, 2-dose schedule; hepatitis B vaccine, adult >20 years, 3-dose schedule | N |
| | Hep B-dialysis | RECOMBIVAX DIALYSIS® | MSD | ACTIVE | 44 | 90747 | hepatitis B vaccine, dialysis or immunosuppressed patient dosage, 4-dose schedule | N |
| | Hep B, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 45 | | hepatitis B vaccine, formulation not known | N |
| | Hep B | | | INACTIVE | 42 | 90745 | hepatitis B vaccine, adolescent/high-risk infant dosage | N |
| HepB-Hib | HepB-Hib | COMVAX® | MSD | ACTIVE | 51 | 90748 | <i>Haemophilus influenzae</i> type b conjugate and Hepatitis B vaccine | Y |

| VACCINE GROUPS | NAME | PRODUCT NAMES | Manufacturer Code | CODE STATUS: ACTIVE ¹ / INACTIVE or UNSPECIFIED ² | CIR CODE | CPT CODE | DESCRIPTION | NYC- VFC |
|--|--|---|---------------------------------|---|----------|--|--|-------------|
| Hib | Hib-PRP-OMP | PedvaxHIB® | MSD | ACTIVE | 49 | 90647 | Haemophilus influenzae type b vaccine, PRP-OMP conjugate | Y |
| | Hib-PRP-T | ActHIB® | PMC | ACTIVE | 48 | 90648 | Haemophilus influenzae type b vaccine, PRP-T conjugate | Y |
| | Meningococcal C/Y-HIB PRP | MenHibrx® | SKB | ACTIVE | 148 | 90644 | meningococcal conjugate vaccine, serogroups C & Y and Hemophilus influenza B vaccine (Hib-MenCY), 4 dose schedule, when administered to children 2-15 months, for intramuscular use | N |
| | Hib, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 17 | | Haemophilus influenzae type b vaccine, conjugate, formulation not known | N |
| | Hib-HbOC | HibTiter® | | INACTIVE | 47 | 90645 | Haemophilus influenzae type b vaccine, HbOC conjugate | N |
| | Hib-PRP-D | ProHIBit® | | INACTIVE | 46 | 90646 | Haemophilus influenzae type b vaccine, PRP-D conjugate | N |
| Human Papillomavirus | HPV | Gardasil™ (HPV4) | MSD | ACTIVE | 62 | 90649 | Human Papillomavirus (Types 6,11,16 and 18), quadrivalent vaccine, women/men ages 9-26 yrs., for intramuscular use | Y |
| | HPV | CERVARIX® (HPV2) | SKB | ACTIVE | 118 | 90650 | human papillomavirus (Types 16 and 18), bivalent vaccine, women ages 10-25 yrs., for intramuscular use | Y |
| | HPV, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 137 | | human papillomavirus, formulation not known | N |
| Influenza | Influenza, injectable, quadrivalent, preservative free, pediatric | Fluzone® Quadrivalent various brands | PMC | ACTIVE | 161 | 90685 | Influenza virus vaccine, quadrivalent, split virus, preservative free, when administered to children 6-35 months of age, for intramuscular use | Y |
| | Influenza, injectable, quadrivalent (IIV ₄), preservative free | Fluarix® Quadrivalent various brands | SKB | ACTIVE | 150 | 90686 | Influenza, inactivated virus vaccine, seasonal, quadrivalent (IIV ₄), split virus, preservative free, when administered to individuals 3 years of age and older, for intramuscular use | Y |
| | Influenza, injectable, quadrivalent (IIV ₄) | FluLaval® Quadrivalent various brands | SKB | ACTIVE | 158 | 90688 | Influenza virus vaccine, quadrivalent, split virus, when administered to individuals 3 years of age and older, for intramuscular use | N |
| | Influenza, live, intranasal, quadrivalent (LAIV ₄) | Flumist® Quadrivalent | MED | ACTIVE | 149 | 90672 | Influenza live virus vaccine, seasonal, quadrivalent, for intranasal use, for individuals 2 through 49 years of age | Y |
| | Influenza, injectable, MDCK, trivalent, (ccIIV ₃), preservative free | Flucelvax® | NOV | ACTIVE | 153 | 90661 | Influenza, injectable, Madin Darby Canine Kidney, preservative free, for individuals >18 years of age | N |
| | Influenza, recombinant, injectable, (RIV ₃), preservative free | FLUBlok® | PSC | ACTIVE | 155 | 90673 | Influenza, inactivated cell culture vaccine, seasonal, trivalent, injectable, preservative free, for individuals >18 years of age, for intramuscular use | N |
| | Influenza nasal, unspecified formulation | | | UNSPECIFIED FORMULATION / HISTORY | 151 | | This code should only be used for historical records where the formulation of nasal flu vaccine is not known. | N |
| | Influenza, seasonal, injectable (IIV ₃ , IM) preservative-free | Afluria® Fluarix® Fluvirin® Fluzone® Agriflu® | CSL SKB NOV PMC NOV | ACTIVE | 140 | 90655 | influenza virus vaccine, split virus, preservative-free, for children 6-35 months of age, for intramuscular use | N |
| | | | | | | 90656 | influenza virus vaccine, split virus, preservative-free, for use in individuals 3 years of age and above, for intramuscular use | |
| | Influenza, seasonal, injectable (IIV ₃ , IM) | Afluria® FluLaval® Fluvirin® Fluzone® | CSL SKB NOV PMC | ACTIVE | 141 | 90657 | influenza virus vaccine, split virus, for children 6-35 months of age, for intramuscular use | N |
| 90658 | | | | | | influenza virus vaccine, split virus, for use in individuals >=3 years of age, for intramuscular use | | |
| Influenza, seasonal, intradermal (IIV ₃ , ID) preservative free | Fluzone® Intradermal | PMC | ACTIVE | 144 | 90654 | influenza virus vaccine, split virus, preservative-free, for intradermal use, for use in individuals 18 to <=64 years of age. | N | |
| Influenza, live, intranasal (LAIV ₃ , IN) preservative-free | FluMist® | MED | ACTIVE | 111 | 90660 | influenza virus vaccine, live, attenuated, preservative-free, for intranasal use, for use in individuals 2 to <=49 years of age. | N | |

| VACCINE GROUPS | NAME | PRODUCT NAMES | Manufacturer Code | CODE STATUS: ACTIVE ¹ / INACTIVE or UNSPECIFIED ² | CIR CODE | CPT CODE | DESCRIPTION | NYC- VFC |
|----------------------------|---|---------------------------|-----------------------------------|---|----------|--|--|-------------|
| | Influenza, high-dose (IIV3, IM) preservative-free | Fluzone® High-Dose | PMC | ACTIVE | 135 | 90662 | Influenza virus vaccine, split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use, for use in individuals >=65 years of age. | N |
| | Influenza-split | Fluzone-split®; Fluvirin® | | INACTIVE | 15 | 90655 | influenza virus vaccine, split virus, preservative-free, 6-35 months of age, 0.25mL dosage | N |
| | | | | | | 90657 | influenza virus vaccine, split virus, for children 6-35 months of age, 0.25mL dosage, for intramuscular use | |
| | | | | | | 90656 | influenza virus vaccine, split virus, preservative free, >=3 yrs. of age, 0.5mL dosage | |
| | | | | | | 90658 | influenza virus vaccine, split virus, for use in individuals >=3 yrs. of age, 0.5mL dosage, for intramuscular use | |
| | Influenza, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 88 | | influenza virus vaccine, formulation not known | N |
| | H1N1-09, Nasal | | | INACTIVE | 125 | 90663 | Novel influenza-H1N1-09, live virus for nasal administration | N |
| H1N1-09, Preservative Free | | | INACTIVE | 126 | 90663 | Novel influenza-H1N1-09, preservative-free, injectable | N | |
| H1N1-09, Injectable | | | INACTIVE | 127 | 90663 | Novel influenza-H1N1-09, injectable | N | |
| H1N1-09, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 128 | 90663 | Novel influenza-H1N1-09, formulation not known | N | |
| MMR/ Measles/Rubella | MMR | MMR II® | MSD | ACTIVE | 03 | 90707 | measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use | Y |
| | MMRV | ProQuad® | MSD | ACTIVE | 94 | 90710 | measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use | Y |
| | Measles | ATTENUVAX® | MSD | ACTIVE | 05 | 90705 | measles virus vaccine, live, for subcutaneous use | N |
| | Measles and Rubella | M-R VAX II® | | INACTIVE | 04 | 90708 | measles and rubella virus vaccine, live, for subcutaneous use | N |
| | Mumps | MUMPSVAX® | MSD | ACTIVE | 07 | 90704 | mumps virus vaccine, live, for subcutaneous use | N |
| | Rubella | Meruvax II® | MSD | ACTIVE | 06 | 90706 | rubella virus vaccine, live, for subcutaneous use | N |
| | Rubella/Mumps | Biavax® | | INACTIVE | 38 | | rubella and mumps virus vaccine | N |
| Meningococcal | Meningococcal conjugate | Menactra® (MCV4P) | PMC | ACTIVE | 114 | 90734 | meningococcal polysaccharide (A,C,Y,W-135) diphtheria toxoid conjugate vaccine (MCV4P; 9 mo.-55 yrs.), for intramuscular use | Y |
| | Meningococcal conjugate | Menveo® (MCV4O) | NOV | ACTIVE | 136 | 90734 | meningococcal oligosaccharide (A, C, Y, W-135) diphtheria toxoid conjugate vaccine (MCV4O; 2 mo.-55 yrs.), for intramuscular use | Y |
| | Meningococcal polysaccharide | Menomune® (MPSV4) | PMC | ACTIVE | 32 | 90733 | meningococcal polysaccharide quadrivalent (A, C, Y, W-135) vaccine (MPSV4; ≥2 yrs.), for subcutaneous use | N |
| | Meningococcal, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 108 | | meningococcal, NOS | N |
| Pneumococcal | Pneumococcal conjugate | Prevnar 13® (PCV-13) | WAL PFR | ACTIVE | 133 | 90670 | pneumococcal conjugate vaccine, 13 valent | Y |
| | Pneumococcal polysaccharide | Pneumovax 23® | MSD | ACTIVE | 33 | 90732 | pneumococcal vaccine, polysaccharide, ≥2 yrs, for subcutaneous or intramuscular use | Y |
| | Pneumococcal, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 109 | | pneumococcal vaccine, formulation not known | N |
| | Pneumococcal conjugate | Prevnar® (PCV-7) | WAL | INACTIVE | 100 | 90669 | pneumococcal conjugate vaccine, 7 valent | Y |
| Polio | IPV (e-IPV) | IPOL® | PMC | ACTIVE | 10 | 90713 | poliovirus vaccine, inactivated, for subcutaneous or intramuscular use | Y |
| | Polio, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 89 | | poliovirus vaccine, formulation not known | N |
| | OPV | Orimune® | | INACTIVE | 02 | 90712 | poliovirus vaccine, live, oral | N |

| VACCINE GROUPS | NAME | PRODUCT NAMES | Manufacturer Code | CODE STATUS: ACTIVE ¹ / INACTIVE or UNSPECIFIED ² | CIR CODE | CPT CODE | DESCRIPTION | NYC- VFC |
|--------------------------------|---|-------------------------|-------------------|---|----------|---|---|-------------|
| Rotavirus | Rotavirus, pentavalent | RotaTeq® (RV5) | MSD | ACTIVE | 116 | 90680 | rotavirus vaccine, pentavalent, live, oral, 3-dose schedule | Y |
| | Rotavirus, monovalent | Rotarix® (RV1) | SKB | ACTIVE | 119 | 90681 | rotavirus vaccine, human, attenuated, live, oral, 2-dose schedule | Y |
| | Rotavirus, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 122 | | rotavirus vaccine, formulation not known | N |
| | Rotavirus, tetravalent | Rotashield® | | INACTIVE | 74 | | rotavirus vaccine, tetravalent, live, oral, 3 dose schedule | N |
| Varicella | Varicella | Varivax® | MSD | ACTIVE | 21 | 90716 | varicella virus vaccine | Y |
| Other | Adenovirus, type 4 | | | INACTIVE | 54 | 90476 | Adenovirus, type 4, live, oral | N |
| | Adenovirus, type 7 | | | INACTIVE | 55 | 90477 | Adenovirus, type 7, live, oral | N |
| | Adenovirus, type 4 and type 7 | | BRR | ACTIVE | 143 | 90476 90477 | Adenovirus, type 4 and type 7, live, oral | N |
| | Adenovirus, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 82 | | Adenovirus, formulation not known. | N |
| | Anthrax | | MIP | ACTIVE | 24 | 90581 | Anthrax vaccine, for subcutaneous use | N |
| | BCG | TheraCys®; Tice strain® | | INACTIVE | 19 | 90585 | Bacillus Calmette-Guerin vaccine | N |
| | Botulinum antitoxin | | CNJ | ACTIVE | 27 | 90287 | Botulinum antitoxin, any route | N |
| | Cholera | | | ACTIVE | 26 | 90725 | Cholera vaccine for injectable use | N |
| | CMVIG | | CSL | ACTIVE | 29 | 90291 | Cytomegalovirus immune globulin (CMV-IGIV), human, for intravenous use | N |
| | Diphtheria Antitoxin | | | ACTIVE | 12 | 90296 | diphtheria antitoxin | N |
| | HBIG | BayHepB®; Nabi-HB | | ACTIVE | 30 | 90371 | hepatitis B immune globulin | N |
| | IG | | | ACTIVE | 86 | 90281 | Immune globulin (IG), human, for intramuscular use | N |
| | IGIV | | | ACTIVE | 87 | 90283 | Immune globulin (IGIV), human, for intravenous use | N |
| | IG, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 14 | | immune globulin, formulation not known | N |
| | Japanese Encephalitis IM | Ixiaro® | NOV | ACTIVE | 134 | 90738 | Japanese encephalitis virus vaccine, inactivated, for intramuscular use | N |
| | Japanese Encephalitis SC | JE-Vax | | ACTIVE | 39 | 90735 | Japanese encephalitis virus vaccine, inactivated, for subcutaneous use | N |
| | Japanese Encephalitis, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 129 | | Japanese encephalitis virus vaccine, formulation not known | N |
| | Plague Vaccine | | | ACTIVE | 23 | 90727 | plague vaccine, for intramuscular use | N |
| | RIG | BayRab®; Imogam® | | ACTIVE | 34 | 90375 90376 | rabies immune globulin | N |
| | Rabies-intradermal injection | Imovax Rabies I.D.® | | INACTIVE | 40 | 90676 | rabies vaccine, for intradermal injection | N |
| Rabies-intramuscular injection | Imovax® IM RabAvert® | PMC NOV | ACTIVE | 18 | 90675 | rabies vaccine, for intramuscular injection | N | |
| RSV IGIV | Respigam® | | INACTIVE | 71 | 90379 | respiratory syncytial virus immune globulin, intravenous | N | |
| RSV-MAb | SYNAGIS® | MED | ACTIVE | 93 | 90378 | respiratory syncytial virus monoclonal antibody (palivizumab), IM | N | |
| TIG | Baytet® | | ACTIVE | 13 | 90389 | tetanus immune globulin | N | |

| VACCINE GROUPS | NAME | PRODUCT NAMES | Manufacturer Code | CODE STATUS: ACTIVE ¹ / INACTIVE or UNSPECIFIED ² | CIR CODE | CPT CODE | DESCRIPTION | NYC- VFC |
|----------------|---------------------------|---------------------|-------------------|---|----------|----------|--|-------------|
| | Tetanus Toxoid | generic | PMC | ACTIVE | 35 | 90703 | tetanus toxoid, for intramuscular use | N |
| | Typhoid, live oral Ty21 | Vivotif® Berna | BPC | ACTIVE | 25 | 90690 | typhoid vaccine, live, oral | N |
| | Typhoid | Typhim Vi® | PMC | ACTIVE | 101 | 90691 | typhoid vaccine, Vi capsular polysaccharide (VICPs), for intramuscular use | N |
| | Typhoid, NOS ² | | | UNSPECIFIED FORMULATION / HISTORY | 91 | | typhoid vaccine, formulation not known | N |
| | Typhoid, parenteral | | | INACTIVE | 41 | 90692 | typhoid vaccine, heat- and phenol-inactivated (H-P), for subcutaneous or intradermal use | N |
| | Vaccinia (Smallpox) | | PMC | ACTIVE | 75 | | vaccinia smallpox vaccine | N |
| | Vaccinia immune globulin | | | ACTIVE | 79 | 90393 | vaccinia immune globulin, human, for intramuscular use | N |
| | Yellow Fever | YF-VAX | PMC | ACTIVE | 37 | 90717 | yellow fever vaccine, live, for subcutaneous use | N |
| | VZIG | generic VariZIG™ | | ACTIVE | 36 | 90396 | varicella zoster immune globulin | N |
| | Zoster (shingles) | Zostavax® | MSD | ACTIVE | 121 | 90736 | herpes Zoster (shingles) vaccine, >= 50 years of age, for subcutaneous use | N |

¹ACTIVE= Currently available in the United States. INACTIVE= No longer used in United States. Inactive codes may be used to report historical vaccinations of known formulation, otherwise, use NOS for unknown formulation (see footnote 1).

² NOS=not otherwise specified. This CVX code is intended to allow reporting of vaccinations where the formulation is not known. For example, this may occur if a historic record of a vaccination is recorded from a vaccination card.

Sources: 1. CDC. For a complete, updated list of product names, CVX, CPT, manufacturer codes and additional notes: <http://www.cdc.gov/vaccines/programs/iis/code-sets.html>