

New York City Department of Health and Mental Hygiene- Citywide Immunization Registry

Note: Code Status column: ACTIVE<sup>1</sup>= Currently available in the United States. INACTIVE= No longer used in United States. Inactive codes may be used to report historical vaccinations of known formulation, otherwise, use NOS for unknown formulation (see footnote 2). This list may not include all brand names available and does not imply endorsement of any products.

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufacturer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC-VFC
DTaP/DT/Td/Tdap	DTaP	Infanrix® Tripedia®	SKB PMC	ACTIVE	20	90700	diphtheria, tetanus toxoids and acellular pertussis vaccine (DTaP), for use in individuals < 7 years, for intramuscular use	Y
	DTaP, 5 pertussis antigens	DAPTACEL®	PMC	ACTIVE	106	90700	diphtheria, tetanus toxoids and acellular pertussis vaccine (DTaP), 5 pertussis antigens	Y
	Tdap	ADACEL™ Boostrix™	PMC SKB	ACTIVE	115	90715	tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), for use in individuals 7 years or older, for intramuscular use	Y
	Td	DECAVAC®/TENIVAC® generic	PMC MBL	ACTIVE	113	90714	tetanus, diphtheria, adsorbed, preservative-free, (Td; ≥7yrs)	Y
	Td	generic	MBL	ACTIVE	09	90718	tetanus and diphtheria toxoids (Td) adsorbed for use in individuals ≥ 7 yrs, for intramuscular use	Y
	DT	generic	PMC	ACTIVE	28	90702	diphtheria and tetanus toxoids, adsorbed for pediatric use, < 7 yrs.	N
	DTaP, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	107		diphtheria, tetanus toxoids and acellular pertussis vaccine, formulation not known	N
	DTP	Tri-Immunol®		INACTIVE	01	90701	diphtheria, tetanus toxoids and pertussis vaccine	N
DTaP-HepB-IPV	DTaP-HepB-IPV	Pediarix®	SKB	ACTIVE	110	90723	DTaP-hepatitis B and poliovirus vaccine	Y
DTaP-IPV/Hib	DTaP-IPV/Hib	Pentacel®	PMC	ACTIVE	120	90698	DTaP-IPV and <i>Haemophilus influenzae</i> type b conjugate vaccine	Y
DTaP-IPV	DTaP-IPV	Kinrix™	SKB	ACTIVE	130	90696	DTaP-IPV, 4 to 6 yrs.	Y
DTaP-Hib	DTaP-Hib	TriHIBit®	PMC	INACTIVE	50	90721	DTaP- <i>Haemophilus influenzae</i> type b conjugate vaccine	N
	DTP-Hib	Tetramune®; ACTHib/DTP®		INACTIVE	22	90720	DTP- <i>Haemophilus influenzae</i> type b conjugate vaccine	N
Hep A	Hep A, ped/adol	Havrix® VAQTA®	SKB MSD	ACTIVE	83	90633	hepatitis A vaccine, pediatric/adolescent dosage	Y
	Hep A, adult	Havrix® VAQTA®	SKB MSD	ACTIVE	52	90632	hepatitis A vaccine, adult dosage ≥ 18 years, 2-dose series	N
	Hep A, pediatric, NOS <sup>2</sup>			Do not use this code, use code 85	31		hepatitis A vaccine, pediatric dosage, formulation not known	N
	Hep A, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	85		hepatitis A vaccine, formulation not known	N
	Hep A, ped/adol, 3 dose	Havrix®; VAQTA®		INACTIVE	84	90634	hepatitis A vaccine, pediatric/adolescent dosage, 3-dose schedule	N
HepA HepB	Hep A Hep B	Twinrix®	SKB	ACTIVE	104	90636	hepatitis A and hepatitis B (Hep A-HepB), adult dosage ≥ 18 years, intramuscular use	Y
Hep B	Hep B Peds <20 yrs	ENGERIX-B®; RECOMBIVAX HB®	SKB MSD	ACTIVE	08	90744	hepatitis B vaccine, pediatric/adolescent dosage	Y
	Hep B- adult	ENGERIX-B®; RECOMBIVAX HB®	SKB MSD	ACTIVE	43	90743 90746	hepatitis B vaccine, 11-15 years, 2-dose schedule; hepatitis B vaccine, adult >20 years, 3-dose schedule	N
	Hep B-dialysis	RECOMBIVAX DIALYSIS®	MSD	ACTIVE	44	90747	hepatitis B vaccine, dialysis or immunosuppressed patient dosage, 4-dose schedule	N
	Hep B, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	45		hepatitis B vaccine, formulation not known	N
	Hep B			INACTIVE	42	90745	hepatitis B vaccine, adolescent/high-risk infant dosage	N
HepB-Hib	HepB-Hib	COMVAX®	MSD	ACTIVE	51	90748	<i>Haemophilus influenzae</i> type b conjugate and Hepatitis B vaccine	Y

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufacturer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC- VFC
Hib	Hib-PRP-OMP	PedvaxHIB®	MSD	ACTIVE	49	90647	Haemophilus influenzae type b vaccine, PRP-OMP conjugate	Y
	Hib-PRP-T	ActHIB®	PMC	ACTIVE	48	90648	Haemophilus influenzae type b vaccine, PRP-T conjugate	Y
	Meningococcal C/Y-HIB PRP	MenHibrx®	SKB	ACTIVE	148	90644	meningococcal conjugate vaccine, serogroups C & Y and Hemophilus influenza B vaccine (Hib-MenCY), 4 dose schedule, when administered to children 2-15 months, for intramuscular use	N
	Hib, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	17		Haemophilus influenzae type b vaccine, conjugate, formulation not known	N
	Hib-HbOC	HibTiter®		INACTIVE	47	90645	Haemophilus influenzae type b vaccine, HbOC conjugate	N
	Hib-PRP-D	ProHIBit®		INACTIVE	46	90646	Haemophilus influenzae type b vaccine, PRP-D conjugate	N
Human Papillomavirus	HPV	Gardasil™ (HPV4)	MSD	ACTIVE	62	90649	Human Papillomavirus (Types 6,11,16 and 18), quadrivalent vaccine, women/men ages 9-26 yrs., for intramuscular use	Y
	HPV	CERVARIX® (HPV2)	SKB	ACTIVE	118	90650	human papillomavirus (Types 16 and 18), bivalent vaccine, women ages 10-25 yrs., for intramuscular use	Y
	HPV, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	137		human papillomavirus, formulation not known	N
Influenza	Influenza, injectable, quadrivalent, preservative free, pediatric	Fluzone® Quadrivalent various brands	PMC	ACTIVE	161	90685	Influenza virus vaccine, quadrivalent, split virus, preservative free, when administered to children 6-35 months of age, for intramuscular use	Y
	Influenza, injectable, quadrivalent (IIV <sub>4</sub> ), preservative free	Fluarix® Quadrivalent various brands	SKB	ACTIVE	150	90686	Influenza, inactivated virus vaccine, seasonal, quadrivalent (IIV <sub>4</sub> ), split virus, preservative free, when administered to individuals 3 years of age and older, for intramuscular use	Y
	Influenza, injectable, quadrivalent (IIV <sub>4</sub> )	FluLaval® Quadrivalent various brands	SKB	ACTIVE	158	90688	Influenza virus vaccine, quadrivalent, split virus, when administered to individuals 3 years of age and older, for intramuscular use	N
	Influenza, live, intranasal, quadrivalent (LAIV <sub>4</sub> )	Flumist® Quadrivalent	MED	ACTIVE	149	90672	Influenza live virus vaccine, seasonal, quadrivalent, for intranasal use, for individuals 2 through 49 years of age	Y
	Influenza, injectable, MDCK, trivalent, (ccIIV <sub>3</sub> ), preservative free	Flucelvax®	NOV	ACTIVE	153	90661	Influenza, injectable, Madin Darby Canine Kidney, preservative free, for individuals >18 years of age	N
	Influenza, recombinant, injectable, (RIV <sub>3</sub> ), preservative free	FLUBlok®	PSC	ACTIVE	155	90673	Influenza, inactivated cell culture vaccine, seasonal, trivalent, injectable, preservative free, for individuals >18 years of age, for intramuscular use	N
	Influenza nasal, unspecified formulation			UNSPECIFIED FORMULATION / HISTORY	151		This code should only be used for historical records where the formulation of nasal flu vaccine is not known.	N
	Influenza, seasonal, injectable (IIV <sub>3</sub> , IM) preservative-free	Afluria® Fluarix® Fluvirin® Fluzone® Agriflu®	CSL SKB NOV PMC NOV	ACTIVE	140	90655	influenza virus vaccine, split virus, preservative-free, for children 6-35 months of age, for intramuscular use	N
						90656	influenza virus vaccine, split virus, preservative-free, for use in individuals 3 years of age and above, for intramuscular use	
	Influenza, seasonal, injectable (IIV <sub>3</sub> , IM)	Afluria® FluLaval® Fluvirin® Fluzone®	CSL SKB NOV PMC	ACTIVE	141	90657	influenza virus vaccine, split virus, for children 6-35 months of age, for intramuscular use	N
90658						influenza virus vaccine, split virus, for use in individuals >=3 years of age, for intramuscular use		
Influenza, seasonal, intradermal (IIV <sub>3</sub> , ID) preservative free	Fluzone® Intradermal	PMC	ACTIVE	144	90654	influenza virus vaccine, split virus, preservative-free, for intradermal use, for use in individuals 18 to <=64 years of age.	N	
Influenza, live, intranasal (LAIV <sub>3</sub> , IN) preservative-free	FluMist®	MED	ACTIVE	111	90660	influenza virus vaccine, live, attenuated, preservative-free, for intranasal use, for use in individuals 2 to <=49 years of age.	N	

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufacturer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC- VFC
	Influenza, high-dose (IIV3, IM) preservative-free	Fluzone® High-Dose	PMC	ACTIVE	135	90662	Influenza virus vaccine, split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use, for use in individuals >=65 years of age.	N
	Influenza-split	Fluzone-split®; Fluvirin®		INACTIVE	15	90655 90657 90656 90658	influenza virus vaccine, split virus, preservative-free, 6-35 months of age, 0.25mL dosage influenza virus vaccine, split virus, for children 6-35 months of age, 0.25mL dosage, for intramuscular use influenza virus vaccine, split virus, preservative free, >=3 yrs. of age, 0.5mL dosage influenza virus vaccine, split virus, for use in individuals >=3 yrs. of age, 0.5mL dosage, for intramuscular use	N
	Influenza, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	88		influenza virus vaccine, formulation not known	N
	H1N1-09, Nasal			INACTIVE	125	90663	Novel influenza-H1N1-09, live virus for nasal administration	N
	H1N1-09, Preservative Free			INACTIVE	126	90663	Novel influenza-H1N1-09, preservative-free, injectable	N
	H1N1-09, Injectable			INACTIVE	127	90663	Novel influenza-H1N1-09, injectable	N
	H1N1-09, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	128	90663	Novel influenza-H1N1-09, formulation not known	N
MMR/ Measles/Rubella	MMR	MMR II®	MSD	ACTIVE	03	90707	measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use	Y
	MMRV	ProQuad®	MSD	ACTIVE	94	90710	measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use	Y
	Measles	ATTENUVAX®	MSD	ACTIVE	05	90705	measles virus vaccine, live, for subcutaneous use	N
	Measles and Rubella	M-R VAX II®		INACTIVE	04	90708	measles and rubella virus vaccine, live, for subcutaneous use	N
	Mumps	MUMPSVAX®	MSD	ACTIVE	07	90704	mumps virus vaccine, live, for subcutaneous use	N
	Rubella	Meruvax II®	MSD	ACTIVE	06	90706	rubella virus vaccine, live, for subcutaneous use	N
	Rubella/Mumps	Biavax®		INACTIVE	38		rubella and mumps virus vaccine	N
Meningococcal	Meningococcal conjugate	Menactra® (MCV4P)	PMC	ACTIVE	114	90734	meningococcal polysaccharide (A,C,Y,W-135) diphtheria toxoid conjugate vaccine (MCV4P; 9 mo.-55 yrs.), for intramuscular use	Y
	Meningococcal conjugate	Menveo® (MCV4O)	NOV	ACTIVE	136	90734	meningococcal oligosaccharide (A, C, Y, W-135) diphtheria toxoid conjugate vaccine (MCV4O; 2 mo.-55 yrs.), for intramuscular use	Y
	Meningococcal polysaccharide	Menomune® (MPSV4)	PMC	ACTIVE	32	90733	meningococcal polysaccharide quadrivalent (A, C, Y, W-135) vaccine (MPSV4; ≥2 yrs.), for subcutaneous use	N
	Meningococcal, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	108		meningococcal, NOS	N
Pneumococcal	Pneumococcal conjugate	Prevnar 13® (PCV-13)	WAL PFR	ACTIVE	133	90670	pneumococcal conjugate vaccine, 13 valent	Y
	Pneumococcal polysaccharide	Pneumovax 23®	MSD	ACTIVE	33	90732	pneumococcal vaccine, polysaccharide, ≥2 yrs, for subcutaneous or intramuscular use	Y
	Pneumococcal, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	109		pneumococcal vaccine, formulation not known	N
	Pneumococcal conjugate	Prevnar® (PCV-7)	WAL	INACTIVE	100	90669	pneumococcal conjugate vaccine, 7 valent	Y
Polio	IPV (e-IPV)	IPOL®	PMC	ACTIVE	10	90713	poliovirus vaccine, inactivated, for subcutaneous or intramuscular use	Y
	Polio, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	89		poliovirus vaccine, formulation not known	N
	OPV	Orimune®		INACTIVE	02	90712	poliovirus vaccine, live, oral	N

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufacturer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC- VFC
Rotavirus	Rotavirus, pentavalent	RotaTeq® (RV5)	MSD	ACTIVE	116	90680	rotavirus vaccine, pentavalent, live, oral, 3-dose schedule	Y
	Rotavirus, monovalent	Rotarix® (RV1)	SKB	ACTIVE	119	90681	rotavirus vaccine, human, attenuated, live, oral, 2-dose schedule	Y
	Rotavirus, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	122		rotavirus vaccine, formulation not known	N
	Rotavirus, tetravalent	Rotashield®		INACTIVE	74		rotavirus vaccine, tetravalent, live, oral, 3 dose schedule	N
Varicella	Varicella	Varivax®	MSD	ACTIVE	21	90716	varicella virus vaccine	Y
Other	Adenovirus, type 4			INACTIVE	54	90476	Adenovirus, type 4, live, oral	N
	Adenovirus, type 7			INACTIVE	55	90477	Adenovirus, type 7, live, oral	N
	Adenovirus, type 4 and type 7		BRR	ACTIVE	143	90476 90477	Adenovirus, type 4 and type 7, live, oral	N
	Adenovirus, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	82		Adenovirus, formulation not known.	N
	Anthrax		MIP	ACTIVE	24	90581	Anthrax vaccine, for subcutaneous use	N
	BCG	TheraCys®; Tice strain®		INACTIVE	19	90585	Bacillus Calmette-Guerin vaccine	N
	Botulinum antitoxin		CNJ	ACTIVE	27	90287	Botulinum antitoxin, any route	N
	Cholera			ACTIVE	26	90725	Cholera vaccine for injectable use	N
	CMVIG		CSL	ACTIVE	29	90291	Cytomegalovirus immune globulin (CMV-IGIV), human, for intravenous use	N
	Diphtheria Antitoxin			ACTIVE	12	90296	diphtheria antitoxin	N
	HBIG	BayHepB®; Nabi-HB		ACTIVE	30	90371	hepatitis B immune globulin	N
	IG			ACTIVE	86	90281	Immune globulin (IG), human, for intramuscular use	N
	IGIV			ACTIVE	87	90283	Immune globulin (IGIV), human, for intravenous use	N
	IG, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	14		immune globulin, formulation not known	N
	Japanese Encephalitis IM	Ixiaro®	NOV	ACTIVE	134	90738	Japanese encephalitis virus vaccine, inactivated, for intramuscular use	N
	Japanese Encephalitis SC	JE-Vax		ACTIVE	39	90735	Japanese encephalitis virus vaccine, inactivated, for subcutaneous use	N
	Japanese Encephalitis, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	129		Japanese encephalitis virus vaccine, formulation not known	N
	Plague Vaccine			ACTIVE	23	90727	plague vaccine, for intramuscular use	N
	RIG	BayRab®; Imogam®		ACTIVE	34	90375 90376	rabies immune globulin	N
	Rabies-intradermal injection	Imovax Rabies I.D.®		INACTIVE	40	90676	rabies vaccine, for intradermal injection	N
Rabies-intramuscular injection	Imovax® IM RabAvert®	PMC NOV	ACTIVE	18	90675	rabies vaccine, for intramuscular injection	N	
RSV IGIV	Respigam®		INACTIVE	71	90379	respiratory syncytial virus immune globulin, intravenous	N	
RSV-MAb	SYNAGIS®	MED	ACTIVE	93	90378	respiratory syncytial virus monoclonal antibody (palivizumab), IM	N	
TIG	Baytet®		ACTIVE	13	90389	tetanus immune globulin	N	

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufacturer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC- VFC
	Tetanus Toxoid	generic	PMC	ACTIVE	35	90703	tetanus toxoid, for intramuscular use	N
	Typhoid, live oral Ty21	Vivotif® Berna	BPC	ACTIVE	25	90690	typhoid vaccine, live, oral	N
	Typhoid	Typhim Vi®	PMC	ACTIVE	101	90691	typhoid vaccine, Vi capsular polysaccharide (VICPs), for intramuscular use	N
	Typhoid, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	91		typhoid vaccine, formulation not known	N
	Typhoid, parenteral			INACTIVE	41	90692	typhoid vaccine, heat- and phenol-inactivated (H-P), for subcutaneous or intradermal use	N
	Vaccinia (Smallpox)		PMC	ACTIVE	75		vaccinia smallpox vaccine	N
	Vaccinia immune globulin			ACTIVE	79	90393	vaccinia immune globulin, human, for intramuscular use	N
	Yellow Fever	YF-VAX	PMC	ACTIVE	37	90717	yellow fever vaccine, live, for subcutaneous use	N
	VZIG	generic VariZIG™		ACTIVE	36	90396	varicella zoster immune globulin	N
	Zoster (shingles)	Zostavax®	MSD	ACTIVE	121	90736	herpes Zoster (shingles) vaccine, >= 50 years of age, for subcutaneous use	N

<sup>1</sup>ACTIVE= Currently available in the United States. INACTIVE= No longer used in United States. Inactive codes may be used to report historical vaccinations of known formulation, otherwise, use NOS for unknown formulation (see footnote 1).

<sup>2</sup> NOS=not otherwise specified. This CVX code is intended to allow reporting of vaccinations where the formulation is not known. For example, this may occur if a historic record of a vaccination is recorded from a vaccination card.

Sources: 1. CDC. For a complete, updated list of product names, CVX, CPT, manufacturer codes and additional notes: <http://www.cdc.gov/vaccines/programs/iis/code-sets.html>