



Temporary Payment Policy: Supplemental Telehealth and audio only Telephone Guidelines – All Lines of Business

Last Review Date: 1/20/2021 Number: MG.MM.ME.AD.Sup.09 **Medical**

Guideline Disclaimer

Property of EmblemHealth. All rights reserved. The treating physician or primary care provider must submit to EmblemHealth the clinical evidence that the patient meets the criteria for the treatment or surgical procedure. Without this documentation and information, EmblemHealth will not be able to properly review the request for prior authorization. The clinical review criteria expressed below reflects how EmblemHealth determines whether certain services or supplies are medically necessary. EmblemHealth established the clinical review criteria based upon a review of currently available clinical information (including clinical outcome studies in the peer-reviewed published medical literature, regulatory status of the technology, evidence-based guidelines of public health and health research agencies, evidence-based guidelines and positions of leading national health professional organizations, views of physicians practicing in relevant clinical areas, and other relevant factors). EmblemHealth expressly reserves the right to revise these conclusions as clinical information changes and welcomes further relevant information. Each benefit program defines which services are covered. The conclusion that a particular service or supply is medically necessary does not constitute a representation or warranty that this service or supply is covered and/or paid for by EmblemHealth, as some programs exclude coverage for services or supplies that EmblemHealth considers medically necessary. If there is a discrepancy between this guideline and a member's benefits program, the benefits program will govern. In addition, coverage may be mandated by applicable legal requirements of a state, the Federal Government or the Centers for Medicare & Medicaid Services (CMS) for Medicare and Medicaid members. All coding and web site links are accurate at time of publication. EmblemHealth Services Company LLC, ("EmblemHealth") has adopted the herein policy in providing management, administrative and other services to Health Insurance Plan of Greater New York, and Group Health Incorporated, related to health benefit plans offered by these entities. All of the aforementioned entities are affiliated companies under common control of EmblemHealth Inc.

EmblemHealth will temporarily allow for limited telehealth services to be provided by telephone (audio only) as outlined in the policy below for all EmblemHealth lines of business and all products.

This policy applies to EmblemHealth participating providers only.

This change in policy is effective until the end of the COVID-19 public health emergency or sooner as permitted by law and will be communicated through all appropriate channels.

EmblemHealth reserves the right to implement and revoke this policy without the contractual sixty-day (60) notification for a change in policy that is normally required under EmblemHealth contracts with its providers. This would apply both for the effective date, due to the urgent and emergent nature of a pandemic, as well as for the withdrawal of the policy.

Overview

Effective March 1, 2020, EmblemHealth is expanding our policies around telehealth services for our Medicare Advantage, Medicaid, and commercial membership, making it even easier for patients to connect with their health care provider. Consistent with CMS, EmblemHealth will waive the Centers for Medicare and Medicaid's (CMS) originating site restriction for Medicare Advantage, and commercial members, so care providers can bill for telehealth services performed while a patient is at home. Additionally, Medicaid, Medicare Advantage and some DSNP plans, already reimburse appropriate claims for several technology-based communication services, including virtual check-ins, which may be done by telephone (audio

Temporary Payment Policy: Supplemental Telehealth and audio only Telephone Guidelines – All Lines of Business only), for established patients.

Per New York State Department of Health guidance released on July 14th, 2020, National Diabetes Prevention Program providers can administer codes 0403T and G9880 via telehealth modalities. It has been made effective retroactively to when the COVID-19 public health emergency was instituted. This guidance applies to active Medicaid providers only billing for Emblem Medicaid members.

Definitions

Telehealth/Telemedicine: Telehealth services are live, interactive audio and visual transmissions of a physician-patient encounter from one site to another using telecommunications technology. They may include transmissions of real-time telecommunications or those transmitted by store-and-forward technology.

What is the difference between Telehealth services and telephone (audio only)?

Telehealth services are live, interactive audio and visual transmissions of a physician-patient encounter from one site to another using telecommunications technology. They may include transmissions of real-time telecommunications or those transmitted by store-and-forward technology. Telephone (audio only) services, which are considered audio transmissions, per the CPT definition, are non-face-to-face evaluation and management (E/M) services provided to a patient using the telephone by a Physician or Other Qualified Health Care Professional, who may report evaluation and management services. Providers should attempt to use telehealth (audio video) technology to deliver services and should use telephonic services only when audiovisual technology is not available

Guidelines – Telephone (Audio Only) and Telehealth Services

Telehealth or Telephone (audio only) services are covered when all of the following criteria are met:

1. The patient is present/participates at the time of service.
2. Services should be similar to in-person services with a patient.
3. Services must be medically necessary and otherwise covered under the member's benefit booklet or subscriber agreement.
4. Services must be within the provider's scope of license.
5. A permanent record of the telephonic communication(s) must be documented/maintained as part of the patient's medical record. It must be sufficiently documented to support the code used. For Medicaid beneficiaries a note must be documented in the chart verifying patient consent.
6. Consistent with CMS, EmblemHealth will allow non-HIPAA compliant technology such as FaceTime and Skype to be used with discretion and patient consent. Providers are encouraged to notify patients that these third-party applications potentially introduce privacy risks, and providers should enable all available encryption and privacy modes when using such applications.
7. Only the provider rendering the services may submit a claim for reimbursement for telehealth services.

8. For medical and outpatient behavioral telehealth visits, providers can utilize both interactive audio/video and audio-only.
9. For PT/OT/SLP provider visits, interactive real-time audio/video technology must be used. - In addition, Medicaid allows for telephonic only.

EmblemHealth recognizes the CMS and Medicaid designated practitioners eligible to be reimbursed for Telehealth services.

Practitioners include but are not limited to the following:

- Physicians
- Nurse Practitioners
- Physician Assistants
- Nurse-Midwives
- Clinical Nurse Specialists
- Licensed Clinical Social Workers
- Registered Dieticians
- Doulas (Medicaid Only)
- Dentists
- Clinical Psychologists
- Certified Registered Nurse Anesthetists
- Licensed Physical Therapists
- Occupational Therapists
- Speech Language Pathologists
- Adult Day Care Centers (Medicaid Only)

Limitations/Exclusions

The following services are excluded from reimbursement:

1. Services rendered through email, text or by fax.
2. Telehealth that occurs the same day as a face-to-face visit, when performed by the same provider and for the same condition. Services rendered to Commercial or Medicare members within the past 7 days or 24 hours after telehealth/telemedicine visits will be considered bundled.
3. Patient communications incidental to E&M services, including, but not limited to reporting of test results or provision of educational materials.
4. Administrative matters, including but not limited to, scheduling, registration, updating billing information, reminders, requests for medication refills or referrals, ordering of diagnostic studies, and medical history intake completed by the patient.

Applicable Procedure Codes

Procedure Code(s) for Medicare, Medicaid and Commercial Audio-only Telephone Services for Medical and Behavioral Health Providers.

| CPT Code | Description |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 99441-99443 | Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment |
| 98966-98968 | Telephone assessment and management service provided by a qualified non-physician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment |
| G2012 (Medicare only) | Brief communication technology-based service, e.g., virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion |
| 99211 (Medicaid Only) | Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional. Usually, the presenting problem(s) are minimal. Typically, 5 minutes are spent performing or supervising these services (RN telephone temporary code-Medicaid) |
| D9991 (Medicaid Only) | Dental case management - addressing appointment compliance barriers; Individualized efforts to assist a patient to maintain scheduled appointments by solving transportation challenges or other barriers. (Medicaid only, temporary code for telephone visits) |
| Rate Codes (Medicaid Only) | Rate codes 7961-7968; 4012; 4015 |

Procedure Code(s) for Telehealth Services for Medical and Behavioral Health Providers:
 (Covered for Medicare Advantage, Medicaid, and Commercial plans) [Click Here](#)

Procedure Code(s) for Telehealth Services for PT/OT/SLP providers:(Covered for Medicare Advantage, Medicaid, and Commercial plans) [Click Here](#)

Modifier(s) for Telehealth Services:

Must be used for telemedicine services. Audio-only CPT codes 99441-99443 and 98966-98968 do not require telehealth modifiers to be reported. Utilize the place of service where the services are normally rendered

| Modifier | Description |
|-----------|-----------------------------------------------------------------------------------------------------------------|
| CS | COVID-19 testing related service |
| GT | Via interactive audio and video telecommunication systems. |
| 95 | Synchronous Telemedicine Service Rendered Via a Real-Time Interactive Audio and Video Telecommunications System |
| GQ | Telephone audio only services and Store and Forward (Medicaid Only) |

Coding Reminders: If applicable, COVID-19 Diagnosis Codes

ICD-10-CM Official Coding Guidelines - Supplement Coding Encounters Related to COVID-19 Coronavirus Outbreak. NOTE: Telehealth/telephone (audio only) supplemental policy is not limited to COVID-19 cases

During the COVID-19 pandemic, a screening code is generally not appropriate. Do not assign code Z11.52, Encounter for screening for COVID-19. For encounters for COVID-19 testing, including preoperative testing, code as exposure to COVID-19 (guideline I.C.1.g.1.e).

For asymptomatic individuals with actual or suspected exposure to COVID-19, assign code Z20.822, Contact with and (suspected) exposure to COVID-19. For symptomatic individuals use Z20.822 as an additional code.

ICD-10-CM Official Coding Guidelines - Supplement Coding Encounters Related to COVID-19 Coronavirus Outbreak

<https://www.cdc.gov/nchs/data/icd/ICD-10cmguidelines-FY2021-COVID-update-January-2021-508.pdf>

To ensure proper adjudication please make sure the following are reported if applicable:

| ICD-10 | Description |
|----------------|---------------------------------------------------|
| Z20.822 | Contact with and (suspected) exposure to COVID-19 |
| U07.1 | COVID-19 (confirmed cases only) |

Revision History

| DATE | REVISION |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| March 2020 | <ul style="list-style-type: none"> New Policy |
| April 9, 2020 | <ul style="list-style-type: none"> Clarifications made for Telephone (audio only) services and Medicaid only services. Modifier CS replaced modifier CR. CPT and Rate Codes updated to allowed list to align with CMS and NYS Medicaid. Effective date updated |

| | |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>May 8, 2020</i> | <ul style="list-style-type: none">• Clarification made for Telephone (audio only) codes. No telehealth modifier needed for 98966-98968 and 99441-99443. Effective date updated. |
| <i>August 28, 2020</i> | <ul style="list-style-type: none">• Update made to indicate that codes 0403T and G9880 can now be performed via telehealth services (Medicaid only), by utilizing the GQ modifier. Procedure codes list updated as well. |
| <i>November 24, 2020</i> | <ul style="list-style-type: none">• Procedure code list updated with eleven new CMS telehealth-allowed codes effective 10/14/2020; 93797, 93798, 93750, 95970, 95971, 95972, 95983, 95984, G0422, G0423, G0424. |
| <i>January 20, 2021</i> | <ul style="list-style-type: none">• Updated policy to include ICD-10 Code Z20.822 |



EmblemHealth

| LIST OF CODES ALLOWED FOR TELEHEALTH SERVICES | |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Code | Code Descriptor |
| 77427 | Radiation treatment management, 5 treatments |
| 90785 | Psytx complex interactive |
| 90791 | Psych diagnostic evaluation |
| 90792 | Psych diag eval w/med srvc |
| 90832 | Psytx pt&/family 30 minutes |
| 90833 | Psytx pt&/fam w/e&m 30 min |
| 90834 | Psytx pt&/family 45 minutes |
| 90836 | Psytx pt&/fam w/e&m 45 min |
| 90837 | Psytx pt&/family 60 minutes |
| 90838 | Psytx pt&/fam w/e&m 60 min |
| 90839 | Psytx crisis initial 60 min |
| 90840 | Psytx crisis ea addl 30 min |
| 90845 | Psychoanalysis |
| 90846 | Family psytx w/o patient |
| 90847 | Family psytx w/patient |
| 90853 | Group psychotherapy (other than of a multiple-family group) |
| 90951 | Esrdserv 4 visits p mo <2yr |
| 90952 | Esrdserv 2-3 vsts p mo <2yr |
| 90953 | End-stage renal disease (ESRD) related services monthly, for patients younger than 2 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 1 face-to-face visit by a physician or other qualified health care professional per month |
| 90954 | Esrdserv 4 vsts p mo 2-11 |
| 90955 | Esrdsrv 2-3 vsts p mo 2-11 |
| 90956 | End-stage renal disease (ESRD) related services monthly, for patients 2-11 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 1 face-to-face visit by a physician or other qualified health care professional per month |
| 90957 | Esrdsrv 4 vsts p mo 12-19 |
| 90958 | Esrdsrv 2-3 vsts p mo 12-19 |

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 90959 | End-stage renal disease (ESRD) related services monthly, for patients 12-19 years of age to include monitoring for the adequacy of nutrition, assessment of growth and development, and counseling of parents; with 1 face-to-face visit by a physician or other qualified health care professional per month |
| 90960 | Esrđ srv 4 visits p mo 20+ |
| 90961 | Esrđ srv 2-3 vsts p mo 20+ |
| 90962 | End-stage renal disease (ESRD) related services monthly, for patients 20 years of age and older; with 1 face-to-face visit by a physician or other qualified health care professional per month |
| 90963 | Esrđ home pt serv p mo <2yrs |
| 90964 | Esrđ home pt serv p mo 2-11 |
| 90965 | Esrđ home pt serv p mo 12-19 |
| 90966 | Esrđ home pt serv p mo 20+ |
| 90967 | Esrđ home pt serv p day <2 |
| 90968 | Esrđ home pt serv p day 2-11 |
| 90969 | Esrđ home pt serv p day 12-19 |
| 90970 | Esrđ home pt serv p day 20+ |
| 92002 | Eye exam new patient |
| 92004 | Eye exam new patient; 1 or more visits |
| 92012 | Eye exam established patient |
| 92014 | Eye exam & tx established patient; 1 or more visits |
| 92507 | Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual |
| 92521 | Evaluation of speech fluency (eg, stuttering, cluttering) |
| 92522 | Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria); |
| 92523 | Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria); with evaluation of language comprehension and expression (eg, receptive and expressive language) |
| 92524 | Behavioral and qualitative analysis of voice and resonance |
| 92601 | Cochlear implt f/up exam <7 |
| 92602 | Reprogram cochlear implt <7 |
| 92603 | Cochlear implt f/up exam 7/> |
| 92604 | Reprogram cochlear implt 7/> |
| 93750 | Interrogation vad in person |
| 93797 | Cardiac rehab |
| 93798 | Cardiac rehab/monitor |
| 94002 | Vent mgmt inpat init day |
| 94003 | Vent mgmt inpat subq day |
| 94004 | Vent mgmt nf per day |
| 94005 | Home vent mgmt supervision |
| 94664 | Evaluate pt use of inhaler |
| 95970 | Alys npgt w/o prgrmg |

| | |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 95971 | Alys smpl sp/pn npgt w/prgrm |
| 95972 | Alys cplx sp/pn npgt w/prgrm |
| 95983 | Alys brn npgt prgrmg 15 min |
| 95984 | Alys brn npgt prgrmg addl 15 |
| 96040 | Medical genetics and genetic counseling services, each 30 minutes face-to-face with patient/family |
| 96110 | Developmental screen w/score |
| 96112 | Devel tst phys/qhp 1st hr |
| 96113 | Devel tst phys/qhp ea addl |
| 96116 | Neurobehavioral status exam |
| 96121 | Nubhvl xm phy/qhp ea addl hr |
| 96127 | Brief emotional/behav assmt |
| 96130 | Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour) |
| 96131 | Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; each additional hour (List separately in addition to code for primary procedure) |
| 96132 | Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour |
| 96133 | (Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; each additional hour (List separately in addition to code for primary procedure) |
| 96136 | (Psychological or neuropsychological test administration and scoring by physician or other qualified health care professional, two or more tests, any method; first 30 minutes |
| 96137 | Psychological or neuropsychological test administration and scoring by physician or other qualified health care professional, two or more tests, any method; each additional 30 minutes (List separately in addition to code for primary procedure) |
| 96138 | (Psychological or neuropsychological test administration and scoring by technician, two or more tests, any method; first 30 minutes) |
| 96139 | Psychological or neuropsychological test administration and scoring by technician, two or more tests, any method; each additional 30 minutes (List separately in addition to code for primary procedure) |
| 96156 | Health behavior assessment, or re-assessment (ie, health-focused clinical interview, behavioral observations, clinical decision making) |
| 96158 | Health behavior intervention, individual, face-to-face; initial 15 minutes |

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 96159 | Health behavior intervention, individual, face-to-face; each additional 15 minutes (List separately in addition to code for primary service) |
| 96160 | Pt-focused hlth risk assmt |
| 96161 | Caregiver health risk assmt |
| 96164 | Health behavior intervention, group (2 or more patients), face-to-face; initial 30 minutes |
| 96165 | Health behavior intervention, group (2 or more patients), face-to-face; each additional 15 minutes (List separately in addition to code for primary service) |
| 96167 | Health behavior intervention, family (with the patient present), face-to-face; initial 30 minutes |
| 96168 | Health behavior intervention, family (with the patient present), face-to-face; each additional 15 minutes (List separately in addition to code for primary service) |
| 96170 | Hlth bhv ivntj fam wo pt 1st |
| 96171 | Hlth bhv ivntj fam w/o pt ea |
| 97110 | Therapeutic procedure, 1 or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility |
| 97112 | Therapeutic procedure, 1 or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities |
| 97116 | Therapeutic procedure, 1 or more areas, each 15 minutes; gait training (includes stair climbing) |
| 97150 | Group therapeutic procedures |
| 97151 | Bhv id assmt by phys/qhp |
| 97152 | Bhv id suprt assmt by 1 tech |
| 97153 | Adaptive behavior tx by tech |
| 97154 | Grp adapt bhv tx by tech |
| 97155 | Adapt behavior tx phys/qhp |
| 97156 | Fam adapt bhv tx gdn phy/qhp |
| 97157 | Mult fam adapt bhv tx gdn |
| 97158 | Grp adapt bhv tx by phy/qhp |
| 97161 | Physical therapy evaluation: low complexity, requiring these components: A history with no personal factors and/or comorbidities that impact the plan of care; An examination of body system(s) using standardized tests and measures addressing 1-2 elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with stable and/or uncomplicated characteristics; and Clinical decision making of low complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 20 minutes are spent face-to-face with the patient and/or family. |

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 97162 | Physical therapy evaluation: moderate complexity, requiring these components: A history of present problem with 1-2 personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures in addressing a total of 3 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; An evolving clinical presentation with changing characteristics; and Clinical decision making of moderate complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 30 minutes are spent face-to-face with the patient and/or family. |
| 97163 | Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures addressing a total of 4 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with unstable and unpredictable characteristics; and Clinical decision making of high complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 45 minutes are spent face-to-face with the patient and/or family. |
| 97164 | Re-evaluation of physical therapy established plan of care, requiring these components: An examination including a review of history and use of standardized tests and measures is required; and Revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome Typically, 20 minutes are spent face-to-face with the patient and/or family. |
| 97165 | Occupational therapy evaluation, low complexity, requiring these components: An occupational profile and medical and therapy history, which includes a brief history including review of medical and/or therapy records relating to the presenting problem; An assessment(s) that identifies 1-3 performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of low complexity, which includes an analysis of the occupational profile, analysis of data from problem-focused assessment(s), and consideration of a limited number of treatment options. Patient presents with no comorbidities that affect occupational performance. Modification of tasks or assistance (eg, physical or verbal) with assessment(s) is not necessary to enable completion of evaluation component. Typically, 30 minutes are spent face-to-face with the patient and/or family. |
| 97166 | Occupational therapy evaluation, moderate complexity, requiring these components: An occupational profile and medical and therapy history, which includes an expanded review of medical and/or therapy records and additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 3-5 performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of moderate analytic complexity, which includes an analysis of the occupational profile, analysis of data from detailed assessment(s), and consideration of several treatment options. Patient may present with comorbidities that affect occupational performance. Minimal to moderate modification of tasks or assistance (eg, physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 45 minutes are spent face-to-face with the patient and/or family. |

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 97167 | Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 5 or more performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of high analytic complexity, which includes an analysis of the patient profile, analysis of data from comprehensive assessment(s), and consideration of multiple treatment options. Patient presents with comorbidities that affect occupational performance. Significant modification of tasks or assistance (eg, physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 60 minutes are spent face-to-face with the patient and/or family. |
| 97168 | Re-evaluation of occupational therapy established plan of care, requiring these components: An assessment of changes in patient functional or medical status with revised plan of care; An update to the initial occupational profile to reflect changes in condition or environment that affect future interventions and/or goals; and A revised plan of care. A formal reevaluation is performed when there is a documented change in functional status or a significant change to the plan of care is required. Typically, 30 minutes are spent face-to-face with the patient and/or family. |
| 97530 | Therapeutic activities |
| 97535 | Self-care/home management training (eg, activities of daily living (ADL) and compensatory training, meal preparation, safety procedures, and instructions in use of assistive technology devices/adaptive equipment) direct one-on-one contact, each 15 minutes |
| 97542 | Wheelchair mngment training |
| 97750 | Physical performance test or measurement (eg, musculoskeletal, functional capacity), with written report, each 15 minutes |
| 97755 | Assistive technology assessment (eg, to restore, augment or compensate for existing function, optimize functional tasks and/or maximize environmental accessibility), direct one-on-one contact, with written report, each 15 minutes |
| 97760 | Orthotic(s) management and training (including assessment and fitting when not otherwise reported), upper extremity(ies), lower extremity(ies) and/or trunk, initial orthotic(s) encounter, each 15 minutes |
| 97761 | Prosthetic(s) training, upper and/or lower extremity(ies), initial prosthetic(s) encounter, each 15 minutes |
| 97802 | Medical nutrition indiv in |
| 97803 | Med nutrition indiv subseq |
| 97804 | Medical nutrition group |
| 98960 | Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; individual patient |
| 98961 | Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; 2-4 patients |

| | |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 98962 | Education and training for patient self-management by a qualified, nonphysician health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; 5-8 patients |
| 98966 | Telephone E&M provided by a non-physician not related to an an E/M service 7days prior or in the next 24hrs 5-10 minutes |
| 98967 | Telephone E&M provided by a non-physician not related to an an E/M service 7days prior or in the next 24hrs 11-20 minutes |
| 98968 | Telephone E&M provided by a non-physician not related to an an E/M service 7days prior or in the next 24hrs 21-30 minutes |
| 98970 | Qualified nonphysician health care professional online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes |
| 98971 | Qualified nonphysician health care professional online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes |
| 98972 | Qualified nonphysician health care professional online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes |
| 99091 | Collection and interpretation of physiologic data (eg, ECG, blood pressure, glucose monitoring) digitally stored and/or transmitted by the patient and/or caregiver to the physician or other qualified health care professional, qualified by education, training, licensure/regulation (when applicable) requiring a minimum of 30 minutes of time, each 30 days (Applicable to Physicians, NPs, PAs, Midwives, Dentists, RNs) |
| 99201 | Office/outpatient visit new |
| 99202 | Office/outpatient visit new |
| 99203 | Office/outpatient visit new |
| 99204 | Office/outpatient visit new |
| 99205 | Office/outpatient visit new |
| 99211 | Office/outpatient visit est |
| 99212 | Office/outpatient visit est |
| 99213 | Office/outpatient visit est |
| 99214 | Office/outpatient visit est |
| 99215 | Office/outpatient visit est |
| 99217 | Observation care discharge day management (This code is to be utilized to report all services provided to a patient on discharge from outpatient hospital "observation status" if the discharge is on other than the initial date of "observation status." To report services to a patient designated as "observation status" or "inpatient status" and discharged on the same date, use the codes for Observation or Inpatient Care Services [including Admission and Discharge Services, 99234-99236 as appropriate.] |

| | |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 99218 | Initial observation care, per day, for the evaluation and management of a patient which requires these 3 key components: A detailed or comprehensive history; A detailed or comprehensive examination; and Medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission to outpatient hospital "observation status" are of low severity. Typically, 30 minutes are spent at the bedside and on the patient's hospital floor or unit. |
| 99219 | Initial observation care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission to outpatient hospital "observation status" are of moderate severity. Typically, 50 minutes are spent at the bedside and on the patient's hospital floor or unit. |
| 99220 | Initial observation care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission to outpatient hospital "observation status" are of high severity. Typically, 70 minutes are spent at the bedside and on the patient's hospital floor or unit. |
| 99221 | Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components: A detailed or comprehensive history; A detailed or comprehensive examination; and Medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission are of low severity. Typically, 30 minutes are spent at the bedside and on the patient's hospital floor or unit. |
| 99222 | Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission are of moderate severity. Typically, 50 minutes are spent at the bedside and on the patient's hospital floor or unit. |
| 99223 | Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, |

| | |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | the problem(s) requiring admission are of high severity. Typically, 70 minutes are spent at the bedside and on the patient's hospital floor or unit. |
| 99224 | Subsequent observation care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: Problem focused interval history; Problem focused examination; Medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is stable, recovering, or improving. Typically, 15 minutes are spent at the bedside and on the patient's hospital floor or unit. |
| 99225 | Subsequent observation care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: An expanded problem focused interval history; An expanded problem focused examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is responding inadequately to therapy or has developed a minor complication. Typically, 25 minutes are spent at the bedside and on the patient's hospital floor or unit. |
| 99226 | Subsequent observation care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: A detailed interval history; A detailed examination; Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is unstable or has developed a significant complication or a significant new problem. Typically, 35 minutes are spent at the bedside and on the patient's hospital floor or unit. |
| 99231 | Subsequent hospital care |
| 99232 | Subsequent hospital care |
| 99233 | Subsequent hospital care |
| 99234 | Observation or inpatient hospital care, for the evaluation and management of a patient including admission and discharge on the same date, which requires these 3 key components: A detailed or comprehensive history; A detailed or comprehensive examination; and Medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually the presenting problem(s) requiring admission are of low severity. Typically, 40 minutes are spent at the bedside and on the patient's hospital floor or unit. |

| | |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 99235 | Observation or inpatient hospital care, for the evaluation and management of a patient including admission and discharge on the same date, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually the presenting problem(s) requiring admission are of moderate severity. Typically, 50 minutes are spent at the bedside and on the patient's hospital floor or unit. |
| 99236 | Observation or inpatient hospital care, for the evaluation and management of a patient including admission and discharge on the same date, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually the presenting problem(s) requiring admission are of high severity. Typically, 55 minutes are spent at the bedside and on the patient's hospital floor or unit. |
| 99238 | Hospital discharge day management; 30 minutes or less |
| 99239 | Hospital discharge day management; more than 30 minutes |
| 99281 | Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. |
| 99282 | Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. |
| 99283 | Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. |
| 99284 | Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A detailed history; A detailed examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity, and require urgent evaluation by the physician, or other qualified health care professionals but do not pose an immediate significant threat to life or physiologic function. |

| | |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 99285 | Emergency department visit for the evaluation and management of a patient, which requires these 3 key components within the constraints imposed by the urgency of the patient's clinical condition and/or mental status: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity and pose an immediate significant threat to life or physiologic function. |
| 99291 | Critical care, evaluation and management of the critically ill or critically injured patient; first 30-74 minutes |
| 99292 | Critical care, evaluation and management of the critically ill or critically injured patient; each additional 30 minutes (List separately in addition to code for primary service) |
| 99304 | Initial nursing facility care, per day, for the evaluation and management of a patient, which requires these 3 key components: A detailed or comprehensive history; A detailed or comprehensive examination; and Medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission are of low severity. Typically, 25 minutes are spent at the bedside and on the patient's facility floor or unit. |
| 99305 | Initial nursing facility care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission are of moderate severity. Typically, 35 minutes are spent at the bedside and on the patient's facility floor or unit. |
| 99306 | Initial nursing facility care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission are of high severity. Typically, 45 minutes are spent at the bedside and on the patient's facility floor or unit. |
| 99307 | Nursing fac care subseq |
| 99308 | Nursing fac care subseq |
| 99309 | Nursing fac care subseq |
| 99310 | Nursing fac care subseq |
| 99315 | Nursing facility discharge day management; 30 minutes or less |
| 99316 | Nursing facility discharge day management; more than 30 minutes |

| | |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 99327 | Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity. Typically, 60 minutes are spent with the patient and/or family or caregiver. |
| 99328 | Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is unstable or has developed a significant new problem requiring immediate physician attention. Typically, 75 minutes are spent with the patient and/or family or caregiver. |
| 99334 | Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused interval history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self-limited or minor. Typically, 15 minutes are spent with the patient and/or family or caregiver. |
| 99335 | Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused interval history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Typically, 25 minutes are spent with the patient and/or family or caregiver. |
| 99336 | Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed interval history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 40 minutes are spent with the patient and/or family or caregiver. |
| 99337 | Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive interval history; A comprehensive examination; Medical decision making of moderate to high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem |

| | |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | requiring immediate physician attention. Typically, 60 minutes are spent with the patient and/or family or caregiver. |
| 99341 | Home visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low severity. Typically, 20 minutes are spent face-to-face with the patient and/or family. |
| 99342 | Home visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Typically, 30 minutes are spent face-to-face with the patient and/or family. |
| 99343 | Home visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent face-to-face with the patient and/or family. |
| 99344 | Home visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting |

| | |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | <p>problem(s) are of high severity. Typically, 60 minutes are spent face-to-face with the patient and/or family</p> |
| 99345 | <p>Home visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is unstable or has developed a significant new problem requiring immediate physician attention. Typically, 75 minutes are spent face-to-face with the patient and/or family.</p> |
| 99347 | <p>Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused interval history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 15 minutes are spent face-to-face with the patient and/or family.</p> |
| 99348 | <p>Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused interval history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Typically, 25 minutes are spent face-to-face with the patient and/or family.</p> |
| 99349 | <p>Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed interval history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Typically, 40 minutes are spent face-to-face with the patient and/or family.</p> |

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 99350 | Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive interval history; A comprehensive examination; Medical decision making of moderate to high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Typically, 60 minutes are spent face-to-face with the patient and/or family |
| 99354 | Prolonged service office |
| 99355 | Prolonged service office |
| 99356 | Prolonged service inpatient |
| 99357 | Prolonged service inpatient |
| 99406 | Behav chng smoking 3-10 min |
| 99407 | Behav chng smoking > 10 min |
| 99408 | Alcohol and/or substance (other than tobacco) abuse structured screening (eg, AUDIT, DAST), and brief intervention (SBI) services; 15 to 30 minutes |
| 99409 | Alcohol and/or substance (other than tobacco) abuse structured screening (eg, AUDIT, DAST), and brief intervention (SBI) services; greater than 30 minutes |
| 99421 | Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes |
| 99422 | Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes |
| 99423 | Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes |
| 99441 | Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient |
| 99442 | Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient; 11-20 minutes of medical discussion |
| 99443 | Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, 21-30 minutes of medical discussion |
| 99446 | Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 5-10 minutes of medical consultative discussion and review |
| 99447 | Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 11-20 minutes of medical consultative discussion and review |

| | |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 99448 | Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 21-30 minutes of medical consultative discussion and review |
| 99449 | Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 31 minutes or more of medical consultative discussion and review |
| 99451 | Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a written report to the patient's treating/requesting physician or other qualified health care professional, 5 minutes or more of medical consultative time |
| 99452 | Interprofessional telephone/Internet/electronic health record referral service(s) provided by a treating/requesting physician or other qualified health care professional, 30 minutes |
| 99453 | Remote monitoring of physiologic parameter(s) (eg, weight, blood pressure, pulse oximetry, respiratory flow rate), initial; set-up and patient education on use of equipment |
| 99454 | Remote monitoring of physiologic parameter(s) (eg, weight, blood pressure, pulse oximetry, respiratory flow rate), initial; device(s) supply with daily recording(s) or programmed alert(s) transmission, each 30 days |
| 99457 | Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; first 20 minutes |
| 99458 | Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; each additional 20 minutes (List separately in addition to code for primary procedure) |
| 99468 | Initial inpatient neonatal critical care, per day, for the evaluation and management of a critically ill neonate, 28 days of age or younger |
| 99469 | Subsequent inpatient neonatal critical care, per day, for the evaluation and management of a critically ill neonate, 28 days of age or younger |
| 99471 | Initial inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 29 days through 24 months of age |
| 99472 | Subsequent inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 29 days through 24 months of age |
| 99473 | Self-measured blood pressure using a device validated for clinical accuracy; patient education/training and device calibration |
| 99474 | Self-measured blood pressure using a device validated for clinical accuracy; separate self-measurements of two readings one minute apart, twice daily over a 30-day period (minimum of 12 readings), collection of data reported by the patient and/or caregiver to the physician or other qualified health care professional, with report of average systolic and diastolic pressures and subsequent communication of a treatment plan to the patient |
| 99475 | Initial inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 2 through 5 years of age |
| 99476 | Subsequent inpatient pediatric critical care, per day, for the evaluation and management of a critically ill infant or young child, 2 through 5 years of age |

| | |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 99477 | Initial hospital care, per day, for the evaluation and management of the neonate, 28 days of age or younger, who requires intensive observation, frequent interventions, and other intensive care services) |
| 99478 | Subsequent intensive care, per day, for the evaluation and management of the recovering very low birth weight infant (present body weight less than 1500 grams |
| 99479 | Subsequent intensive care, per day, for the evaluation and management of the recovering low birth weight infant (present body weight of 1500-2500 grams |
| 99480 | Subsequent intensive care, per day, for the evaluation and management of the recovering infant (present body weight of 2501-5000 grams |
| 99483 | Assessment of and care planning for a patient with cognitive impairment, requiring an independent historian, in the office or other outpatient, home or domiciliary or rest home, with all of the following required elements: Cognition-focused evaluation including a pertinent history and examination; Medical decision making of moderate or high complexity; Functional assessment (eg, basic and instrumental activities of daily living), including decisionmaking capacity; Use of standardized instruments for staging of dementia (eg, functional assessment staging test [FAST], clinical dementia rating [CDR]); Medication reconciliation and review for high-risk medications; Evaluation for neuropsychiatric and behavioral symptoms, including depression, including use of standardized screening instrument(s); Evaluation of safety (eg, home), including motor vehicle operation; Identification of caregiver(s), caregiver knowledge, caregiver needs, social supports, and the willingness of caregiver to take on caregiving tasks; Development, updating or revision, or review of an Advance Care Plan; Creation of a written care plan, including initial plans to address any neuropsychiatric symptoms, neuro-cognitive symptoms, functional limitations, and referral to community resources as needed (eg, rehabilitation services, adult day programs, support groups) shared with the patient and/or caregiver with initial education and support. Typically, 50 minutes are spent face-to-face with the patient and/or family or caregiver |
| 99493 | Subsequent psychiatric collaborative care management, first 60 minutes in a subsequent month of behavioral health care manager activities, in consultation with a psychiatric consultant, and directed by the treating physician or other qualified health care professional, with the following required elements: tracking patient follow-up and progress using the registry, with appropriate documentation; participation in weekly caseload consultation with the psychiatric consultant; ongoing collaboration with and coordination of the patient's mental health care with the treating physician or other qualified health care professional and any other treating mental health providers; additional review of progress and recommendations for changes in treatment, as indicated, including medications, based on recommendations provided by the psychiatric consultant; provision of brief interventions using evidence-based techniques such as behavioral activation, motivational interviewing, and other focused treatment strategies; monitoring of patient outcomes using validated rating scales; and relapse prevention planning with patients as they achieve remission of symptoms and/or other treatment goals and are prepared for discharge from active treatment. |
| 99494 | Initial or subsequent psychiatric collaborative care management, each additional 30 minutes in a calendar month of behavioral health care manager activities, in consultation with a |

| | |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | psychiatric consultant, and directed by the treating physician or other qualified health care professional (List separately in addition to code for primary procedure) |
| 99495 | Trans care mgmt 14 day disch |
| 99496 | Trans care mgmt 7 day disch |
| 99497 | Advncd care plan 30 min |
| 99498 | Advncd are plan addl 30 min |
| 99211-GQ (Medicaid only) | Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional. Usually, the presenting problem(s) are minimal. Typically, 5 minutes are spent performing or supervising these services. (Applicable to Physicians, NPs, PAs, Midwives, Dentists, RNs) |
| 0362T | Bhv id suprt asmt ea 15 min |
| 0373T | Adapt bhv tx ea 15 min |
| D9991 (Medicaid only) | Dental case management - addressing appointment compliance barriers; Individualized efforts to assist a patient to maintain scheduled appointments by solving transportation challenges or other barriers. (Medicaid only, temporary code for telephone visits) (Reportable with HCPCS code Q3014) (Dentists only) |
| D9995 (Medicaid only) | Teledentistry - synchronous; real-time encounter; Reported in addition to other procedures (e.g., diagnostic) delivered to the patient on the date of service. (Reportable with HCPCS code Q3014) (Dentists only) |
| D9996 (Medicaid only) | Teledentistry - asynchronous; information stored and forwarded to dentist for subsequent review; Reported in addition to other procedures (e.g., diagnostic) delivered to the patient on the date of service. (Reportable with HCPCS code Q3014) (Dentists only) |
| G0071 | Payment for communication technology-based services for 5 minutes or more of a virtual (nonface-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only |
| G0108 | Diab manage trn per indiv |
| G0109 | Diab manage trn ind/group |
| G0270 | Mnt subs tx for change dx |
| G0296 | Visit to determ ldct elig |
| G0396 | Alcohol/subs interv 15-30mn |
| G0397 | Alcohol/subs interv >30 min |
| G0406 | Inpt/tele follow up 15 |
| G0407 | Inpt/tele follow up 25 |
| G0408 | Inpt/tele follow up 35 |
| G0410 | Grp psych partial hosp 45-50 |
| G0420 | Ed svc ckd ind per session |
| G0421 | Ed svc ckd grp per session |
| G0422 | Intens cardiac rehab w/exerc |
| G0423 | Intens cardiac rehab no exer |

| | |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| G0424 | Pulmonary rehab w exer |
| G0425 | Inpt/ed teleconsult30 |
| G0426 | Inpt/ed teleconsult50 |
| G0427 | Inpt/ed teleconsult70 |
| G0438 (Medicare only) | Ppps, initial visit |
| G0439 (Medicare only) | Ppps, subseq visit |
| G0442 | Annual alcohol screen 15 min |
| G0443 | Brief alcohol misuse counsel |
| G0444 | Depression screen annual |
| G0445 | High inten beh couns std 30m |
| G0446 | Intens behave ther cardio dx |
| G0447 | Behavior counsel obesity 15m |
| G0459 | Telehealth inpt pharm mgmt |
| G0506 | Comp asses care plan ccm svc |
| G0508 | Crit care telehea consult 60 |
| G0509 | Crit care telehea consult 50 |
| G0513 | Prolong prev svcs, first 30m |
| G0514 | Prolong prev svcs, addl 30m |
| G2010 | E-VISIT |
| G2012 | Brief communication technology-based service, e.g., virtual check-in, by a physician or other qualified health care professional |
| G2061 | Qualified nonphysician health care professional online assessment, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes |
| G2062 | Qualified nonphysician health care professional online assessment service, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes |
| G2063 | Qualified nonphysician qualified health care professional assessment service, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes; 5-10 minutes of medical discussion |
| G2086 | Off base opioid tx first m |
| G2087 | Off base opioid tx, sub m |
| G2088 | Off opioid tx month add 30 |
| G9800 (Medicaid only) | The MDPP beneficiary achieved at least 5% weight loss (WL) from his/her baseline weight in months 1-12 of the MDPP services period under the MDPP Expanded Model (EM). This is a one-time payment available when a beneficiary first achieves at least 5% weight loss from baseline as measured by an in-person weight measurement at a core session or core maintenance session. |
| 0403T-GQ (Medicaid only) | Preventive behavior change, intensive program of prevention of diabetes using a standardized diabetes prevention program curriculum, provided to individuals in a group setting, minimum 60 minutes, per day |

| | |
|----------------------------|----------------------------------------------------------------------------------------------------|
| S9085 | Global fee urgent care centers |
| S9443 (Commercial only) | Lactation classes, nonphysician provider, per session |
| S9445 (Medicaid only) | Patient education, not otherwise classified, nonphysician provider, individual, per session |
| S9446 (Medicaid only) | Patient education, not otherwise classified, nonphysician provider, group, per session |
| S9470 | Nutritional counseling, dietitian visit |
| Q3014 | Telehealth originating site facility fee (only used with POS 02 telehealth claims-facilities only) |
| Rev code | Priced per Medicare- requires HCPCS codes |
| 780 | Telemedicine-General |

Temporary Payment Policy: Supplemental Telehealth Guidelines

Physical, Occupational, Speech Therapy

For Commercial and Medicare PT/OT/SLP provider visits, interactive real-time audio/video technology must be used. Append modifier GT or 95 to claims using the normal place of service where services are usually rendered.

For Medicaid, while there are some technological barriers to telehealth, providers should attempt to use audiovisual technology traditionally referred to as “telehealth/telemedicine” to deliver services and should use telephone audio only services only when audiovisual technology is not available. For those instances of telephone audio only append modifier GQ

| Category | CPT Code | Description |
|----------------------|----------|----------------------------------------------------------------------|
| Physical Therapy | 97161 | Physical therapy evaluation - low complexity |
| Physical Therapy | 97162 | Physical therapy evaluation - moderate complexity |
| Physical Therapy | 97163 | Physical therapy evaluation - high complexity |
| Physical Therapy | 97164 | Physical therapy re-evaluation |
| Physical Therapy | 97110 | Therapeutic procedure, one or more areas, each 15 minutes |
| Physical Therapy | 97116 | Gait training |
| Physical Therapy | 97530 | Therapeutic activities, one-to-one patient contact, each 15 minutes |
| Physical Therapy | 97112 | Therapeutic procedure, one or more areas, each 15 minutes |
| Physical Therapy | 97535 | Self-care/home management training, each 15 minutes |
| Occupational Therapy | 97165 | Occupational therapy evaluation - low complexity |
| Occupational Therapy | 97166 | Occupational therapy evaluation - moderate complexity |
| Occupational Therapy | 97167 | Occupational therapy evaluation - high complexity |
| Occupational Therapy | 97168 | Occupational therapy re-evaluation |
| Occupational Therapy | 97110 | Therapeutic procedure, one or more areas, each 15 minutes |
| Occupational Therapy | 97530 | Therapeutic activities, one-to-one patient contact, each 15 minutes |
| Occupational Therapy | 97112 | Therapeutic procedure, one or more areas, each 15 minutes |
| Occupational Therapy | 97535 | Self-care/home management training, each 15 minutes |
| Speech Therapy | 92507 | Treatment of speech, language, voice, communication, and/or auditory |
| Speech Therapy | 92521 | Evaluation of speech fluency |
| Speech Therapy | 92522 | Evaluation of speech sound production |
| Speech Therapy | 92523 | Evaluation of speech sound production |
| Speech Therapy | 92526 | Treatment of swallowing dysfunction and/or oral function for feeding |
| Speech Therapy | 96105 | Assessment of Aphasia and Cognitive Performance Testing |
| Speech Therapy | 97129 | Therapeutic interventions that focus on cognitive function |
| Speech Therapy | 97130 | Each additional 15 minutes (use in conjunction with 97129) |