

Medical Policy:

Polivy® (polatuzumab vedotin) Intravenous

| POLICY NUMBER | LAST REVIEW | ORIGIN DATE |
|---------------|-------------------|-----------------|
| MG.MM.PH.193 | February 27, 2025 | August 13, 2019 |

Medical Guideline Disclaimer Property of EmblemHealth. All rights reserved.

The treating physician or primary care provider must submit to EmblemHealth, or ConnectiCare, as applicable (hereinafter jointly referred to as “EmblemHealth”), the clinical evidence that the member meets the criteria for the treatment or surgical procedure. Without this documentation and information, EmblemHealth will not be able to properly review the request preauthorization or post-payment review. The clinical review criteria expressed below reflects how EmblemHealth determines whether certain services or supplies are medically necessary. This clinical policy is not intended to pre-empt the judgment of the reviewing medical director or dictate to health care providers how to practice medicine. Health care providers are expected to exercise their medical judgment in rendering appropriate care. Health care providers are expected to exercise their medical judgment in rendering appropriate care.

EmblemHealth established the clinical review criteria based upon a review of currently available clinical information (including clinical outcome studies in the peer reviewed published medical literature, regulatory status of the technology, evidence-based guidelines of public health and health research agencies, evidence-based guidelines and positions of leading national health professional organizations, views of physicians practicing in relevant clinical areas, and other relevant factors). EmblemHealth expressly reserves the right to revise these conclusions as clinical information changes and welcomes further relevant information. Each benefit program defines which services are covered. The conclusion that a particular service or supply is medically necessary does not constitute a representation or warranty that this service or supply is covered and/or paid for by EmblemHealth, as some programs exclude coverage for services or supplies that EmblemHealth considers medically necessary.

If there is a discrepancy between this guideline and a member's benefits program, the benefits program will govern. Identification of selected brand names of devices, tests and procedures in a medical coverage policy is for reference only and is not an endorsement of any one device, test or procedure over another. In addition, coverage may be mandated by applicable legal requirements of a state, the Federal Government or the Centers for Medicare & Medicaid Services (CMS) for Medicare and Medicaid members. All coding and web site links are accurate at time of publication.

EmblemHealth may also use tools developed by third parties, such as the MCG™ Care Guidelines, to assist us in administering health benefits. The MCG™ Care Guidelines are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice. EmblemHealth Services Company, LLC, has adopted this policy in providing management, administrative and other services to EmblemHealth Plan, Inc., EmblemHealth Insurance Company, EmblemHealth Services Company, LLC, and Health Insurance Plan of Greater New York (HIP) related to health benefit plans offered by these entities. ConnectiCare, an EmblemHealth company, has also adopted this policy. All of the aforementioned entities are affiliated companies under common control of EmblemHealth Inc.

Definitions

Polivy (polatuzumab vedotin) is a CD79b-directed antibody-drug conjugate. It is indicated in combination with bendamustine and a rituximab product for the treatment of adult patients with relapsed or refractory diffuse large B-cell lymphoma following at least 2 prior therapies.

Length of Authorization

Coverage will be provided for 6 months (up to 6 cycles of therapy) and may NOT be renewed.

Dosing Limits [Medical Benefit]

Max Units (per dose and over time):

1.8 mg/kg IV once every 21 days for 6 cycles (200 billable units every 21 days)

Guideline

I. Initial Approval Criteria

Polivy may be considered medically necessary if one of the below conditions are met **AND** use is consistent with the medical necessity criteria that follows:

1. **Diffuse large B-cell lymphoma (DLBCL)**

- a. The patient has relapsed or refractory disease; **AND**
 - i. Polatuzumab vedotin is administered in combination with bendamustine and a rituximab product; **AND**
 - ii. The patient has received at least two prior systemic chemotherapies; **AND**
 - iii. The patient does not have active central nervous system lymphoma; **OR**
- b. The patient has previously untreated diffuse large B-cell lymphoma (DLBCL), Not otherwise specified (NOS) or high-grade B-cell lymphoma (HGBL); **AND**
 - i. Polatuzumab vedotin is used in combination with a rituximab product, cyclophosphamide, doxorubicin and prednisone (R-CHP); **AND**
 - ii. The patient has an International Prognostic Index score of 2 or greater

Limitations/Exclusions

Polivy is not considered medically necessary for when any of the following selection criteria is met:

1. Indications not supported by CMS recognized compendia or acceptable peer reviewed literature may be deemed as not approvable and therefore not reimbursable.
2. Polivy (polatuzumab vedotin) is being used after disease progression with the same regimen or prior bendamustine unless response was greater than 1 year.
3. Dosing exceeds single dose limit of Polivy (polatuzumab vedotin) 1.8 mg/kg.
4. Treatment exceeds the maximum months duration limit of 6 cycles.

II. Renewal Criteria

1. Patient continues to meet INITIAL APPROVAL CRITERIA.

Dosage/Administration

| Indication | Dose |
|--|--|
| Diffuse large B-cell lymphoma (relapsed or refractory) | The recommended dose of Polivy is 1.8 mg/kg given as an intravenous infusion over 90 minutes every 21 days for 6 cycles, in combination with bendamustine and a rituximab product. Patients may receive subsequent infusions administered over 30 minutes if the previous infusion is well tolerated. Patients should be premedicated with an antihistamine and antipyretic at least 30 minutes prior to receiving Polivy. |

Applicable Procedure Codes

| Code | Description |
|-------|--|
| J9309 | Polivy Injection, polatuzumab vedotin-piiq, 1 mg |

Applicable NDCs

| Code | Description |
|---------------|---|
| 50242-0105-xx | vial, 1 each Polatuzumab Vedotin 140mg, Powder for solution for injection |
| 50242-0103-xx | Polivy 30 mg lyophilized powder for injection, single-use vial |

ICD-10 Diagnoses

| Code | Description |
|--------|---|
| C82.00 | Follicular lymphoma grade I, unspecified site |
| C82.01 | Follicular lymphoma grade I, lymph nodes of head, face and neck |
| C82.02 | Follicular lymphoma, grade I, intrathoracic lymph nodes |
| C82.03 | Follicular lymphoma grade I, intra-abdominal lymph nodes |
| C82.04 | Follicular lymphoma grade I, lymph nodes of axilla and upper limb |
| C82.05 | Follicular lymphoma grade I, lymph nodes of inguinal regional and lower limb |
| C82.06 | Follicular lymphoma grade I, intrapelvic lymph nodes |
| C82.07 | Follicular lymphoma grade I, spleen |
| C82.08 | Follicular lymphoma grade I, lymph nodes of multiple sites |
| C82.09 | Follicular lymphoma grade I, extranodal and solid organ sites |
| C82.10 | Follicular lymphoma grade II, unspecified site |
| C82.11 | Follicular lymphoma grade II, lymph nodes of head, face and neck |
| C82.12 | Follicular lymphoma, grade II, intrathoracic lymph nodes |
| C82.13 | Follicular lymphoma grade II, intra-abdominal lymph nodes |
| C82.14 | Follicular lymphoma grade II, lymph nodes of axilla and upper limb |
| C82.15 | Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb |
| C82.16 | Follicular lymphoma grade II, intrapelvic lymph nodes |
| C82.17 | Follicular lymphoma grade II, spleen |
| C82.18 | Follicular lymphoma grade II, lymph nodes of multiple sites |
| C82.19 | Follicular lymphoma grade II, extranodal and solid organ sites |
| C82.20 | Follicular lymphoma grade III, unspecified, unspecified site |
| C82.21 | Follicular lymphoma grade III, unspecified, lymph nodes of head, face and neck |
| C82.22 | Follicular lymphoma, grade III, unspecified, intrathoracic lymph nodes |
| C82.23 | Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes |
| C82.24 | Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb |
| C82.25 | Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb |
| C82.26 | Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes |
| C82.27 | Follicular lymphoma grade III, unspecified, spleen |
| C82.28 | Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites |
| C82.29 | Follicular lymphoma grade III, unspecified, extranodal and solid organ sites |
| C83.30 | Diffuse large B-cell lymphoma, unspecified site |
| C83.31 | Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck |
| C83.32 | Diffuse large B-cell lymphoma, intrathoracic lymph nodes |
| C83.33 | Diffuse large B-cell lymphoma, intra-abdominal lymph nodes |
| C83.34 | Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb |
| C83.35 | Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C83.36 | Diffuse large B-cell lymphoma, intrapelvic lymph nodes |
| C83.37 | Diffuse large B-cell lymphoma, spleen |

| | |
|--------|---|
| C83.38 | Diffuse large B-cell lymphoma, lymph nodes of multiple site |
| C83.39 | Diffuse large B-cell lymphoma, extanodal and solid organ sites |
| C82.40 | Follicular lymphoma grade IIIb, unspecified site |
| C82.41 | Follicular lymphoma grade IIIb, lymph nodes of head, face and neck |
| C82.42 | Follicular lymphoma, grade IIIb, intrathoracic lymph nodes |
| C82.43 | Follicular lymphoma grade IIIb, intra-abdominal lymph nodes |
| C82.44 | Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb |
| C82.45 | Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb |
| C82.46 | Follicular lymphoma grade IIIb, intrapelvic lymph nodes |
| C82.47 | Follicular lymphoma grade IIIb, spleen |
| C82.48 | Follicular lymphoma grade IIIb, lymph nodes of multiple sites |
| C82.49 | Follicular lymphoma grade IIIb, extranodal and solid organ sites |
| C82.50 | Diffuse follicle center lymphoma, unspecified site |
| C82.51 | Diffuse follicle center lymphoma, lymph nodes of head, face and neck |
| C82.52 | Diffuse follicle center lymphoma, intrathoracic lymph nodes |
| C82.53 | Diffuse follicle center lymphoma, intra-abdominal lymph nodes |
| C82.54 | Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb |
| C82.55 | Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb |
| C82.56 | Diffuse follicle center lymphoma, intrapelvic lymph nodes |
| C82.57 | Diffuse follicle center lymphoma, spleen |
| C82.58 | Diffuse follicle center lymphoma, lymph nodes of multiple sites |
| C82.59 | Diffuse follicle center lymphoma, extranodal and solid organ sites |
| C82.60 | Cutaneous follicle center lymphoma, unspecified site |
| C82.61 | Cutaneous follicle center lymphoma, lymph nodes of head, face and neck |
| C82.62 | Cutaneous follicle center lymphoma, intrathoracic lymph nodes |
| C82.63 | Cutaneous follicle center lymphoma, intra-abdominal lymph nodes |
| C82.64 | Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb |
| C82.65 | Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb |
| C82.66 | Cutaneous follicle center lymphoma, intrapelvic lymph nodes |
| C82.67 | Cutaneous follicle center lymphoma, spleen |
| C82.68 | Cutaneous follicle center lymphoma, lymph nodes of multiple sites |
| C82.69 | Cutaneous follicle center lymphoma, extranodal and solid organ sites |
| C82.80 | Other types of follicular lymphoma, unspecified site |
| C82.81 | Other types of follicular lymphoma, lymph nodes of head, face and neck |
| C82.82 | Other types of follicular lymphoma, intrathoracic lymph nodes |
| C82.83 | Other types of follicular lymphoma, intra-abdominal lymph nodes |
| C82.84 | Other types of follicular lymphoma, lymph nodes of axilla and upper limb |
| C82.85 | Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb |
| C82.86 | Other types of follicular lymphoma, intrapelvic lymph nodes |
| C82.87 | Other types of follicular lymphoma, spleen |
| C82.88 | Other types of follicular lymphoma, lymph nodes of multiple sites |
| C82.89 | Other types of follicular lymphoma, extranodal and solid organ sites |
| C82.90 | Follicular lymphoma, unspecified, unspecified site |
| C82.91 | Follicular lymphoma, unspecified, lymph nodes of head, face and neck |
| C82.92 | Follicular lymphoma, unspecified, intrathoracic lymph nodes |

| | |
|--------|--|
| C82.93 | Follicular lymphoma, unspecified, intra-abdominal lymph nodes |
| C82.94 | Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb |
| C82.95 | Follicular lymphoma, unspecified lymph nodes of inguinal region and lower limb |
| C82.96 | Follicular lymphoma, unspecified, intrapelvic lymph nodes |
| C82.97 | Follicular lymphoma, unspecified, spleen |
| C82.98 | Follicular lymphoma, unspecified, lymph nodes of multiple sites |
| C82.99 | Follicular lymphoma, unspecified, extranodal and solid organ sites |
| C83.30 | Diffuse large B-cell lymphoma unspecified site |
| C83.31 | Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck |
| C83.32 | Diffuse large B-cell lymphoma intrathoracic lymph nodes |
| C83.33 | Diffuse large B-cell lymphoma intra-abdominal lymph nodes |
| C83.34 | Diffuse large B-cell lymphoma lymph nodes of axilla and upper limb |
| C83.35 | Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C83.36 | Diffuse large B-cell lymphoma intrapelvic lymph nodes |
| C83.37 | Diffuse large B-cell lymphoma, spleen |
| C83.38 | Diffuse large B-cell lymphoma lymph nodes of multiple sites |
| C83.39 | Diffuse large B-cell lymphoma extranodal and solid organ sites |
| C83.80 | Other non-follicular lymphoma, unspecified site |
| C83.81 | Other non-follicular lymphoma, lymph nodes of head, face and neck |
| C83.82 | Other non-follicular lymphoma, intrathoracic lymph nodes |
| C83.83 | Other non-follicular lymphoma, intra-abdominal lymph nodes |
| C83.84 | Other non-follicular lymphoma, lymph nodes of axilla and upper limb |
| C83.85 | Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb |
| C83.86 | Other non-follicular lymphoma, intrapelvic lymph nodes |
| C83.87 | Other non-follicular lymphoma, spleen |
| C83.88 | Other non-follicular lymphoma, lymph nodes of multiple sites |
| C83.89 | Other non-follicular lymphoma, extranodal and solid organ sites |
| C83.90 | Non-follicular (diffuse) lymphoma, unspecified site |
| C83.91 | Non-follicular (diffuse) lymphoma, unspecified lymph nodes of head, face, and neck |
| C83.92 | Non-follicular (diffuse) lymphoma, unspecified intrathoracic lymph nodes |
| C83.93 | Non-follicular (diffuse) lymphoma, unspecified intra-abdominal lymph nodes |
| C83.94 | Non-follicular (diffuse) lymphoma, unspecified lymph nodes of axilla and upper limb |
| C83.95 | Non-follicular (diffuse) lymphoma, unspecified lymph nodes of inguinal region and lower limb |
| C83.96 | Non-follicular (diffuse) lymphoma, unspecified intrapelvic lymph nodes |
| C83.97 | Non-follicular (diffuse) lymphoma, unspecified spleen |
| C83.98 | Non-follicular (diffuse) lymphoma, unspecified lymph nodes of multiple sites |
| C83.99 | Non-follicular (diffuse) lymphoma, unspecified extranodal and solid organ sites |
| C85.10 | Unspecified B-cell lymphoma, unspecified site |
| C85.11 | Unspecified B-cell lymphoma, lymph nodes of head, face, and neck |
| C85.12 | Unspecified B-cell lymphoma, intrathoracic lymph nodes |
| C85.13 | Unspecified B-cell lymphoma, intra-abdominal lymph nodes |
| C85.14 | Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb |
| C85.15 | Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C85.16 | Unspecified B-cell lymphoma, intrapelvic lymph nodes |
| C85.17 | Unspecified B-cell lymphoma, spleen |

| | |
|--------|---|
| C85.18 | Unspecified B-cell lymphoma, lymph nodes of multiple sites |
| C85.19 | Unspecified B-cell lymphoma, extranodal and solid organ sites |
| C85.20 | Mediastinal (thymic) large B-cell lymphoma, unspecified site |
| C85.21 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face and neck |
| C85.22 | Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes |
| C85.23 | Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes |
| C85.24 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb |
| C85.25 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C85.26 | Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes |
| C85.27 | Mediastinal (thymic) large B-cell lymphoma, spleen |
| C85.28 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites |
| C85.29 | Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites |
| C85.80 | Other specified types of non-Hodgkin lymphoma, unspecified site |
| C85.81 | Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face and neck |
| C85.82 | Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes |
| C85.83 | Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes |
| C85.84 | Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C85.85 | Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region of lower limb |
| C85.86 | Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes |
| C85.87 | Other specified types of non-Hodgkin lymphoma, spleen |
| C85.88 | Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites |
| C85.89 | Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites |
| D47.21 | Post-transplant lymphoproliferative disorder (PTLD) |
| C85.26 | Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes |
| C85.27 | Mediastinal (thymic) large B-cell lymphoma, spleen |

Revision History

| Company(ies) | DATE | REVISION | | |
|-----------------------------|---|---|--------|---|
| EmblemHealth & ConnectiCare | 2/27/2025 | Annual Review: Length of authorization; added the wording “(up to 6 cycles of therapy) and may NOT be renewed.” - this is not a change, this was already contained in limitations/exclusions, just adding for clarity. | | |
| EmblemHealth & ConnectiCare | 1/16/2024 | Annual Review: Initial Criteria: Diffuse large B-cell lymphoma (DLBCL): Removed: “The patient is not a candidate for autologous hematopoietic stem cell transplantation (HSCT); AND The patient has not previously undergone allogeneic HSCT; AND The statement “or histologically transformed lymphoma” from the Statement “The patient does not have active central nervous system lymphoma or histologically transformed lymphoma.” | | |
| EmblemHealth & ConnectiCare | 05/22/2023 | Annual Review: Under DLBCL: Added “a. The patient has previously untreated diffuse large B-cell lymphoma(DLBCL), Not otherwise specified (NOS) or high-grade B-cell lymphoma (HGBL); AND i. Polatuzumab vedotin is used in combination with a rituximab product, cyclophosphamide, doxorubicin and prednisond (R-CHP); AND ii. The patient has an International Prognostic Index score of 2 or greater” added NDC: 50242-0103-xx, Added ICD-10 codes: <table border="1" data-bbox="646 1864 1425 1900"> <tr> <td>C82.00</td> <td>Follicular lymphoma grade I, unspecified site</td> </tr> </table> | C82.00 | Follicular lymphoma grade I, unspecified site |
| C82.00 | Follicular lymphoma grade I, unspecified site | | | |

| | | | | |
|--|--|--------|---|--|
| | | C82.01 | Follicular lymphoma grade I, lymph nodes of head, face and neck | |
| | | C82.02 | Follicular lymphoma, grade I, intrathoracic lymph nodes | |
| | | C82.03 | Follicular lymphoma grade I, intra-abdominal lymph nodes | |
| | | C82.04 | Follicular lymphoma grade I, lymph nodes of axilla and upper limb | |
| | | C82.05 | Follicular lymphoma grade I, lymph nodes of inguinal regional and lower limb | |
| | | C82.06 | Follicular lymphoma grade I, intrapelvic lymph nodes | |
| | | C82.07 | Follicular lymphoma grade I, spleen | |
| | | C82.08 | Follicular lymphoma grade I, lymph nodes of multiple sites | |
| | | C82.09 | Follicular lymphoma grade I, extranodal and solid organ sites | |
| | | C82.10 | Follicular lymphoma grade II, unspecified site | |
| | | C82.11 | Follicular lymphoma grade II, lymph nodes of head, face and neck | |
| | | C82.12 | Follicular lymphoma, grade II, intrathoracic lymph nodes | |
| | | C82.13 | Follicular lymphoma grade II, intra-abdominal lymph nodes | |
| | | C82.14 | Follicular lymphoma grade II, lymph nodes of axilla and upper limb | |
| | | C82.15 | Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb | |
| | | C82.16 | Follicular lymphoma grade II, intrapelvic lymph nodes | |
| | | C82.17 | Follicular lymphoma grade II, spleen | |
| | | C82.18 | Follicular lymphoma grade II, lymph nodes of multiple sites | |
| | | C82.19 | Follicular lymphoma grade II, extranodal and solid organ sites | |
| | | C82.20 | Follicular lymphoma grade III, unspecified, unspecified site | |
| | | C82.21 | Follicular lymphoma grade III, unspecified, lymph nodes of head, face and neck | |
| | | C82.22 | Follicular lymphoma, grade III, unspecified, intrathoracic lymph nodes | |
| | | C82.23 | Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes | |
| | | C82.24 | Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb | |
| | | C82.25 | Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb | |
| | | C82.26 | Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes | |
| | | C82.27 | Follicular lymphoma grade III, unspecified, spleen | |
| | | C82.28 | Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites | |
| | | C82.29 | Follicular lymphoma grade III, unspecified, extranodal and solid organ sites | |
| | | C82.40 | Follicular lymphoma grade IIIb, unspecified site | |
| | | C82.41 | Follicular lymphoma grade IIIb, lymph nodes of head, face and neck | |
| | | C82.42 | Follicular lymphoma, grade IIIb, intrathoracic lymph nodes | |
| | | C82.43 | Follicular lymphoma grade IIIb, intra-abdominal lymph nodes | |
| | | C82.44 | Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb | |
| | | C82.45 | Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb | |
| | | C82.46 | Follicular lymphoma grade IIIb, intrapelvic lymph nodes | |
| | | C82.47 | Follicular lymphoma grade IIIb, spleen | |
| | | C82.48 | Follicular lymphoma grade IIIb, lymph nodes of multiple sites | |
| | | C82.49 | Follicular lymphoma grade IIIb, extranodal and solid organ sites | |
| | | C82.50 | Diffuse follicle center lymphoma, unspecified site | |

| | | | | |
|--|--|--------|---|--|
| | | C82.51 | Diffuse follicle center lymphoma, lymph nodes of head, face and neck | |
| | | C82.52 | Diffuse follicle center lymphoma, intrathoracic lymph nodes | |
| | | C82.53 | Diffuse follicle center lymphoma, intra-abdominal lymph nodes | |
| | | C82.54 | Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb | |
| | | C82.55 | Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb | |
| | | C82.56 | Diffuse follicle center lymphoma, intrapelvic lymph nodes | |
| | | C82.57 | Diffuse follicle center lymphoma, spleen | |
| | | C82.58 | Diffuse follicle center lymphoma, lymph nodes of multiple sites | |
| | | C82.59 | Diffuse follicle center lymphoma, extranodal and solid organ sites | |
| | | C82.60 | Cutaneous follicle center lymphoma, unspecified site | |
| | | C82.61 | Cutaneous follicle center lymphoma, lymph nodes of head, face and neck | |
| | | C82.62 | Cutaneous follicle center lymphoma, intrathoracic lymph nodes | |
| | | C82.63 | Cutaneous follicle center lymphoma, intra-abdominal lymph nodes | |
| | | C82.64 | Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb | |
| | | C82.65 | Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb | |
| | | C82.66 | Cutaneous follicle center lymphoma, intrapelvic lymph nodes | |
| | | C82.67 | Cutaneous follicle center lymphoma, spleen | |
| | | C82.68 | Cutaneous follicle center lymphoma, lymph nodes of multiple sites | |
| | | C82.69 | Cutaneous follicle center lymphoma, extranodal and solid organ sites | |
| | | C82.80 | Other types of follicular lymphoma, unspecified site | |
| | | C82.81 | Other types of follicular lymphoma, lymph nodes of head, face and neck | |
| | | C82.82 | Other types of follicular lymphoma, intrathoracic lymph nodes | |
| | | C82.83 | Other types of follicular lymphoma, intra-abdominal lymph nodes | |
| | | C82.84 | Other types of follicular lymphoma, lymph nodes of axilla and upper limb | |
| | | C82.85 | Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb | |
| | | C82.86 | Other types of follicular lymphoma, intrapelvic lymph nodes | |
| | | C82.87 | Other types of follicular lymphoma, spleen | |
| | | C82.88 | Other types of follicular lymphoma, lymph nodes of multiple sites | |
| | | C82.89 | Other types of follicular lymphoma, extranodal and solid organ sites | |
| | | C82.90 | Follicular lymphoma, unspecified, unspecified site | |
| | | C82.91 | Follicular lymphoma, unspecified, lymph nodes of head, face and neck | |
| | | C82.92 | Follicular lymphoma, unspecified, intrathoracic lymph nodes | |
| | | C82.93 | Follicular lymphoma, unspecified, intra-abdominal lymph nodes | |
| | | C82.94 | Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb | |
| | | C82.95 | Follicular lymphoma, unspecified lymph nodes of inguinal region and lower limb | |
| | | C82.96 | Follicular lymphoma, unspecified, intrapelvic lymph nodes | |
| | | C82.97 | Follicular lymphoma, unspecified, spleen | |
| | | C82.98 | Follicular lymphoma, unspecified, lymph nodes of multiple sites | |
| | | C82.99 | Follicular lymphoma, unspecified, extranodal and solid organ sites | |
| | | C83.30 | Diffuse large B-cell lymphoma unspecified site | |
| | | C83.31 | Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck | |
| | | C83.32 | Diffuse large B-cell lymphoma intrathoracic lymph nodes | |
| | | C83.33 | Diffuse large B-cell lymphoma intra-abdominal lymph nodes | |
| | | C83.34 | Diffuse large B-cell lymphoma lymph nodes of axilla and upper limb | |
| | | C83.35 | Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb | |

| | | | | |
|--|--|--------|--|--|
| | | C83.36 | Diffuse large B-cell lymphoma intrapelvic lymph nodes | |
| | | C83.37 | Diffuse large B-cell lymphoma, spleen | |
| | | C83.38 | Diffuse large B-cell lymphoma lymph nodes of multiple sites | |
| | | C83.39 | Diffuse large B-cell lymphoma extranodal and solid organ sites | |
| | | C83.80 | Other non-follicular lymphoma, unspecified site | |
| | | C83.81 | Other non-follicular lymphoma, lymph nodes of head, face and neck | |
| | | C83.82 | Other non-follicular lymphoma, intrathoracic lymph nodes | |
| | | C83.83 | Other non-follicular lymphoma, intra-abdominal lymph nodes | |
| | | C83.84 | Other non-follicular lymphoma, lymph nodes of axilla and upper limb | |
| | | C83.85 | Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb | |
| | | C83.86 | Other non-follicular lymphoma, intrapelvic lymph nodes | |
| | | C83.87 | Other non-follicular lymphoma, spleen | |
| | | C83.88 | Other non-follicular lymphoma, lymph nodes of multiple sites | |
| | | C83.89 | Other non-follicular lymphoma, extranodal and solid organ sites | |
| | | C83.90 | Non-follicular (diffuse) lymphoma, unspecified site | |
| | | C83.91 | Non-follicular (diffuse) lymphoma, unspecified lymph nodes of head, face, and neck | |
| | | C83.92 | Non-follicular (diffuse) lymphoma, unspecified intrathoracic lymph nodes | |
| | | C83.93 | Non-follicular (diffuse) lymphoma, unspecified intra-abdominal lymph nodes | |
| | | C83.94 | Non-follicular (diffuse) lymphoma, unspecified lymph nodes of axilla and upper limb | |
| | | C83.95 | Non-follicular (diffuse) lymphoma, unspecified lymph nodes of inguinal region and lower limb | |
| | | C83.96 | Non-follicular (diffuse) lymphoma, unspecified intrapelvic lymph nodes | |
| | | C83.97 | Non-follicular (diffuse) lymphoma, unspecified spleen | |
| | | C83.98 | Non-follicular (diffuse) lymphoma, unspecified lymph nodes of multiple sites | |
| | | C83.99 | Non-follicular (diffuse) lymphoma, unspecified extranodal and solid organ sites | |
| | | C85.10 | Unspecified B-cell lymphoma, unspecified site | |
| | | C85.11 | Unspecified B-cell lymphoma, lymph nodes of head, face, and neck | |
| | | C85.12 | Unspecified B-cell lymphoma, intrathoracic lymph nodes | |
| | | C85.13 | Unspecified B-cell lymphoma, intra-abdominal lymph nodes | |
| | | C85.14 | Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb | |
| | | C85.15 | Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb | |
| | | C85.16 | Unspecified B-cell lymphoma, intrapelvic lymph nodes | |
| | | C85.17 | Unspecified B-cell lymphoma, spleen | |
| | | C85.18 | Unspecified B-cell lymphoma, lymph nodes of multiple sites | |
| | | C85.19 | Unspecified B-cell lymphoma, extranodal and solid organ sites | |
| | | C85.20 | Mediastinal (thymic) large B-cell lymphoma, unspecified site | |
| | | C85.21 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face and neck | |
| | | C85.22 | Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes | |
| | | C85.23 | Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes | |
| | | C85.24 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb | |
| | | C85.25 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb | |
| | | C85.26 | Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes | |
| | | C85.27 | Mediastinal (thymic) large B-cell lymphoma, spleen | |
| | | C85.28 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites | |
| | | C85.29 | Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites | |
| | | C85.80 | Other specified types of non-Hodgkin lymphoma, unspecified site | |

| | | | | |
|-----------------------------|------------|--|---|--|
| | | C85.81 | Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face and neck | |
| | | C85.82 | Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes | |
| | | C85.83 | Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes | |
| | | C85.84 | Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb | |
| | | C85.85 | Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region of lower limb | |
| | | C85.86 | Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes | |
| | | C85.87 | Other specified types of non-Hodgkin lymphoma, spleen | |
| | | C85.88 | Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites | |
| | | C85.89 | Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites | |
| | | D47.21 | Post-transplant lymphoproliferative disorder (PTLD) | |
| | | C85.26 | Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes | |
| | | C85.27 | Mediastinal (thymic) large B-cell lymphoma, spleen | |
| EmblemHealth & ConnectiCare | 09/23/2022 | Transferred policy to new template | | |
| EmblemHealth & ConnectiCare | 01/01/2020 | Added Polivy's new Jcode, J9309 effective 01/01/2020 | | |
| EmblemHealth & ConnectiCare | 8/13/2019 | New Policy | | |

References

1. Product Information: POLIVY™ intravenous injection, polatuzumab vedotin-piiq intravenous injection. Genetech, Inc (per FDA), South San Francisco, CA, 2019. Clinical Pharmacology Elsevier Gold Standard. 2018.
2. Micromedex® Healthcare Series: Thomson Micromedex, Greenwood Village, Co. 2019.