

# Xiaflex<sup>®</sup> (collagenase clostridium histolyticum)

Last Review Date: December 30, 2020

Number: MG.MM.ME.cC5

#### **Medical Guideline Disclaimer**

Property of EmblemHealth. All rights reserved. The treating physician or primary care provider must submit to EmblemHealth the clinical evidence that the patient meets the criteria for the treatment or surgical procedure. Without this documentation and information, EmblemHealth will not be able to properly review the request for prior authorization. The clinical review criteria expressed below reflects how EmblemHealth determines whether certain services or supplies are medically necessary. EmblemHealth established the clinical review criteria based upon a review of currently available clinical information (including clinical outcome studies in the peer-reviewed published medical literature, regulatory status of the technology, evidence-based guidelines of public health and health research agencies, evidence-based guidelines and positions of leading national health professional organizations, views of physicians practicing in relevant clinical areas, and other relevant factors). EmblemHealth expressly reserves the right to revise these conclusions as clinical information changes, and welcomes further relevant information. Each benefit program defines which services are covered. The conclusion that a particular service or supply is medically necessary does not constitute a representation or warranty that this service or supply is covered and/or paid for by EmblemHealth, as some programs exclude coverage for services or supplies that EmblemHealth considers medically necessary. If there is a discrepancy between this guideline and a member's benefits program, the benefits program will govern. In addition, coverage may be mandated by applicable legal requirements of a state, the Federal Government or the Centers for Medicare & Medicaid Services (CMS) for Medicare and Medicaid members. All coding and web site links are accurate at time of publication. EmblemHealth Services Company LLC, ("EmblemHealth") has adopted the herein policy in providing management, administrative and other services to, EmblemHealth Plan, Inc., EmblemHealth Insurance Company, EmblemHealth Services Company, LLC and Health Insurance Plan of Greater New York (HIP), ConnectiCare, Inc., ConnectiCare Insurance Company, Inc. ConnectiCare Benefits, Inc., and ConnectiCare of Massachusetts, Inc. related to health benefit plans offered by these entities. All of the aforementioned entities are affiliated companies under common control of EmblemHealth Inc.

#### Definitions

Xiaflex<sup>®</sup> (collagenase clostridium histolyticum) is a biologic injectable that enzymatically breaks down collagen when injected directly into a Dupuytren's cord. This can result in contracture reduction and range of motion improvement.

#### Dosing

Max units (per dose and over time):

- Dupuytren's contracture:
  - 58 billable units per cord up to 3 times approximately 4 weeks apart
- Peyronie's Disease:
  - 58 billable units on each of 2 days 1-3 days apart every 6 weeks a maximum of 4 times

#### Guideline

Xiaflex (collagenase clostridium histolyticum) is considered medically necessary for the following diagnosis when the subsequent criteria are met:

Dupuytren's Contracture:

- Patient is 18 years of age or older; AND
- Patient has a palpable cord; AND
- Patient's with recent onset disease with signs of inflammation (tenderness, nodules, or tenosynovitis) have had an ineffective trial with a corticosteroid injection; **AND**
- Patient presents with one of the following:
  - Considerable function impairment as demonstrated by documentation of flexion deformities >20 degrees at the MP or PIP joint; OR
  - Presence of flexion deformities (described above) and inflammation that has been refractory to steroid and hand therapy

XIAFLEX™ Last review: December 30, 2020 Page 2 of 3

Peyronie's Disease:

- Patient is 18 years of age or older; AND
- Patient has palpable plaque; AND
- Patient has a curvature deformity of at least 30 degrees at the start of therapy

Coverage for Xiaflex may be renewed for the following diagnosis when subsequent criteria are met:

Peyronie's Disease:

• Patient's curvature deformity is 15 degrees or greater

### Limitations/Exclusions

- Approval will be granted for 12 weeks for a diagnosis of Dupuytren's Contracture per cord and may not be renewed
- Subsequent approvals for a diagnosis of Dupuytren's Contracture will require a new authorization
- Approval will be granted for 6 weeks for a diagnosis of Peyronie's Disease and may be renewed a maximum of 3 times
- As serious complications or damage may occur, Xiaflex should only be administered by a health care professional experienced with hand injections (for Dupuytren's contracture) or urologists (for Peyronie's disease) who have received certification in the Xiaflex Risk Evaluation and Mitigation Strategy (REMS) Program.

20550	Injection(s); single tendon sheath, or ligament, aponeurosis (e.g., plantar "fascia")
20527	injection, enzyme (e.g., collagenase), palmar fascial cord (i.e., Dupuytren's contracture)
26341	Manipulation, palmar fascial cord (i.e., Dupuytren's cord), post-enzyme injection (e.g., collagenase), single cord
29130	Application of finger splint; static
54200	Injection procedure for Peyronie disease;
54235	Injection of corpora cavernosa with pharmacologic agent(s) (e.g., papaverine, phentolamine)
96372	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular
J0775	Injection, collagenase, clostridium histolyticum, 0.01 mg

## **Applicable Procedure Codes**

#### Applicable Diagnosis Codes

M72.0	Palmar fascial fibromatosis [Dupuytren]
N48.6	Induration penis plastica

#### **Review History**

12/30/2020 Annual review: no policy changes

- 1. Anderson, Bruce C, Sheon Robert P. Dupuytren's contracture. In: UpToDate, edited by Zacharia Isaac, published by UpToDate in Waltham, MA. 2010.
- 2. FDA. Xiaflex Prescribing Information. Revised October, 2019. Accessed December 2020.
- 3. Specialty-matched clinical peer review.